



Sauter

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sauter** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Sauter T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Avm115sf132	
Mh32f40200	
Adm322hf120	
Dsb143f001	0-6bar pressure switch
Sauter Eyl220f001 Plc	
Mv-H-A-01	VUE025F300 2W-F1 valve , PN10/16 , DN25 , kvs 10 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35/60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-A-02	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35/60 / 120s, 250N valve actuator with automatic adjustment
M-H-L-01	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35/60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-L-02	VUE040F300 2W-F1 valve , PN10/16 , DN40 , kvs 22 2 way flange valve for cold and hot water + AVM115SF132 actuator, SUT, 24V, 8mm, 60 / 120s, 500N valve actuator with automatic adjustment
Mv-H-L-03	VUE025F300 2W-F1 valve , PN10/16 , DN25 , kvs 10 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35/ 60 / 120s, 250N valve actuator with automatic adjustment

Mv-H-L-03a	VUE032F300 2W-F1 valve , PN10/16 , DN32 , kvs 16 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35/ 60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-L-04	VUE040F300 2W-F1 valve , PN10/16 , DN40 , kvs 22 2 way flange valve for cold and hot water + AVM115SF132 actuator, SUT, 24V, 8mm, 60 / 120s, 500N valve actuator with automatic adjustment
Mv-H-K-01	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35 / 60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-K-02	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35 / 60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-K-03	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35 / 60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-O-01	VUE020F300 2W-F1 valve , PN10/16 , DN20 , kvs 6,3 2 way flange valve for cold and hot water + AVM105SF132 actuator, SUT, 24V, 8mm, 35 / 60 / 120s, 250N valve actuator with automatic adjustment
Mv-H-K-04	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-K-05	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-K-06	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-K-07	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-K-08	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-O-02	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-O-03	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-05	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-06	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way

Mv-H-L-07	threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-08	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-09	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-10	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-H-L-11	VDL020F200 Dyn. Control valve, PN25, DN20, 220..1330 l / h 2 way threaded valve for automatic dynamic hydraulic balancing. AXM217F202 Small valve actuator, 2- / 3-pt. 24V actuator for small valves such as VUL / BUL, VXL / BXL or other common small valves
Mv-C-A-01	VQE080F300 2W-F1 valve PN16 DN80 kvs100, 20mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree + AVM322SF132 Actuator SUT, 24V, 20mm, 120 / 80s, 1000N Valve drive with automatic adjustment
Mv-C-A-02	VUE580F300 2W-F1 valve PN10/16 DN50 kvs40, 2 way flange valve for cold wash water + AVM115SF132 Actuator SUT, 24V, 8mm, 60 /120 s, 500N Valve drive with automatic adjustment
Mv-C-L01	VUE50F300 2W-F1 valve PN10/16 DN50 kvs40, 2 way flange valve for cold wash water + AVM115SF132 Actuator SUT, 24V, 8mm, 60 /120 s, 500N Valve drive with automatic adjustment
Mv-C-L-02	VQE125F300 2W-F1 valve PN16 DN125 kvs220, 40mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree + AVM234SF132 Actuator SUT, 24V, 0..49mm, , 1000N Valve drive with automatic adjustment
Mv-C-L-03	VQE080F300 2W-F1 valve PN16 DN80 kvs100, 20mm 2 way flange valve for cold wash water + AVM322SF132 Actuator SUT, 24V, 20mm, 120/80s , 1000N Valve drive with automatic adjustment
Mv-C-L-03a	VQE100F300 2W-F1 valve PN16 DN100 kvs160, 40mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree + AVM234SF132 Actuator SUT, 24V, 0..49mm, ,2500N Valve drive with automatic adjustment
Mv-C-L-04	VQE125F300 2W-F1 valve PN16 DN125 kvs220, 40mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree + AVM234SF132 Actuator SUT, 24V, 0..49mm, , 2500N Valve drive with automatic adjustment
Mv-C-K-01	VQE080F300 2W-F1 valve PN16 DN80 kvs100, 20mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree AVM322SF132 Actuator SUT, 24V, 20mm, 120 / 80s, 1000N Valve drive with automatic adjustment
Mv-C-K-02	VQE080F300 2W-F1 valve PN16 DN80 kvs100, 20mm 2 way flange valve for cold wash water and low pressure steam up to 115Degree AVM322SF132 Actuator SUT, 24V, 20mm, 120 / 80s, 1000N Valve drive with automatic adjustment
Mv-C-K-03	VUE25F300 2W-F1 valve PN10/16 DN25 kvs10, 2 way flange valve for cold wash water AVM105SF132 Actuator SUT, 24V, 8mm, 35/ 60 /120 s, 250N Valve drive with automatic adjustment

M-C-O-01	VUE25F300 2W-F1 valve PN10/16 DN25 kvs10, 2 way flange valve for cold wash water AVM105SF132 Actuator SUT, 24V, 8mm, 35/ 60 /120 s, 250N Valve drive with automatic adjustment
Vue050f300	2W-F1. Valve, PN10 / 16, DN50, kvs 28
Bun040f300	3 wege
Avm321sf132	Antrieb
Asm105f120	
Vun015f3x0	2W -Gew valve, PN16, DN15, kvs x, x, 8mm DN15 Stroke: 8mm -10 130C
Avm105sf132	24V 8 mm 35/60/120s 250N
DSB158F001	PRESSURE SWITCH
DSB146F001	
AVF125SF132 (alternative for AVFM25SF132)	actuator (spring loaded), SUT, 8mm, 500N
BUN040F300 (alternative for BXN040F200)	3W threaded valve, PN16, DN40, kvs22, 8mm
AVF125SF132 (alternative for AVM124SF132_)	actuator (spring loaded), SUT, 8mm, 500N
AVM234SF132	Drive, SUT, 24 v, 0..49 mm, 2500 N Valve drive with automatic adjustment to the valve lift and patented Drive-valve coupling 2500N 0 ... 49 mm 24 V AC / DC
EXPR10 F001 A2507C	
EGT346 F101	Rod temperature sensor Ni 1000, L: 100 mm Measurement of liquids and gases in Ventilation systems and water cycles. Ni sensor 1000 ohms Measuring range -50. .160 °C VA immersion rod 6x100mm Wide r state slope on DrN 43760 Protection class IP 65 Product: Sauter Type: EGT346F702
0-10 Bar	
AVM234SF132u	Drive; SUT; 24 V; 0..49 mm; 2500 N; UL
A44W2F001	Replacement for A440WF001 Lz. 30s. Motor drive 230 V ~; 90 ° = 120 s; 30 Nm
A44W0F020	Alternative with registration number 30s. Plus transformer Motor drive 24 V ~; 90 ° = 30 s; 25 Nm
AVM234SF132	Drive; SUT; 24 V; 0..49 mm; 2500 N Valve drive; positioner; 24Vfor valve DN 15-150 VU/BU
EY-IO532F001	modu5 I / O module 16UI Universal / Digital Field devices
EGH130F031	
EGT301F102	
EGT311F102	
EGT330F102	
EGT346F102	
EGT347F102	
AVM234SF132U	Vent drive, SUT,24V, 0..49mm, 2500N,UL Sauter field devices
Position sensor id 103600 Sauter	

AVM234SF132-5	Drive, SUT, 24V,14mm,2500N, for V6./B6. field devices
EYZ291F001	Coupling module DDC network V-24 interface
EYR203F001	novaFlex universal controller
AVF234SF232	
EYR 203 F001	
egh101f031	
AVM105SF132	
EGT346F102	rod temperature sensor Ni 1000; L=100 mm
EGT301F102	Outside temperature sensor Ni 1000
clamshell SWITCH SAUTER DFC17B59	f001
clamshell SWITCH SAUTER DFC17B78	
EGH112F031	Channeltransmitter r.F.+ Temp,2 x 0-10V
EGT348F102	Rod temperature sensor Ni 1000; L=450mm
EGH112F031	Channeltransmitter r.F.+ Temp,2 x 0-10V
DSB152F001	pressure switch 6-16 bar; Brass
EGH112F031	Channel transmitter RH+ Temp,2 x 0-10V Replacement for EGH112F002
Replacement for RAK582.4/3726	TUC107F001 Universalthermostat,TW,50..130°C, L=0,7m
EGT356F104 -40...180°C	
AVM234SF132	Vent.drive, SUT, 24V, 8..49mm, 2500N
AVM234SF132-5	Drive, SUT, 24V, 14mm, 2500N, for V6./B6. v
AVM234SF132	Vent.drive, SUT, 24V, 8..49mm, 2500N
Ek 501-446-L0-00	
EGH111F031	Channel transmitter RH+T, 2x0-10V, Ni1000
TFL201F022	Frost limiter -10..15°C; L=3 m
ASM124SF132	Flap actuator, 24V, 15Nm, SUT Intelligent rotation angle adaptation incl. Adjustment of the position feedback. Self-centering axle adapter and convenient rotation angle display. Effect direction switchable. Electronic torque-dependent Shutdown. Manual adjustment with motor shutdown. Quiet and maintenance-free Transmission. Torque: 15 Nm Holding torque: 15 Nm Rotation angle: 90° Run times selectable: 60/120 s Supply voltage: 24 V AC/DC Power consumption: 4.4 VA Permissible flap shaft: round D=10.20mm square.D=10.16mm Inputs: 0-10 V DC 2-point/3-point Position control direction: selectable Position feedback: 0-10 V DC Operating noise: < 30 dB(A) Connection cable: 1.2 m Permissible ambient temperature: -20 to 55°C Permissible ambient humidity: < 95% RH Protection class: IP 54 Optional: - Potentiometer 130/2000 Ohm - Auxiliary changeover contacts (simple/ double) - Mounting on mixer - Set for converting rotary to linear movement Manufacturer: Sauter
ASV215BF132E	VAV damper actuator; 300Pa, 10Nm, 60-105se
EGH112F002	replacement field devices Channel transmitter RH+ Temp.2 x 0-10V
TKP81AF117	
V6G15	

F920	
AXS111S F202	with valve sub-assembly
Pressure switch 2-16 bar, stainless steel	For controlling and monitoring pressures in Liquids, gases and vapors. Particularly suitable for vibrating facilities. With gold-plated silver contacts. Upper and lower switching point Can be adjusted and sealed separately. Adjustment range: 2..16 bar Switching differential: from 0.30 bar Max. permissible pressure: 21 bar Tmax at the sensor: 110°C Pressure connection: G 1/2A, stainless steel 1 changeover switch: 10(2) A, 400 VAC Permissible ambient temperature: -40..70°C Test code: DWFS(SDB), ID:6019 Protection class: IP 44 Tested according to VdT¼V Druck 100, EN 12952-11 and EN 12953-9. Optionally: - Damping screws - Setpoint adjustment according to customer requirements - Mounting bracket for wall mounting
DFC27B52SBF001	If replacement for DFC27B52SBF001 is needed Max pressure limiter 2-16 bar, stainless steel For controlling and monitoring pressures in Liquids, gases and vapors. Adjuster sealable. With gold-plated silver contacts and Standard device plug with cable socket. Locking when pressure increases. Adjustment range: 2..16 bar Min pressure drop: -1.5 bar Max. permissible pressure: 60 bar Tmax at the sensor: 110°C Pressure connection: G 1/2A, stainless steel 1 changeover switch: 10(4) A, 250 VAC Permissible ambient temperature: -20..70°C Test mark: SDB, ID: 6023 Protection class: IP 65 SIL 2 certified according to EN 61508. Tested according to VdT¼V Druck 100, EN 12952-11 and 12953-9, Lloyd's Register and Germanischer Lloyd. According to PED 2014/68/EU, Cat. IV. Suitable for Systems according to EN 12828. Optionally: - Setpoint adjustment according to customer requirements - Mounting bracket for wall mounting
DSF152F001	Pressure switch 0-16 bar, stainless steel For controlling and monitoring pressures in Liquids, gases and vapors. Adjuster sealable. With gold-plated silver contacts and Standard device plug with cable socket. Adjustment range: 0..16 bar Switching differential: 1.2..3.8 bar Max. permissible pressure: 60 bar Tmax at the sensor: 110°C Pressure connection: G 1/2A, stainless steel 1 changeover switch: 10(4) A, 250 VAC Permissible ambient temperature: -20..70°C Check code: DWFS(SDBFS), ID:6024 Protection class: IP 65
DSF158F001	Pressure switch 0-25 bar, stainless steel For controlling and monitoring pressures in Liquids, gases and vapors. Adjuster sealable. With gold-plated silver contacts and Standard device plug with cable socket. Setting range: 0..25 bar Switching differential: 1.5..8.0 bar Max. permissible pressure: 60 bar Tmax at the sensor: 110°C Pressure connection: G 1/2A, stainless steel 1 changeover switch: 10(4) A, 250 VAC Permissible ambient temperature: -20..70°C Check code: DWFS(SDBFS), ID:6024 Protection class: IP 65
NOVA 240	NOVA 240 CONTROL PANEL
58688	
Ak 43 P F002 Pneumatischer D¼mpfungsmotor	
036246	
Avp242f021	
Ey-As525f005	
Ey-As525f001	
057741	
Eyl 210 F001	PLC Panel
Axt111 F200 E0742 230 V 50..60hz 5w / By Axt211f110	

Asf 122 F122 Ac 24v	
118641	
V6r25f300	
Cmi 10k1	CMI10K1 Module 311487
Tfl201 F021	
0370640 002 2305 370502 001	
Avm322f120 Ventilantrieb	
Vug032f304	
129098	
Avp142f001	
Eyb253f201	
Ey-Op250fo01	
Cmr 10b1	CMR10B1 Module Z310761A
1.5.935.644-108371	
Dsf152f001	
Fh Type Range 5000n	
056632-3x500v	
Vul010f300	
Ey - Io570f 001	
1.5.901.560-04201 784	
Ey-Op240f001	
Yzp 416 F311	
Rak582.4/3726	
Asf123 Sf122	
01 97 67 008 1	
Y-Ech-0201-24vdc	
Vug020f304	
Asf113sf122	
Novapro 4.1	
Yzp 410 F201	
Xep10f002	
Avf234sf132-5	
A44w0f001	
Avm234sf132-5	
2.4.345.000 Ident-No:060 968	

Avr32w52 F001 By Avm322f120 Or Avm234sf132-6	
064531	
930.83 222534 - Unknown Product	
Egt446f101	
064813	
Egt346f101	
Bug065f304	
058370	
Avf234sf132 5	
Ak43pf002	
Dfc27b43f002	
Egt348f101 , By Egt348f102	
Ey - Io532f 001	
Rak582.4/3728, Universal Thermostat Tw 15-95, For (Tcg42r F003 2310 (T 80/155)	
121428	
Vug065f304	
Avn3h12sf001	
Ip43.A.44 Wo-F001.C2501	
0274596000	
Eyl 215	nova215 DDC Automation Station with Communication EYL215 F001, EYL215F001, EYL 215, EYL 215 F001,
Ey-I0570f001	
038401	
Bue 032 F 300	
V6r-R15 F320	
Ey - Io551f 001	
129396	
129400	
Tkc7b20f001 / Tuc107f001	
Egp100f301	
Avf 234s F132 24v - Ventilmotor	
Cmr 20e1	CMR20E1 Module Z310804b
05.480.525/6/7/91	
024493	
Egt346f101 / Egt346f102 With Changed 0391022100 Or Egt347f102 With Changed	

0391022200	
A44w2sf001	
Cmr20a15	CMR Flow Sensor Flow Amplifiers Z 311426/002
060304	
Xep10 F001 Input:2...10v - Output:0,2...1,0bar	
Eys 135 F001 3600 System Plc Karte	
2quot; .	
0.5.680.120 - 088172	
203 Eyr	
Asf 112 F120 220v - Dampfer Motor	
Dsb143	
040946	
Egt346f101 By Egt346f102 / Egt347f102	
Akm 115s F152	
Eyz 291	
Ak42pf003	
036587	
Axt111 F200 E1205	
K9vfr010	Card Rack A1604C
0.5.480.516/01	
Dfc17b58f001 0-6bar	
Dsl43 F001 10(3)a 250v;Max:25 Bar Sdbf.92-190 3c01492 A2701-20t70 Ip65 - , Dsl143f001	
Eye 200 F001 Fancoil Plc – Arge Sauter	
984m.553204	
Avm234sf132	
Egt 346f 102 Ni1000temperaturempfindlichkeit	
Eyl210-F001	COMPACT AUTOMATION STATION 2AMP 250VAC 50/60HZ
Eqjw125f001	
0.5.921.103-77410	
Rcp 10 F 001	
Egt 446f 102pt1000temperaturempfindlichkeit	
Egh130f001	
038663	
Rcp 30 F001	
Dsa146f002	

Eyb 251f 202 - Gebl¼se-Thermostat	
0.5.480.316	
Dfc17b58f001	
0372461001	
Ey - As525f 001 Bacnet Hauptplc	
Egh111 F002	
Avm115f122	
Ey - Cm721f 010	
Vug040f304	
48225010	
Asf123sf122	D¼mpfermotor
Sn065/220	
037387	
064046	
Tso 670 F001	
Expr10f001 -	
Axt211f110	
Avf 234s F132-5	
Avf 234s F132-6 - Ventilmotor	
58554	
Dsdu101f020	
V6f20 ? F304	
004636	
Xep10f001	
Vug050f304	
Pneumatic Actuator Of B4-690t-Gj-372	
Bxe050f300 - , Successor Bue050f200	
01-97.67¼; 008-1	
24vac/Dd	
Avf234sf132-6	
Dsl143f001	Min pressure limiter 0-6 bar
038508	
M722838	
0.5.480.220	
033424	
Rcp 20 F001	

Vkr 050 F300-Ff	
Asm124sf132	
Rak582.4/3729	
Avm115f120	
A44wo F001	
058555	
Eyb251f201 , By Ey-Ru211f001	
Ey-Cm721f1010	
Avn224sf132-5	Drive
Nrt114f031	
Asm115f120	
Dsb146f001	
Eyy 164	Field Module EYY164F202, EYY 164 F202,
Dfc 17b78 F001	
0560260001 Seal Kit To Bug040f304	
037998	
Csk 10	2 Port Communication Module 311537 C
036285	
056877	
Bue050f200	
Rle150 F100	
Tsh143f001	
Dsl 143 F 001 B 0733	
Eyy 174	EYY174 novaLink174 Field Module EYY174F101, EYY 174 F101, EYY174 F101,
Sauter-0510240012-Adapter-Zu-Sauter-Ventilen-V6b6-Bis-20-Mm-Hub-F3;R-Avm322s-Istanbul-Turkiye	
Dfc17b76f001	
16, 16a, 16b - Blatt 14	
Dsb158f001	
Dfc17b78f001	
036306	
038273	
0 5 474 510	
Dsl43 F001	
Csk 11	2 Port Communication Module

034592	
Egh111f002 / Egh111f031	
Ey-Bu292f001	
Vul015f300	
Avm234sf132-6 Ventiltrieb	
05/480/220	
Snp2/17dco01f	
Dfc17b96f001	
Dsh143f001	Max pressure limiter 0.5-6 bar
Tfl201f022	Thermostat
0370640 002 2305 370502 001	
Cks104	CKS104 Module D0038
0274595000	
Eyy 170	Field Module EYY174F202, EYY 174 F202, EYY174 F202,
Tlc7b17f001 By Tuc101f003	
0 5 921 103 77410	
Egt 346 F021	
043701	
Fh 200k	
Egt354 F102	cable temperature sensor
1-9 Kg/Cm2 0.7-2.5	
Egt 330 F101	
Tfl 201	
Avm 234s F132	
104961	
Avm124sf130	
Egh111f031	Channel transmitter r.F. + T., 2x0-10V, Ni10000 Measurement of relative humidity in air ducts 0 100 ½ rF Without condensation 0 10V -20 ... 80 C Output signal: 0 ... 10V Ni1000 24V AC / DC 10 m / s
0210240010	
110573	
0274605000	
B6r25f300	
Tkc 7b20	
Allen 4 Bolt For Typ 0.5.474.510 Nr.082 952	
Xsp31f001	
0313529001	

Vug025f304	
Rak582.4/3726 Limited Amount / Tuc107f001	
062220	
Eye200f001	
0378283003 Seal Kit For Bug040f304	
Egh111f002 ,S Egt347f102 Or Egh111f031	
Bug050f304	
Tfl 201 F0241	
Egt Ni 1000	
Expr-10--No	
Asf122f122	
Avm124sf132 - , Avm115sf132	
Ddl105 F001	
0.5.480.225-058542	
Tlc7b17f001 Ventilator Extractor Container	
Ey-Io551f001	
066331	
Avf234sf132	
Avf234s F132	
Sdu101f004	
Dsb152f001	
Dsh158f001	
Eyl 220 F001	PLC Panel
Vun015f350	
0374413001	
Bun015f300	
0372376014	
Egt346 F101 / A0645 / Ni 1000	
370640	
0372332001	
0 5 480 516 01 12 088632	
Csk 12	Communication Module A2110C
Egt346	
Avf 234 Sf 232	
Avp243f031	

Cmr 10z2	CMR10Z2 Module A1709CF002
Ey-Io532f001	
0378111001	
0.5.474.510	
Eqjw145f001	
Dsh152f001	
Eyb 253 Ve 250	
036588	
Av42 P10	
Z43.	
Dsh127f001	
Dsu 101 F001	
Cmk 10	CMK10 Module Z311681
Sdu101 F001	
Asm134sf132	
Dsu210f001	
K9vfr011	Card Rack A1603C
Eyr 207f 001 3600 System Plc	
Avf234sf232	Actuator (spring out), SUT, 0..49mm, 200N Valve actuator with spring return
Ey-Op840f001	
Egt346f101 / Egt346f102 + Egt347f102	
Dsf143f001	
062371	
Ey-Cm721f010	
Avm 234s F132 24v - Ventil Motor Arge Sauter	
Hardness Tester Ahmo D03	
0274593000	
Avm 105 Sf 132	ventilantrieb
Dsh146f001	
Def100f200	
Dsu210f002	Pressure transducer
Eye 200 F001 Fancoil Plc	
100610	
Avm 115 Sf 132	Ventilantrieb
Asm105sf132	

[2 1/2quot;](#)
[129011](#)