


Scheuch

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye
içi kapı teslim fiyat
ve teslim s¼resi
içeren teklifimizi
almak için
info@yursat.com.tr
e-posta adresine
baŐvuru yapabilir ya
da ayrıntılı bilgi için
+90 224 240 03 04
numaralı
telefonumuzdan
bizlere
ulaŐabilirsiniz.
Scheuch Markası,
tedarik s¼resi için
l¼tfen bizimle
iletiŐime geçiniz.

*Firmamız Scheuch T¼rkiye
Distrib¼t¼r¼ veya temsilcisi
değildir. Firmamız sipariŐ
durumunda, belirtilen
¼r¼nlerde sadece Orjinal ve
yeni ¼r¼n teklifi
sunmaktadır. Bu sitede
g¼sterilen ¼zel marka adları
ve ticari markalar ilgili
sahiplerinin
m¼lkiyetindedir, talep
durumunda
kaldırılmaktadır.*





¼r¼n	Açıklama
Vmk90	
0012173	
0012232	
ISTBR	
ISTBRI	
mk31_0160-ka29	
PM-A (IP65)	

SFE ISTRR-IM15	
SFE MVK-5MV24	
SHFDH170	
zss g-rmdl-0220-6/2	
DDMU_DS3	
AT-800031027-2/20	Shaft – rotor – main mechanical spare parts of the fans in the annex
SFDW_05/12-D-04 F-1095/17	A-182064 filter hose filter hose □165mm, L=4500mm fs16-450s-pan550
0012174	Differential pressure transducer 0-35 mbar mre ddmu DS3-0-035
0012847	filter spare parts control unit ISTBR filter connection cable 2,8m sfe istbr-fkl
0012845	control unit ISTBR bus cable 4,6m connect power modules sfe istbr-fkl
0286295	repair kit installation. Repair set of double wear strips
0095997	Screws + housing knife for zss0322
PM-B+ sfe pmb-Plus ac ip65	1467831 Pulsemaster Basic+AC IP65
640.32.000.28-EMV	
ZSS SCHEUCH 0400-TK-25 SER. NO: S-1484/17(182064)	Rotary valve for conveying bulk materials. Drive: direct via clutch Inlet cross-section 507x322 mm Outlet cross-section 507x322 mm Housing height 530 mm Material temperature approx. < 120 °C Flow rate at 99% filling level 79.0 m ³ /h (86,900 kg/h) Goods to be conveyed kaolin Bulk weight conveyed 1 100 kg/m ³ Speed 26 rpm Housing material 1.0038 Material rotor Creusabro 4800 Zone suitability: no zone inside / no zone outside Solid steel housing and rotor, hard chrome-plated housing bore, solid blade rotor or rotor bars made of wear-resistant steel; Bearing maintenance-free, shaft seal by stuffing box. Accesories: Wear plate in the area of incidence Shaft seal (stuffing box) with grease seal or sealing gas connection Rotor with double wear strip Weather protection cover for geared motor Pulse generator ring for rotation monitoring Rotation monitoring, IFM proximity switch with integrated evaluation, 10...36 VDC PNP (normally open)
Shaft seal wdgl NW125	vkdl6 0224-hd29 2-3347-B-13
Block storage repair kit 090s 1 deep groove-	ball bearing vkdl6 0224-hd29 2-3347-B-13
Coupling with flexible N-eupex coupling package	vkdl6 0224-hd29 2-3347-B-13
Shaft seal wdgl NW125	vkdl6 0160-hc29' 2-347-B-10
Bearing repair kit - spherical roller bearing	vkdl6 0160-hc29' 2-347-B-10
Coupling with flexible N-eupex coupling package	vkdl6 0160-hc29' 2-347-B-10
Shaft seal wdgl NW040	vml31 0125-hb29' 2-088-B01
ddmu_DS3	
AT-80047887-3/23	
vmk31 0200-ka 29	
DIFFERENTIAL PRESSURE SENSOR SCHEUCH DDMUDS3	
	Shaft seal for vkdl71 1250-fc14 (AT-80035730-1/21) Lightweight

AT-80038011	corrugated gasket WDGL
AT-80013814	Shaft seal for vkf71 2000-fc11 (AT-80035852-1/21) Labyrinth seal TS40 for Ø180
AT-80009567	Shaft seal for vkd63 1120-hc14 (AT-80035831-1/21) Shaft seal WDLS NW-125 -1.4571
AT-80009566	Shaft seal for vkd31 0800-hd14 (AT-80035750-1/21) Shaft seal WDLS NW-160 -1.4571
00128451 Kabel_Sfe Istbr-Bkl 4.6 M	
0012234	
7grw0372	
0316053	
0012847	
S Xg110a051	
1194550	
0087000	
Condensate Tank For Maintenance Unit Sfe We-Kb-1,00-Pa-P3y	
0012234 Modul_Sfe Istbr-Lm15	
0008115	
0012234 Steuergeraet Istbr Leistungsmodul 15 Ausgaenge	
1215298	
1268015.	
0042732 Steuergeraet Istbr + Istbr Ac/Dc Konverter Ac (100 Vac - 240 Vac)	
0337000	
301-0065-004	
0012389	
012232	
Vz KI-1250x1000-A300	
0725708	
St37-2	
0688837	
01.06.06.02 - 160 X 100 X 15 Mm	
0699316	
0014433	
Serie E1293013	
Zsg0220-Nk-38	
0012502	

0265965
0012769
640.32.010.4
00128451 Kabelsteuergeraet Istbr Buskabel 4,6 M Verbind. Leistungsmodule Sfe Istbr-Bkl
0012232 Leistungsteil Istbr 10 Ausgaenge Ohne Blarue
15 Ausgang -20
0266278
0012173 Differenzdruckmessumformer Zur Messung In Trockenen Gasen
00128451 Steuergeraet Istbr Buskabel 4.6 M Verbind. Leistungsmodule
0012494
0688870
0012472
3dt70 - 10
0725637
Ddmu -Ds3
0042732
Lta5 E1150391
Vre50-450-Ka23-GI090r2048 U/Min
Istbri
0044341
0045481
0012234 Modulsteuergeraet Istbrleistungsmodul 15 Ausgaengesfe Istbr- Lm15
0036014
Vz KI-1250-A300
0725701
Nw 90 1-200
Mk31 0160-??29
0154417
Steuergeraet Istbr(15 Ausgaenge)
0012847 Steuergeraet Istbr Filteranschlusskabel 2.8 M
0086999
00128451

[1265462](#)

[Istbri Control Panel 0513988](#)