



Schnorr

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Schnorr Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Schnorr Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
011100	
514500 / Disc Spring	50.00 x 25.40 x 1.50 lo 3.10 1.8159 / 51CRV4 PHOSPH. AND OILED // FINE CUT
509100 / Disc Spring Din En 16983	25.00 x 12.20 x 1.50 lo 2.05 1.8159 / 51CRV4 PHOSPH. AND OILED // FINE CUT
512500 / Disc Spring	40.00 x 16.30 x 2.00 lo 3.10 1.8159 / 51CRV4 PHOSPH. AND OILED // FINE CUT
S 5,00 / 9,00 X 5,30 X 0,60	414500 1.1211/C60S VERPACKT ZU: 1.000
S 12,00 / 18,00 X 13,00 X 1,00	426200 1.1211/C60S VERPACKT ZU: 500
S 24,00 / 36,00 X 25,60 X 1,60	437900 1.1211/C60S VERPACKT ZU: 100
S 16,00 / 24,00 X 17,00 X 1,20	430700 1.1211/C60S VERPACKT ZU: 500
S 8,00 / 13,00 X 8,40 X 0,70	420400 1.1211/C60S VERPACKT ZU: 1.000
S 6,00 / 10,00 X 6,40 X 0,60	416300 1.1211/C60S VERPACKT ZU: 1.000
024100 / Disc Spring	250.00 x 127.00 x 16.00 (15.00) lo 21.80 1.8159 / 51CRV4 PHOSPH. AND OILED
084800	DISC SPRING 31.50 x 16.30 x 2.00 lo 2.50 1.4310 / X10CRNI18-8 DE / TUE ROTATED PACKED AT: 200 KULANZ PRICE DA FROM STOCK Original goods: yes HS code: 7320 90 30
110901	DISC SPRING 45.00 x 22.40 x 2.50 lo 3.35 1.4310 / X10CRNI18-8 DE / TUE ROTATED
515 000	Original SCHNORR® disc springs made of standard spring steel 56.00 x 28.50 x 2.00 lo 3.60 1.8159 / 51CRV4 PU: 25
514 500	Original SCHNORR® disc springs made of standard spring steel 50.00 x 25.40 x 1.50 lo 3.10 1.8159 / 51CRV4 PU: 50

012 700	Original SCHNORR® disc springs made of standard spring steel 40.00 x 20.40 x 1.00 lo 2.30 1.1248 / C75S (CK75) PU: 100 Original SCHNORR® disc springs made of standard spring steel 40.00 x 20.40 x 1.00 lo 2.30 1.1248 / C75S (CK75) PU: 100 YAY CANAK 40X20.4X1 330 GRUP CER 22
512 500	Original SCHNORR® disc springs made of standard spring steel 40.00 x 16.30 x 2.00 lo 3.10 1.8159 / 51CRV4 PU: 100
423 000	Original SCHNORR® Lock washer type "S" made of C60S (1.1211) 10.00 / 16.00 x 10.50 x 0.90 blackened
430 700	Original SCHNORR® Lock washer type "S" made of C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.20 blackened
002621	DISC SPRING 51.40 x 26.00 x 2.25 io 3.45 1.4923x22crm0v121
517300 / DISC SPRING DIN EN 16983	71.00 x 36.00 x 4.00 lo 5.60 1.8159 / 51CRV4 PHOSPH. AND OILED FINE CUT
005600 (pack 500 pcs)	
005600 / TELLERFEDER DIN 2093	
013 433	
015700 (pack of 25 pcs)	
015700 (pack x25)	
019000	
019150	
021800	
022500	
023300 (200,00 x 112,00 x 16,00)	
100x51x5	
112x57x4	
140x72x5	
180022	
20X10.2X0.9	
242800	
243 600	Original SCHNORR® Disc Springs K made of standard spring steel 61.50 x 40.50 x 0.70 lo 1.80 DIN EN 10132-4 VPE: 100
244400	
40X20.4X2.5	

420400
423 000 (1 Box = 1000 Pcs)
426200
426200 (pack x1000)
430700 (pack x1000)
430800 -1000 ADET FIYATIDIR
435320
437900 (pack x1000)
439 091 (pack x100)
441 500 (pack x100)
442730 (pack x1000)
450750
451150
451350
451650
452500
463620
50 CrV4
512000
515700 1pack x 25 pcs
519150
700059 clamping disk
701800 DIN6796
701888
8.8 - ISO 898-1 E31 / A3C
80X36X4 1.8159/51CRV4
90x46x5
A2V00001859111
A3C
Art.No. 700059 SP 16,00 / 39,00 X 17,00 X 4,0 0 2.4632/NIMONIC-ALLOY- 90

ART.NR:1110850 ,SKOO-000-1110103
FSt GEO321B Plus VL
HEX-S ISO4017 M8X25 A2-70
HEX-S ISO4017 M8X35 A2-70
HS 16
HS 20
HS24,439150
HS6,416320
ISO 4014 8.8 - ISO 898-1 E31 / A3C
ISO 4017 A4-70 - ISO 3506-1
M30 – DIN 6796
O25.4X50X3
S 10
S 4
S 6
S 8
S36
spezial PA
TF 80 X 36 X 4
TF B 35,5 X 18,3 X 1,25
TF C 20X 10.2X0.5 (100 STUCK)
TUN 901261-20 FST (435320)
X5CrNi18-10 - 1.4301 - EN 10088-3
114x90,5x1,25 K
41,6x25,5x0,5 mm K
12,8x7,2x0,25mm K
21,8x12,3x0,35mm K
39,6x25,5x0,5mm K
46,5x30,5x0,6mm K
Schnorr Vs6 pul (locked washer)

M6 cup washer	
430 750	Lock washers type "VS" aus X5CrNi18-10 (1.4301) 16,00 / 24,00 x 17,00 x 2,50
435 250	Lock washers type "VS" aus X5CrNi18-10 (1.4301) 20,00 / 30,00 x 21,00 x 2,50
31,5X16,3X2 MM	DISC SPRING /ORIGINAL SCHNORR
Original SCHNORR® disc springs	made of standard spring steel 31.50 x 16.30 x 2.00 lo 2.75 1.8159/51CRV4 VPE: 200
452 400	Lock washer type "S" from C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 Zn8M + passivation PU: 100 Weight: 10kg/1000
452 450	SAFETY WASHER Lock washer type "VS" from C60S (1.1211) 30.00 / 45.00 x 31.60 x 2.40 Zn8M + passivation PU: 100
417900 / LOCK WASHER	S 6,00 / 10,00 x 6,40 x 0,70 1.4301/X5CRNI18-10 RUST RESISTANT PACKED TO: 1,000
422700 / LOCK WASHER	S 8,00 / 13,00 x 8,40 x 1,00 1.4301/X5CRNI18-10 RUST RESISTANT PACKED TO: 1,000
424900 / LOCK WASHER	S 10,00 / 16,00 x 10,50 x 1,00 1.4301/X5CRNI18-10 RUST RESISTANT PACKED TO: 1,000
427600 / LOCK WASHER	S 12,00 / 18,00 x 13,00 x 1,30 1.4301/X5CRNI18-10 RUST RESISTANT PACKED TO: 500
432200 / LOCK WASHER	S 16,00 / 24,00 x 17,00 x 1,50 1.4301/X5CRNI18-10 RUST RESISTANT PACKED TO: 500
436400 / LOCK WASHER	S 20,00 / 30,00 x 21,00 x 1,80 1.4301/X5CRNI18-10 RUST RESISTANT WASHER PACKED TO: 250
512 600	Original SCHNORR® disc springs made of standard spring steel 40.00 x 18.30 x 2.00lo 3.15 1.8159/51CRV4 PU: 100 Weight: 15.04kg/1000
021600 DISC SPRING	150,00 x 81,00 x 10,00 (9,30) lo 13,00 1.8159/51CRV4 PHOSPH.AND OILED
021000 / COUNTER SPRING DIN EN 16983	140.00 x 72.00 x 8.00 (7.50) l o 11.20 1.8159/51CRV4 PHOSPH.AND OILED PROCESSED ON ALL SIDES AFTER GROUP 3 1 Pack: 100 pieces
RM638024	
430 800	Typ "VS" C60S (1.1211) 16,00 / 24,00 x 17,00 x 1,90 blackened VPE: 250
451 650	Typ "VS" C60S (1.1211) 16,00 / 24,00 x 17,00 x 1,90 Zn8M + passivation VPE: 250
435 300	Typ "VS" C60S (1.1211) 20,00 / 30,00 x 21,00 x 1,90 blackened VPE: 250
451 950	Typ "VS" C60S (1.1211) 20,00 / 30,00 x 21,00 x 1,90 Zn8M +

	passivation VPE: 250
438 000	Typ "VS" C60S (1.1211) 24,00 / 36,00 x 25,60 x 2,40 blackened VPE: 100
452 150	Typ "VS" C60S (1.1211) 24,00 / 36,00 x 25,60 x 2,40 Zn8M + passivation VPE: 100
450 500	Lock washer type "S" from C60S (1.1211) 4.00 / 7.00 x 4.30 x 0.50 Zn8M + passivation PU: 1000
412 700	Lock washer type "S" from C60S (1.1211) 4.00 / 7.00 x 4.30 x 0.50 blackened
516 700	Original SCHNORR® disc springs made of standard spring steel 70.00 x 35.50 x 3.00 lo 5.10 1.8159/51CRV4 60 pieces
516 100	Original SCHNORR® disc springs made of standard spring steel 63.00 x 31.00 x 2.50 lo 4.25 1.8159/51CRV4 92 pieces
005 100	Original SCHNORR® disc springs made of standard spring steel 18.00 x 6.20 x 0.80 lo 1.30 1.1248/C75S (CK75) 2000stck
409 400	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 3.00 / 5.50 x 3.20 x 0.45 blackened PU: 2000
416 300	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 6.00 / 10.00 x 6.40 x 0.60 blackened PU: 1000 Weight: 0.18kg/1000
420 400	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 8.00 / 13.00 x 8.40 x 0.70 blackened PU: 1000 Weight: 0.37kg/1000
423 000	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 10.00 / 16.00 x 10.50 x 0.90 blackened PU: 1000
426 200	Original SCHNORR® from C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.00 blackened PU: 500
430 700	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.20 blackened 1000
435 100	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 20.00 / 30.00 x 21.00 x 1.40 blackened PU: 250
437 900	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 24.00 / 36.00 x 25.60 x 1.60 blackened PU: 100
441 500	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 blackened PU: 100
442 730	Original SCHNORR® Lock washer type "S" from C60S (1.1211) 36.00 / 54.00 x 38.00 x 2.50 blackened PU: 50
430 750	Original SCHNORR® Lock washers type "VS" made of X5CrNi18-10 (1.4301) 16.00 / 24.00 x 17.00 x 2.50 PU: 250
518 750	Original SCHNORR® disc springs made of standard spring steel 100,00 x 51,00 x 2,70 lo 6,20 1.8159/51CRV4

S 12,00 / 18,00 X 13,00 X 1,00	
003468 / PLATE SPRING	109,00 x 89,50 x 5,00 lo 5,78 1.8159/51CRV4 PHOSPH.AND OILED REC FL. CONNECTED
003467 / PLATE SPRING	134,00 x 109,50 x 5,80 (4,90) lo 6,13 1.8159/51CRV4 PHOSPH.AND OILED REC FL. CONNECTED
432 200	Lock washers type "S" made of X5CrNi18-10 (1.4301) 16.00 / 24.00 x 17.00 x 1.50
439 091	Lock washers type "S" made of X5CrNi18-10 (1.4301) 24.00 / 36.00 x 25.60 x 2.00
441 500	Lock washer type "S" made of C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 blackened
452 400	Lock washer type "S" made of C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 Zn8M + passivation
460 300	Lock washer type "S" made of C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 ZN FLAKE 720h
S24 SCHNOOR SAFETY WASHER ART NR.439091(HX=1) "S"	METRIC
A24 SCHNOOR STAMP 439 091	
Custom tool costs	
441 500	Lock washer type "S" made of C60S (1.1211) 30.00 / 45.00 x 31.60 x 1.80 blackened PU: 100
430 800	Lock washer type "VS made of C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.90 blackened PU: 250
243 400	Original SCHNORR® disc springs K made of standard spring steel 51.50 x 35.50 x 0.60 lo 1.50 DIN EN 10132-4 PU: 100
452 100	Original SCHNORR® Lock washer type "S" made of C60S (1.1211) 24.00 / 36.00 x 25.60 x 1.60 Zn8M + passivation PU: 100
M12	disc spring washer
426 200	Lock washer type "S" made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.00 blackened Pack: 500pcs
435250	Lock washers Typ "VS made of X5CrNi18-10 (1.4301) 20,00 / 30,00 x 21,00 x 2,50 VPE 250
438021	Lock washers type "VS" made of X5CrNi18-10 (1.4301) 24.00 / 36.00 x 25.60 x 3.00 PU: 100
519 150	100,00 x 51,00 x 6,00 lo 8,20 1.8159/51CRV4 us standard spring steel
021 800	Original SCHNORR® disc springs made of standard spring steel 160.00 x 82.00 x 10.00 lo 13.50 1.8159/51CRV4

426 300	Original SCHNORR® Locking washer type "VS made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.40 blackened Packaging unit: 500
423 100	Original SCHNORR® Locking washer type "VS" made of C60S (1.1211) 10.00 / 16.00 x 10.50 x 1.40 blackened Packaging unit: 1000
450 700	Locking washer type "S made of C60S (1.1211) 6.00 / 10.00 x 6.40 x 0.60 Zn8M + passivation Packaging unit: 1000
420 400	Locking washer type "S" made of C60S (1.1211) 8.00 / 13.00 x 8.40 x 0.70 blackened Packaging unit: 1000
451 000	Locking washer type "S" made of C60S (1.1211) 8.00 / 13.00 x 8.40 x 0.70 Zn8M + passivation Packaging unit: 1000
451 100	Locking washer type "S" made of C60S (1.1211) 10.00 / 16.00 x 10.50 x 0.90 Zn8M + passivation Packaging unit: 1000
426 200	Locking washer type "S" made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.00 blackened Packaging unit: 500
451 300	Locking washer type "S" made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.00 Zn8M + passivation
430 700	Locking washer type "S" made of C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.20 blackened Packaging unit: 500
451 600	Locking washer type "S" made of C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.20 Zn8M + passivation Packaging unit: 500
435 100	Locking washer type "S" made of C60S (1.1211) 20.00 / 30.00 x 21.00 x 1.40 blackened Packaging unit: 250
3/4"	Steel Zinc Plated
451900	Locking washer type "S made of C60S (1.1211) 20.00 / 30.00 x 21.00 x 1.40 Zn8M + passivation Packaging unit: 250
426 300	Locking washer type "VS" made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.40 blackened Packaging unit: 500
426300 0101819805	LOCK WASHER C60S VS M12
423 000	Lock washer Typ "S made of C60S (1.1211) 10.00 / 16.00 x 10.50 x 0.90 blackened Packaging unit: 1000
426 200	S TYPE STAMP made of C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.00 blackened Packaging unit: 500
4311.0000.0019	Disk Spring Outer:125mm Inside:64MM t:8mm
435 300	Locking washer type "VS made of C60S (1.1211) 20.00 / 30.00 x 21.00 x 1.90 blackened Packaging unit: 250
438 000	Locking washer type "VS made of C60S (1.1211) 24.00 / 36.00 x 25.60 x 2.40 blackened Packaging unit: 100

022 900	Original SCHNORR® disc springs made of standard spring steel 200.00 x 102.00 x 12.00 lo 16.20 1.8159/51CRV4
50,00 x 25,40 x 1,50 lo 3,10	514 500 Disc springs made of standard spring steel 50.00 x 25.40 x 1.50 lo 3.10 1.8159/51CRV4 Packaging unit: 50
6.4 x 10 RSC – 6	Disc Springs
8.4 x 13 RSC – 8	Disc Springs
13 x 18 RSC – 12	Disc Springs
17 x 24 RSC – 16	Disc Springs
001 300	Original SCHNORR® disc springs made of standard spring steel 10,00 x 5,20 x 0,25 lo 0,55 1.1248/C75S (CK75)
451 350	Safety Washer Type VS – M12 from C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.40 Zn8M + passivation PU: 500
CUP SPRING Ø110*Ø90*5mm	3.419056.0-1
S30	FST ZN
430750 / VS 16	
435250 / VS 20	
019 160	Original SCHNORR® disc springs made of standard spring steel 100.00 x 51.00 x 7.00 lo 9.20 1.8159/51CRV4
t:4.75mm	t:4.75mm Di:51.90mm De:99.15mm Lo:7.77mm ho:2mm There are 36 Cup Springs in 1 Set and 6 Flat Springs. The total number of springs is 42. There are 42 pieces in 1 set.
X10 CrNi 18-8	DISK SPRING 15X6,2X0,7(SHAFT DIAMETER Ø6)
514500	
416300 S6	
420400 S8	
423000 S10	
426200 S12	
600897	
S4 Washer	414 200 inox
513900	SCHNORR disc spring 50.00 x 18.40 x3.00 phos. and oiled Finely cut
516300	Schnorr disc spring 63.00 x 31.00 x 3.5 finely cut
426300 SCHNORR fuses VS 12.00	
420500 SCHNORR fuses VS 8.00	

435300 SCHNORR fuses VS 20.00	
Spring Seat 40X20.4X1330 Group Gear 22	
Spring Seat 45X22.4X2.5	
513100	SCHNORR Tellerfeder 40,00 x 20,40 x 2,50 DIN 2093
S16	WASHER Quality FST Coating zn
S8	WASHER Quality FST Coating zn
435100	SCHNORR fuses S
007600	SCHNORR Belleville spring 23.00 x 8.20 x 0.90
16881	Disc spring 60.00 x 30.50 x 3.50 finely cut
023600	Schnorr disc spring 250 x 102 x 10 1,8159
016881	SCHNORR Belleville spring 60.00 x 30.50 x 3.50 finely sliced
416320	SCHNORR locking washer HS 6 M6-18 Locking Tapered Washer
416520	SCHNORR locking washer HS 8
420 500	Original SCHNORR® Locking washer type "VS" from C60S (1.1211) 8.00 / 13.00 x 8.40 x 1.10 blackened VPE: 1000
423 100-	Original SCHNORR® Locking washer type "VS" from C60S (1.1211) 10.00 / 16.00 x 10.50 x 1.40 blackened Packaging unit: 1000
426 300-	Original SCHNORR® Locking washer type "VS" from C60S (1.1211) 12.00 / 18.00 x 13.00 x 1.40 blackened Packaging unit: 500
430 800-	Original SCHNORR® Locking washer type "VS" from C60S (1.1211) 16.00 / 24.00 x 17.00 x 1.90 blackened Packaging unit: 250
VS 20	
VS 24	
416 400	Original SCHNORR® Locking washer type "VS" from C60S (1.1211) 6.00 / 10.00 x 6.40 x 0.90 blackened Packaging unit: 1000
701 200	Original SCHNORR® Clamping washers according to DIN 6796 aus C60S (1.1211) 16,00 / 39,00 x 17,00 x 4,00 blank, geölt VPE: -
DIN 126 -M10	Galvanized Coated
054 380	Corrosion-resistant original SCHNORR® Disc Springs 20.00 x 10.20 x 1.10 lo 1.50 1.4310/X10CRNI18-8
414200	SCHNORR fuses S 4.00 Stainless steel

416100	SCHNORR fuses S 5.00 Stainless steel
417900	SCHNORR fuses S 6.00 Stainless steel
422700-	SCHNORR fuses S 8.00 non-rusting. Steel
C40, Din2093	
Schnorr-S24	
437900	
010200	
430800 -1000 Adet Fiyatidir	
014600, B50g, Din 2093	
442790	
Scheibe Belleville	
422700	
426300 (500 Pieces Box)	
021000 A140x72x8	
021750	
34x12.3x1	
Schnorr-S10	
002500 ? Tf B 12,5 X 6,2 X 0,5 Phosphatiert+geolt	
Srww 18 6000	
015500	
Hs 16,00 / 30,00 X 17,00 X 4,0 0	HS 16,00 / 30,00 x 17,00 x 4,0 0 1.1211 / C60S SPAN DISC PHOSPH. AND OILED PACKED TO: 100
451100	
519250	
A45g, Din2093	
300815	
Schnorr-S16	
15,0x8,2x0,7	
50 Cvr 4 - Uni 354	
013300	

426300	
50 Crv 4 - Uni 354	
301846	
436400	
437900 (S 24,00 / 36,00 X 25,60 X 1,60)	
M14 - 429200	
426300 500-Pc Box	
243100	
015000	
A35,5, Din2093	
B10, Din 2093	
241400	
450700	
Uni 3545	
005 550	
1.8159/51crv4	
451900	
A63gr2	
014 800	
432500 1000pc-Box	
Schnorr-S20	
401184 0030 3004	
010100	
451300	
245800	
429200 500-Pc Box	
Hs 12,00 / 24,00 X 13,00 X 3,0 0	HS 12,00 / 24,00 x 13,00 x 3,0 0 1.1211 / C60S SPAN DISC PHOSPH. AND OILED PACKED TO: 250
Type Uv Size 8	
423000	S 10,00 / 16,00 x 10,50 x 0,90 1.1211/C60S
009100, A25, Din2093	

012700 C	
409700,Am128 3x0, 45 A3c	
M18 - 432500	
002500 Tf B 12 5 6 2 0 5	
Hs 20,00 / 36,00 X 21,00 X 5,0 0	HS 20,00 / 36,00 x 21,00 x 5,0 0 1.1211 / C60S SPAN DISC PHOSPH. AND OILED PACKED TO: 50
430800, Vs16	
51-Ka-0567-24-0008-01/16	
519000	
014 500	
241900	
451600	
Schnorr Tf 34,6 X 22,4 X 0,5 (242900)	
004300, B16, Din2093	
C71,Din2093	
20x10.20x1.10 Lo 1.55	
19,150	
225x112x12xmm	
441500	S 30,00 / 45,00 x 31,60 x 1,80 1.1211/C60S
M24 - 438000	
430700	S 16,00 / 24,00 x 17,00 x 1,20 1.1211/C60S
432200	
Srw 18 6000 Rulman Yayi	
424900	
M16 - 430800	
Rosetta Di Sicurezza Schnorr "S" M8 Brunito	2519606006
246500	
015800	
016100, B63g, Din 2093	
Dbc5259f15posc	

303002	
B40g, Din2093	
010700, B31,5g, Din2093	
19,000	
438000 100-Pc Box	
71x36x2-Scheibe	
Da40 X Di20.4 X S2,5 Mm	
M20 - 435300	
435300 250-Pc Box	
514 800	
442730	
166335	
M12 - 426300	
002750, C14 Din2093	
439091	
021000 A140x72 8	
002700, A12,5, Din 2093	
517100	
245100	
008350	
15x5, 2x0,6 Din 2093	
401186 (0030 3006)	
451000	
401184 (0030 3004)	
B63g-016100 Din 2093	
Schnorr-S30	
401185 (0030 3005)	
435100	S 20,00 / 30,00 x 21,00 x 1,40 1.1211/C60S
008800, B25 Din 2093	
A40g, Din 2093	

013100	
243200	
430800 250-Pc Box	
245300	
Schnorr Tf 28 X 12,2 X 1,5	
C20, Din2093	
427600	
518400	PLATE SPRING DIN EN 16983 90.00 x 46.00 x 5.00 lo 7.00 1.8159 / 51CRV4 PHOSPH. AND OILED FINE CUT Originating goods: yes HS code: 7320 90 30
450600	
4100, C16, Din 2093	
514700	
416300	
023500	