

Schutze Spritztechnik / Alfred Schütze

Garanti: 12 ay
Bu ürüne ait Türkiye içi
kapı teslim fiyat ve
teslim süresi içeren
teklifimizi almak için
info@yursat.com.tr e-
posta adresine başvuru
yapabilir ya da ayrıntılı
bilgi için +90 224 240 03
04 numaralı
telefonumuzdan bizlere
ulaşabilirsiniz.
**Schutze Spritztechnik /
Alfred Schütze** Markası,
tedarik süresi için lütfen
bizimle iletişime geçiniz.

*Firmamız Schutze Spritztechnik /
Alfred Schütze Türkiye
Distribütörü veya temsilcisi
değildir. Firmamız sipariş
durumunda, belirtilen ürünlerde
sadece Orjinal ve yeni ürün teklifi
sunmaktadır. Bu sitede gösterilen
Özel marka adları ve ticari
markalar ilgili sahiplerinin
mülkiyetindedir, talep durumunda
kaldırılmaktadır.*



Ürün	Açıklama
110073	
110074	
110889	
210063	
210064	
210065	
210069	
210116	
210119	
210120	

220052
220057
310034
310038
310239
340020
350031
350032
380010
410014
410026
410028
610029
640008
640026
640036
640062
640316
640317
810002
820005
820024
852572
852990
ASV050311111
DSW7S202
DSW7S252
DSW7S302
DSW7S352
KA21001

KA2HD0301	
MKDDISR03RA1	
VOL02S303	
VOL20S303	
VOL2CS303	
VS1011ROROA0102	
W3081111	
W3FZ02111	
W3FZ03111	
W3FZ05111	
W3FZDSV051	
W3FZHDM080100011	
W3FZHVLP03011111	
W3FZHVLP05011111	
W3FZRFSTAN05013111	
W7KN1821	
MKDDISR08RA1	AUTOMATIK-Spritzapparat Modell MKDD-IS Modell : MKDD-IS Luftkappe : Rund 15 Düse : 0,8mm Verschluss : Rasterverschluss Magnetventil : 24V/DC Elektro- pneumatisches Sprühventil mit integrierter Sprühluftsteuerung
MKDDISO99RN1	AUTOMATIC spray gun model MKDD-IS Model: MKDD-IS Air cap: without nozzle: without cap: Grid needle query solenoid valve: 24V/DC Electro-pneumatic spray valve with integrated pattern air control
DSVMKDD1384RB04	Nozzle extension automatic MKDD-IS / MKDD-S Model: D 13 Nominal length: 140 mm Nozzle: ring jet ø 1.0 mm Air cap: 12xø0.6 ring jet
MKDIS10511111RA	AUTOMATIC spray gun model MKD-IS R/F Model: MKD-IS R/F Standard Nozzle: 0.5mm Air Cap: Flat 90° Material inlet: 1/8" - 6/4 Material circulation: without connection Air inlet: 1/8" - 6/4 Solenoid valve: 24 V/DC Closure: Electro-pneumatic spray valve with internal control, with adjustment screws for center and horn air (round/flat jet regulation)
MKDIS10541111RA	AUTOMATIC spray gun model MKD-IS R/F Pieces 33.33% 329.66 Model: MKD-IS R/F Standard nozzle: 0.5 mm Air cap: Round 15° Material inlet: 1/8" - 6/4 Material circulation: without connection Air inlet: 1/8" - 6/4 Solenoid valve: 24 V/DC Closure: Electro-pneumatic spray valve with internal control, with adjustment screws for center and horn air

(round/flat jet regulation)	
MKD IVN	
EV21LVK02RA02	Electric application valve model EVV Model: EVV-2 1/4" Material-In. Nozzle Type: LV - K Nozzle ø: 0.2 mm Stroke regulation: Grid regulation Solenoid coil: 24V / 9.3W
111917	Anchor with ball needle, LVK, complete.
211887	Nozzle, LVK, 0.2 mm, stainless steel
W3FZ05111	FINE spray gun model W 3 FZ-Duo Nozzle: 0.5 mm Air cap: Flat jet, 60° Locking ring: Locking ring: regulating closure