



Sensitech

Garanti: 12 ay

Bu rne ait Trkiye ięi kapı teslim fiyat ve teslim sresi ięeren teklifimizi almak ięin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi ięin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Sensitech Markası, tedarik sresi ięin ltfen bizimle iletiŐime geęiniz.

Firmamız Sensitech Trkiye Distribtr veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aęıklama
Temptale Ultra Ambient 16k	
Ttgeo Eagle 2g Monitors	
Viz Comm	
TEMPTALE ULTRA 16K AMB MU	TUA00-02
TTUltra Multiuse PQS E006/046	
TempMate® (model TempMate S1C10A01000	or S1C10A01000T)
TempTale 4	
TempTale®Ultra	
TempTale Geo Ultra (Option alkaline or lithium)	
TempTale Geo Ultra Dry Ice (Lithium or Probe)	
TempTale4 EU Retail	
TempTale4 Dry Ice Probeless	
VizComm View Ultra	
T17008480	

TempTale UltraFit	Please note that the following configurations are possible: 22/44/77 days term.
TempTale Geo Eagle 2G	
BT9	
T11012990/T11013050-3060-30-70	TempTale Geo Ultra
TEMPTALE ULTRA 16K AMB SU	TUA00-01
TempTale Ultra Fit - TTUF	
TempTale Ultra Multi-USE	
TempTale Ultra -TT Ultra	
TGU01-34-003	TT GEO ULTRA SU - 30 DAY ON DEMAND
TempTale Geo Ultra extended	TT Geo U ex
TempTale Geo Ultra Dry Ice	TT Geo U DI
TempTale Ultra Ambient	has a measuring range from -30 to +70°C. Up to six different alarms can be configured. Single events or cumulative alarms can be selected here. All of our data loggers are individually three-point calibrated and come to you with the relevant certificates
TempTale® Ultra BIO-Variante	temperature accuracy range of ±0.22°C from -10°C to +25°C.
Temp Tale Ultra Ambient	
Ryan EZT	Ryan EZT 5-10-20-40-75 days
TT Ultra	
Mechanical and/or digital thermometer recording	devices that can record for 60 days and work at -20/-25C for frozen products
TempTale Geo Ultra	
„Basismodell“ TempTale Ultra Ambient for Life Scie	-30 bis +70°C Up to six different alarms can be configured. Individual events or cumulative alarms can be selected here. All of our data loggers are individually three-point calibrated and also come to you with the corresponding certificates. This data logger is validated for 12 months from the date of sale
TempTale Ultra with Bluetooth function	This can be read using an app or the classic way via a USB connection.
Temptale Ultra Dry ice data logger	Temperature range from -95 C to + 30°C. This is available as single use without a probe
TempTale 4 Familiy Life Science	
Temptale ultra fit	

TT ULTRA DI 1M PRB MU - STANDARD	TUD12-02-003
TempTale RF USB	
TGLA01-20-003	TT GEO LTE SU - 7 DAY ON DEMAND
TGL01-28-003	TT GEO LTE EXT SU - 60 DAY ON DEMAND
TGU01-01-003	TT GEO ULTRA SU - 7 DAY
TGUD11-01-003	TT GEO ULTRA DI SU - 7 DAY
TGLA01-22-003	TT GEO LTE SU - 30 DAY ON DEMAND
ULTRA FIT 16K - FOOD & INDUSTRIAL SU	TUF00-03
GEO Ultra	
GEO Ultra (ext.)	
GEO Ultra DI (Ext.)	
GEO Ultra DI	
GEO X	
GEO XE	
GEO XP	
GEO XEP	
T11013050	GEO Ultra Alkaline
TempTale GEO Ultra T11013050	
TempTale GEO Ultra Extended T11012990	
TempTale GEO Ultra Dry Ice Extended T11013060	
TempTale Geo Ultra Dry Ice T11013070	
TempTale GEO X T11013210	
TempTale GEO XE T11013220	
TempTale GEO XP T11013230	
TempTale GEO XEP T11013240	
T11013070	
T11013060	
T11012990	
TempTale4	

Ryan Ezt 75-Day	
Tt Direct	
Temp Tale Ultra	
Bne3107pb0 - Not Available, Alternative - 15000166	
Ezt Ryan 75 Days	
T4400-01	
Temptale® Geo Eagle Monitor Suite	data logger Temptale 4USB
Temptale4 Usb Single Use	
Tu400-03	
Ryan Cr1 10 Tage	
Aff755bha-Ad	
Temptale 4 Usb	2716010835
Tu400-01	
Cms2015 Akim Sens¼r¼	
Aj31c03bf0 Temptale.Rf	
Xdas-485a-Ttl-02 Obsolete	
Temptale4 Usb Interface Plus Reader	
Temptalerf Monitore	
Temptale Usb Dry Ice	
Temptalerf	
P/N: 15000166	