

Serfilco

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Serfilco Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Serfilco T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
00-0001	
01-7205 03	
01-7205-01H	
01-7205-03-FL	
01-7205-03H	
01-7205-03-K-FL	
01-7205-10	
01-7205-11-H	
01-7205-14	
01-7206 05	
01-7206 11	
01-7206 12	

01-7206 14
01-7206-03-K-FL
01-7208-03
01-8711-03A-EN
01-8714-03-A-EN
22-0432
22-0544
22-0869
33-1029-K
33-1836-PP
33-1838-PP
39-1313-GM
39-2214
39-8009-C
39-8131 2 C
39-8131 C
39-8132 C
39-8132-4C
39-8135 C
39-8135-H
44-3194
44-7347
44-7420 3C
44-7437 5
45-0922-MB
52-0017
55-7120-B
55-7288
66-1018
78-0251

78-0467 AC-V	
88-0387	
99-1030	
DIAPHRAM	
P-39-2214-DX	
PL60(2)S1-G3 78-1133	
PPN-1 (55-7144-BSP)	
S-2931-1	
EH 1 1/2-5SC-DM4.0-B	VERTICAL ACID PUMP EH1 1/245-0155 MB VERTICAL IMMERSION PUMP (EH) Material: PVC-C/EPDM Head: 33 mWS (max.) Flow rate: 36 m ³ /h (max.) Connections: IN: 2" female OUT: 1 1/2" male, BSP Safe to run dry, sealless, no wetted parts metal parts. Immersion depth: 305 mm Motor: 380-415V/3/50Hz, 3.0kW, 2850 rpm, IP55 Country of origin: Great Britain Weight of the pump (without packaging): approx. 56 kg Customs tariff number: 8413 7081
EFP 3X2-2SC-D7.5-50 PP	Connection 11/2" FBSP x1 1/4" MBSP.Enh-1 galvanized
01-8714-03A	VERTICAL SUBMERSIBLE PUMP Model: eh-5ss-dm4.0 Material: STAINLESS STEEL 316L, PTFE Head: 23mWS(max) Volume flow: 37 m ³ /h (max.) Connections: IN / OUT: 2" BSP thread Dry-running safe and sealless, Immersion depth: 392 mm Motor: 380-415V / 3 / 50Hz, 3.0kW
NS-8674	Centrifugal Pump with Motor (Special Paint) Model: GHCM100-80(170)-DM20.0-F Material: PP/EPDM Maximum flow rate: 2,165 L/min. Maximum height: 35m Motor: 400-690V/3/50/15KW Connections: One 4" flange / Out 3" flange
05u20u 21698127 Kartusche	
39-2214-Hmb Pumps With Electric Motorsoppcp030pecag10	
Cs9st6dm0.75-Ccs	
39-2214-Hmb	
71-1201-40	
22-0869 O-Ring Epdm	
Sf-05u20u-15 Filterelement	
Eo Series Eo1 Model	
01-8711-03a-En Pumpe 01-87 11-03a-En	
22-0544 O-Ring	
01-4406 B	

Cu20p	
52-8001	
71-0506-40	
74-7000-60	
44-3181	
44-3182-27	
39-2214 Hm	
45-1333-Mb-L	
01-8968-Pp	
39-2215 Jm	
33-1627a	
P-39-1223 Hx	
49-0267 B	
66-1018 Tefc-Motor 3450 U / Min 5.0 Hp-208-230-460/3/50-60	
44-0852	
39-8125 C	
01-8711-03?-En Pumpe	
52-8001/Odp-S-240-İp44	
39-2214-Hmb Pump Bottom	
Sf-15u20u-15 Filterelement	
İp54	PUMP 1-1/2HP 3PH 230/460V
Ppfm30sg31(122)-Dm2.2 Filtering Unit15 X 20"	
71-1403-59-2pk	
10u20u	
61 - 5151 K	
Parts For St2x1-1/4-Mpck-8-Dm3.0	
99-1030 Filter	
49-0257 1b	
05u20u	

11-04441	
22-0848 Dichtung	
Sf-10u20u-15 Filterelement	
15h20u	
Eh 1 1/2-5sc-Dm4.0-B-K-Mph	
22-0848	
Ppn-1/2?	
10u20u 21698128 Kartusche	
G15r20zc	
Ppbl-1 (55-7604)	
44-74375 Laufrad Komplett Mit Laufrad	
39-8127 C	
P-55-7623 New Versioná;	
Titan P-200 Ac Filteranlage	
74-6000-00	
01-8711-03?-?N Pumps With Electric Motorsopp030pecag10	
44-32334	
44-2682	
Cu10p 21698129 Kartusche	
39-1213 Gm-Dpa-St	
52-1000	
C4t34fc2c	PUMP CHEMICAL SUBMERSIBLE 1/3HP 50/60HZ 3450/2850R
44-3210	
Ehlx1-1/2-5sc-H1.5v	
39-8131 2 C Laufrad 3 3/4" (Eo 4), Pvc-Ckurve 4	
71-3001-00	
44-581-Cm	
G01r10zc	
Model P1-M2 X Impck-4a Dm75	

Cj18he2dm2.0-Ccs	
01-4406 Bk	
71-1942-11	
G01r20zc	
44-6706 4	
39-8135 C Impeller Lockdown Pvc-C	
F. Kc-P14	
39-2214-Hmb Pumpe	
49-1414	
Sf-20u20u-15 Filterelement	
Ppl-1	
Pcn 33-6081,Model S-E 16	
Pcn 33-6098	
99-0732 B	
22-0870	
33-1029? Rohr	
43-0805g	
Ppfm30sg31(122)-Dm2.2	
Cu10p	
93573/101-13 Pumpe Modell 01-87 11-03 A-En	
S-2934 2 Sieb Titan-Csn100	
71-1938-82-4pk	
44-31872 C	
P-56-0578	AMP/HOUR/MINUTE CONTROLLER SERIES 1200
45-0145	
Cj18he3dm2.0-Ccs	
33-1836-Pp Sieb Titan-Csn100	
Diaphramá;	
44-3194 Dichtung	
44-4101 C	

39-8131 2 C Laufrad 3 3/4" (Eo 4), Pvc-C	
49-0263 B	
71-0603-23-2pk	
01-7205-14 Magnettopf (St5)material: Pp	
01-7205-11-H Laufrad Pp (St5h)material: Pp	
99-07441	
Ehlx1-1/2-Sc-1d 1.5	
52-9401	
220-389v	
22-0545	
01-7205-05	
47-1418 Tm	
Item No. :Steel And Stainless Steel Bag Filter Chamber	
39-1213-Gm-F1-T Eo1cl3-Dm.5-Dpa-F1-T	
Cu30p	
C20p	
20u20u	
Teflon Overlay	
44-31971	
44-7347 Antriebswelle Aus Titan	
01-7203-01	
15u20u	
Cu20p 21698130 Kartusche	
Sf-20u20u-15 Filter	
71-1000 13	
P-42-0152	HORIZONTAL PUMP 20-175GPM HE SERIES
47-5034-Fm	