



## Siebec

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Siebec** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Siebec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">M35-52594</a>	PP centrifugal pump magnetically coupled Motor 3 Ph 230 / 400V 0.18kW 50Hz. automatically self-priming max output: 3m <sup>3</sup> / h PP / Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector D20mm
<a href="#">M35-52595</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.18kW automatic self-priming Max. Performance: 3m <sup>3</sup> / h PP / PTFE / graphite / ceramic FPM seals Entry / exit with hose connector D20mm
<a href="#">M35-52593</a>	PVDF centrifugal pump Item No. : M35-52593 magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.18kW automatically self-priming max. capacity 3m <sup>3</sup> h max.height 10m Axle / sleeve made of ceramic FPM seals Inlet / outlet with hose connector G1¼ " -DN20 Customs tariff number: 84138100 Country of origin: EU (France)
<a href="#">M140-52574</a>	PVDF centrifugal pump magnetically coupled. Motor 3Ph 230 / 400V 50Hz 1.1kW max output: 14m <sup>3</sup> / h automatically self-priming PVDF / Teflon / graphite / ceramic FPM seals Input / output with hose connector 40mm
<a href="#">M140-52565</a>	PP centrifugal pump magnetically coupled Motor 3Ph. 230 / 400V, 50Hz, 1.1kW automatically self-priming Axle / sleeve PTFE + graphite / ceramic Max. Total head 19m Max. Flow rate 16m <sup>3</sup> / h EPDM seals Inlet / outlet with hose connector G 2¼ "D40mm
<a href="#">M250-52292</a>	PVDF centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50 Hz 1.5kW Max. Output: 25m <sup>3</sup> / h FPM seals Inlet / outlet with hose connector, automatically self-priming
<a href="#">M15-51791</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.045kW Max. Output 2m <sup>3</sup> / h Ceramic axis EPDM seals Input / output

	with hose connector
<a href="#">M100-52555</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 0.75kW automatically self-priming Max. Output: 10m <sup>3</sup> / h Max. Height 18m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN40
<a href="#">Union nut PP M100 / 140 / A18</a>	Art.-Nr. : 13134 for input / output G 2¼ "- DN40
<a href="#">Union nut PVDF M100 / A18</a>	Art.-Nr. : 13135 DN40 2 1/4 " M100-140, A18-19 input / output
<a href="#">Union nut PVDF M200-290</a>	Art.-Nr. : 13137 DN50 2 3/4 " M200-250 input / output, M290 output
<a href="#">400 micron</a>	
<a href="#">200 micron</a>	
<a href="#">25 micron</a>	
<a href="#">Art.-Nr. : CM250-52311</a>	PP pump body Ceramic axis EPDM seals
<a href="#">Art.-Nr. : M250-52288</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 1.5kW automatically re-self-priming maximum output 26m <sup>3</sup> /h maximum height 19m Ceramic axle/sleeve EPDM seals Inlet/outlet with hose connection G2¼"-DN50
<a href="#">01795</a>	Front flange M100-M290 PP
<a href="#">01708</a>	Magnetic drive M100-M290
<a href="#">14100</a>	PP sealing M100-M290
<a href="#">01719</a>	Support for sealing M100-M290
<a href="#">14098</a>	PP pump housing M100-M140-M250, A18-A19
<a href="#">13136</a>	Union nut PP M200-290 DN50 / G 2.3 / 4 " M200-250 input / output, M290 output
<a href="#">14914</a>	Distributor M250 / M290
<a href="#">14926</a>	Ceramic stop with EPDM ring for distributor M250-M290
<a href="#">14924</a>	Rulon stop with EPDM ring
<a href="#">14984</a>	PP impeller with stop
<a href="#">15829</a>	PTFE / graphite guide shaft M100-M290
<a href="#">12730</a>	Suction strainer PP A18 / A19 / A27 / A30 T100 / 101/140/141/200/201 M100-290
<a href="#">01753</a>	PTFE flat gasket M100-M390
<a href="#">14127</a>	EPDM sealing set M100-M250 / A18 / 19 consisting of: Pump housing, manifold and nozzle seals
<a href="#">Druckwaschpumpe:</a>	dreiphasig 380 V --- 90 m * 3 / h --- 2 bar --- 80% Schwefelsäure, 20% Fluoruracit
<a href="#">Wärmetauscherpumpe:</a>	dreiphasig 380 V --- 10 m * 3 / h --- 0,75 kW ---- 80% Schwefelsäure, 20% Fluoruracit
<a href="#">QPOPP-045-20-O-E</a>	Filter candle 20 "0.45µm
<a href="#">M140-53039</a>	PP centrifugal pump magn. coupled Welded pump housing for assembly with filters Motor 3Ph 230 / 400V 50Hz, 1.1kW automatically self-priming max. output: 11m <sup>3</sup> / h Axle / sleeve PTFE + graphite / ceramic EPDM seals
	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz

<a href="#">M200-52577</a>	1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
<a href="#">M200-52578</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming Axle / sleeve made of ceramic / ceramic max. output 21m <sup>3</sup> / h max.height 20m FPM seals Inlet / outlet with hose connector G2¾ "-DN50
<a href="#">M200-52580</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
<a href="#">M200-52580</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¾ "-DN50
<a href="#">M200-52581 (alternative)</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic FPM seals Inlet / outlet with hose connector G2¾ "-DN50
<a href="#">M200-52585 (alternative)</a>	PVDF centrifugal pump magnetically coupled Motor 3Ph. 230 / 400V 50hz 1.1kW automatically self-priming maximum power. 20m <sup>3</sup> / h PVDF / Teflon / graphite / ceramic FPM seals Input / output with hose connector D50mm
<a href="#">M140-52565</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output: 16m <sup>3</sup> / h max.height 19m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN40
<a href="#">M200-52578</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of ceramic FPM seals Inlet / outlet with hose connector G2¾ "-DN50 Country of manufacture: EU Lot number: 84138100
<a href="#">M250-53045</a>	PP centrifugal pump magnetically coupled, motor 3 Ph 230 / 400V 50Hz, 1.5kW, max. power 25m <sup>3</sup> / h, max. height 19m, all EPDM seals, automatically self-priming, intended for L51-81-52-82 PP filter device, input 2 " 1/4 DN40, outlet 2 "DN32.
<a href="#">M7-50052</a>	PP-centrifugal pump magnet. coupled Motor 1Ph 230V 50Hz 0.01 kW max. output 0.7m <sup>3</sup> / h EPDM seals In- / outlet with hose connector Ø 12mm
<a href="#">M7-50640</a>	PP centrifugal pump magnet. coupled Motor 1Ph 230V 50Hz 0.01 kW max. output 0.7m <sup>3</sup> / h FPM seals In- / outlet with hose connector Ø 12mm
<a href="#">PP sealing M100-M290</a>	Art.-Nr. : 14100
<a href="#">Support for sealing M100-M290</a>	Art.-Nr. : 01719
<a href="#">Stainless steel nut HM04</a>	Art.-Nr. : X042
<a href="#">Ceramic stop with EPDM ring</a>	Item No. : 14926 for distributor M250-M290
<a href="#">Ceramic axis M100-M290</a>	Art.-Nr. : 01798
<a href="#">PTFE flat gasket M100-M390</a>	Art.-Nr. : 01753 Spare parts for the A27 pump:
<a href="#">Sealing A27-A30 PP</a>	Art.-Nr. : 13694
<a href="#">Impeller A27 PP / EPDM</a>	Art.-Nr. : 12659
<a href="#">EPDM sealing set</a>	Item No. : 14638 for M390 / M400 / A27 / A30 consisting of: Pump

	housing, distributor seal as well as seals pumps inlet / outlet
<a href="#">Titanium hub A25-A33</a>	Art.-Nr. : 00844 A25-A33, A31P-A33P
<a href="#">Screw for hub</a>	Art.-Nr. : 00840 A pumps A27 - A33
<a href="#">Sealing ring carbide / EPDM / VA</a>	Art.-Nr. : 13704 A18-A30, A31-A33, A31P-A33P
<a href="#">Intermediate ring carbide / EPDM</a>	Art.-Nr. : 14261 A15-A30, A31-A33, A31P-A33P
<a href="#">Washer PTFE</a>	Art.-Nr. : 00764 for compl. Pump series A
<a href="#">106007MC</a>	
<a href="#">A27-53025</a>	PP centrifugal pump with mechanical seals 13704/14261 Motor 3Ph 230 / 400V 50Hz, 2.2kW Titanium hub max. output: 30m <sup>3</sup> / h EPDM seals
<a href="#">M200-52580</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230 / 400V 50Hz 1.1kW automatically self-priming max. output 21m <sup>3</sup> / h max.height 20m Axle / sleeve made of Teflon / graphite / ceramic EPDM seals Inlet / outlet with hose connector G2¼ "-DN50
<a href="#">PP folding candle 20 "10µm</a>	Art.-Nr. : 13990 Typ L-TECH
<a href="#">13694</a>	Waterproofing A27-A30 PP
<a href="#">14615</a>	PP pump housing M390/M400/A27/A30 PP/EPDM seal
<a href="#">12695</a>	Impeller A30 PP/EPDM 50Hz.
<a href="#">14638</a>	Seal set EPDM for M390/M400/A27/A30 consisting of: Pump housing, distributor seal and pump inlet/outlet seals
<a href="#">00837</a>	Protected hub
<a href="#">00840</a>	screw for hub A pumps A27 - A33
<a href="#">13704</a>	Sealing ring carbide/EPDM/VA A18-A30, A31-A33, A31P-A33P
<a href="#">14261</a>	Intermediate ring carbide/EPDM A15-A30, A31-A33, A31P-A33P
<a href="#">00764</a>	Washer PTFE for complete Pump Series A
<a href="#">X260</a>	Screws f. Pump housing
<a href="#">10356</a>	
<a href="#">13748</a>	
<a href="#">17106</a>	
<a href="#">17351</a>	
<a href="#">216X204X8</a>	
<a href="#">216X204X8 FPM</a>	
<a href="#">44770</a>	
<a href="#">60295</a>	
<a href="#">A18-51891</a>	
<a href="#">A19-51255</a>	
<a href="#">A-27</a>	
<a href="#">CM15-50402</a>	
<a href="#">L51-52115</a>	

<a href="#">L51-53776</a>	
<a href="#">L51-53787</a>	
<a href="#">M100-52553</a>	
<a href="#">M100-M250 EPDM</a>	
<a href="#">M15-51789</a>	
<a href="#">M35-52596</a>	
<a href="#">M50-52601</a>	
<a href="#">M50-52606</a>	magnetically coupled Motor 3Ph 230/400V 50Hz 0.18kW automatically self-priming max. output 5m <sup>3</sup> /h max. height 10m axle/sleeve made of Teflon+graphite / ceramic EPDM seals Inlet/outlet with hose connector G1½"-DN25
<a href="#">M50-52607</a>	
<a href="#">MC10- 50552</a>	
<a href="#">MC15- 51149</a>	
<a href="#">MC15-51525</a>	
<a href="#">MC15-51793</a>	
<a href="#">MC4-51515</a>	
<a href="#">MEK.A27-51443</a>	
<a href="#">QB-PP-PP-10-10</a>	
<a href="#">QB-PP-PP-10-4</a>	
<a href="#">QCD-05-10</a>	
<a href="#">QTN-PP-QA-10-10</a>	
<a href="#">SPP90</a>	
<a href="#">M140-52573</a>	
<a href="#">M200-52585</a>	PVDF centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 1.1kW automatically re-self-priming maximum output 21m <sup>3</sup> /h maximum height 20m Axle/sleeve made of Teflon/graphite/ceramic FPM seals Inlet/outlet with hose connection G2¾"-DN50 Net weight approx. 17 kg EU goods number: 84138100 Country of origin: France
<a href="#">M200-52580</a>	PP centrifugal pump Motor 3Ph 230/400V 50Hz 1.1kW automatically re-self-priming maximum output 21m <sup>3</sup> /h maximum height 20m Axle/sleeve made of Teflon/graphite/ceramic EPDM seals Inlet/outlet with hose connection G2¾"-DN50 Net weight approx. 17 kg EU goods number: 84138100 Country of origin: France
<a href="#">H51-52720</a>	PP filter with a container for 700g microfibre spaghetti With pump A18-53653, max. output 9m <sup>3</sup> /h all seals made of NBR three-phase motor
<a href="#">16596</a>	Microfiber container 20" NBR seal
<a href="#">16369</a>	PP microfiber bag for PP microfiber (reusable)
<a href="#">Z442</a>	PP microfiber spaghetti Packaging unit: 10 kg / 197 L in a sack (80 x 60 x 35cm)
<a href="#">QPT-20-PO-100-EFS</a>	Item No. : QPT-20-PO-100 Filter bag PP felt 100µm Ø 180mm, length 820mm Polyloc ring, profile 2 PU 25 pieces
<a href="#">Housing Covers 1713 M – 100-20</a>	

<a href="#">Guiding Shaft PTEF 1753 24.2 x 2 M</a>	
<a href="#">Impeller Housing PP M 100-S114100</a>	
<a href="#">Equiper Impeller Turbine M2001765</a>	
<a href="#">Set of Gaskets M100 FPM-S114128</a>	
<a href="#">L20-52079</a>	PP filter device with pump M15-51789 Motor 1Ph 230V 50Hz 0.045kW maximum output: 1.5m <sup>3</sup> /h EPDM seals without filter insert
<a href="#">L31-52088</a>	PP filter device with magnet. coupled pump M100-53037 Motor 3Ph 230/400V 50Hz 0.75kW max. performance: 9m <sup>3</sup> /h EPDM seals Inlet/outlet with union nuts G2¼"-DN40 without filter insert
<a href="#">Art.-Nr. : 14298</a>	PP folded candle insert PP-EPDM equipped with 1x LTECH 10"/10µm Filter surface 2.5m <sup>2</sup> Washable and reusable
<a href="#">44533</a>	Manometer 0-2,5 bar, PP/EPDM made of PP with EPDM seal for filters L20-30-40-50, MC15
<a href="#">44770.</a>	Manometer 0-4 bar, PP/EPD made of PP with EPDM seal for filters L31-L51-L52-L58-L59-L81-L82-L88-L89
<a href="#">10543</a>	Front flange M100-M200 PP for engines before 09/2009)
<a href="#">01795</a>	Front flange M100-M200 PP for engines after 09/2009)
<a href="#">14100</a>	Front flange M100-M200 PP for engines after 09/2009)
<a href="#">14098</a>	PP pump housing M100-M140-M250, A18-A19
<a href="#">14092</a>	EPDM flat gasket 170x162x4mm
<a href="#">01732</a>	mounting screw Stainless steel screw CL M05-95 for M100-140-200-250-290
<a href="#">14094</a>	EPDM manifold gasket M100-M250 / A18/19 manifold gasket
<a href="#">01730</a>	Ceramic stop with EPDM ring for distributors M70-M200
<a href="#">01766</a>	Impeller with stop M200 PP / EPDM / 50Hz
<a href="#">01798</a>	Ceramic axle M100-M290
<a href="#">01753</a>	PTFE flat gasket M100-M390
<a href="#">SIZ442 MICROFİBERS OİL-TECH - USED FOR SİEBEC H51</a>	
<a href="#">PRODUCT CODE: GM02015774</a>	Ø180MM H460MM - PP 50 MICRON FILTER BAG, PROPER WITH SİEBEC H51
<a href="#">GM02017152 SİEBEC L51-59/H51</a>	
<a href="#">GM02018707 SİEBECL51-59AIR MSLUK PP/FPM</a>	
<a href="#">PVDF centrifugal pump</a>	Item No. : M140-52573 magnetic.coupled. Motor 3Ph 230/400V 50Hz 1.1kW max output: 14m <sup>3</sup> /h automatically re-self-priming PVDF/ceramic/ceramic FPM seals In/out with hose connector 40mm
<a href="#">PES folded candle 20" 5µm</a>	Art.-Nr. : 15668 L-TECH
<a href="#">Sealing ring carbide/EPDM/VA</a>	Art.-Nr. : 13704 A18-A30, A31-A33, A31P-A33P
<a href="#">PTFE+graphite/K. guide axis</a>	15829 für M100-M290 POS 23
<a href="#">PTFE flat gasket M100-M390</a>	01753 POS 24

<a href="#">PP sealing M100-M290</a>	14100 POS 8
<a href="#">Impeller with stop EPDM M250</a>	14984 POS 20
<a href="#">Ceramic stop EPDM M250/290</a>	14926 POS 18
<a href="#">EPDM sealing set M290</a>	14997 consisting of pump housing, Manifold and nozzle seals POS 12
<a href="#">Support for sealing M100-M290</a>	Art.-Nr. : 01719 POS 9
<a href="#">PP centrifugal pump</a>	Art.-Nr. : M250-53045 magnetically coupled, motor 3 Ph 230/400V 50Hz, 1.5kW , max. performance 25m <sup>3</sup> /h, max. height 19m, all seals made of EPDM, automatically self-priming, intended for L51-81-52-82 PP filter unit, inlet 2"1/4 DN40, outlet 2" DN32.
<a href="#">PP-Faltkerze 20" 10µm</a>	Art.-Nr. : 13990 L-TECH
<a href="#">L51-52295</a>	with pump M250-53045 Motor 3Ph 230/400V 50Hz 1.5kW maximum output 18m <sup>3</sup> /h Inlet/outlet with union nuts EPDM seals without filter insert
<a href="#">P51-52273</a>	Filter bowl as a monoblock Pump A30-53027 (titanium hub) Motor 3Ph 230/400V 50Hz 4kW max temp 70°C maximum output: 36m <sup>3</sup> /h EPDM seals manometer without filter insert
<a href="#">14898</a>	P50-P51-P52-P50E-P52E made of PP / length 20" / 500 mm with 4 LTECH PP folded candles 13990 Filter surface: 20 m <sup>2</sup> EPDM seals
<a href="#">Pump</a>	I would like a price quote for 4 Siebec pumps resistant to coating chemicals. Features of coating chemicals: Alkaline Zinc Nickel plating bath pH: 14 Content mainly NaOH, Zn, Ni
<a href="#">14099</a>	M100-200 / T100-200 / T101-201 (old item no. 01736)
<a href="#">Carrier for sealing M100-M290</a>	01719
<a href="#">A19-51418</a>	PP centrifugal pump Item No. : A19-51418 mechanical seals Motor 3Ph. 230/400V, 50Hz, 1.1kW automatically self-priming again max. output 17m <sup>3</sup> /h max. height 16.5m EPDM seals Inlet/outlet with hose connector G 2¼" DN40
<a href="#">Item No. : M100-52555</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming again max. output: 10m <sup>3</sup> /h max. height 18m Axle/sleeve made of PTFE+graphite/ceramic EPDM seals Inlet/outlet with hose connector G2¼"-DN40
<a href="#">PP centrifugal pump</a>	Item No. : M100-52556 magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming again max. output 10m <sup>3</sup> /h max. height 18m Axle/sleeve Teflon+graphite/ceramic FPM seals Inlet/outlet with hose connector G2¼"-DN40
<a href="#">PP-Faltkerze 20" 10µm</a>	13990 L-TECH
<a href="#">PP folding candle 20" 10µm</a>	13990 L-TECH
<a href="#">PES folding candle 20" 20µm</a>	13989 L-TECH
<a href="#">Extruded PES candle 20" 5µm</a>	Item No. : QTNT-PES-05-20 Hard version: Good resistance to pressure and temperature (max. 120°C), smaller capacity
<a href="#">L51 PVDF/FPM M100-53053</a>	ELEMENT WITH 7 PES 20"/5 MICRON POLYESTER SPECIAL HIGH TEMPERATURE
<a href="#">L51-52115</a>	PP filter device Item No. : L51-52115 with pump M100-53037 Motor 3Ph 230/400V 50Hz 0.75kW max. output 9m <sup>3</sup> /h Input/output with union nuts EPDM seals without filter insert
<a href="#">A27 SIEBEC PUMP REPAIR KIT</a>	Nr. 2,3,4,5,6,7,8,9,12,13,14,15,16,17,19
<a href="#">A30 SIEBEC PUMP REPAIR KIT</a>	Nr. 2,3,4,5,6,7,8,9,12,13,14,15,16,17,19

<a href="#">L51-52119</a>	PP filter device Item No. : L51-52119 with pump M100-53038 Motor 3Ph 230/400V 50Hz 0.75kW max. output 9m <sup>3</sup> /h FPM seals Input/output with union nuts without filter insert
<a href="#">Carrier for sealing M100-M290</a>	01719
<a href="#">PP pump housing</a>	14098 M100-M140-M250, A18-A19
<a href="#">A19-51418</a>	PP centrifugal pump Mechanical seals Motor 3Ph. 230/400V, 50Hz, 1.1kW Automatic self-priming Max. output 17m <sup>3</sup> /h Max. height 16.5m EPDM seals Inlet/outlet with hose connector G 2¼" DN40
<a href="#">Impeller A30 PP/FPM 50Hz</a>	12913
<a href="#">A27-51444</a>	with mechanical seals 13704/14261 Motor 3Ph 230/400V, 50Hz, 2.2kW automatic self-priming Titanium hub max. output 31.5m <sup>3</sup> /h Inlet/outlet with hose connector EPDM seals
<a href="#">A27-51446</a>	with mechanical seals 13703/13702 Motor 3Ph 230/400V, 50Hz, 2.2kW automatic self-priming Titanium hub max. output 31.5m <sup>3</sup> /h Inlet/outlet with hose connector FPM seals
<a href="#">M100-52555</a>	magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming max. output: 10m <sup>3</sup> /h max. height 18m shaft/sleeve made of PTFE+graphite/ceramic EPDM seals inlet/outlet with hose connector G2¼"-DN40
<a href="#">A30-51452</a>	with mechanical seals 13704/14261 Titanium hub Motor 3Ph 230/400V 50Hz 4kW Automatic self-priming Max. output: 43m <sup>3</sup> /h EPDM seals Inlet/outlet with hose connector
<a href="#">M100-52556</a>	magnetically coupled Motor 3Ph 230/400V 50Hz 0.75kW automatically self-priming max. output 10m <sup>3</sup> /h max. height 18m axis/sleeve Teflon+graphite/ceramic FPM seals inlet/outlet with hose connector G2¼"-DN40
<a href="#">14504 FX (2 Mikron)</a>	
<a href="#">14268 PP (10 Mikron)</a>	
<a href="#">258-E black</a>	
<a href="#">Pump 1</a>	
<a href="#">IE2 Pomp</a>	
<a href="#">rotating ring carbide/stainless steel A15-18-19-27-30 No:15</a>	
<a href="#">stationary ring carbide A15-18-19-27-30 No:16</a>	
<a href="#">PTFE washer PTFE A15-18-19-27-30 No:17</a>	
<a href="#">impeller housing A27-A30 No:3</a>	
<a href="#">volute case A27-A30 No:4</a>	
<a href="#">impeller A30 50 Hz No:6</a>	
<a href="#">housing cover A27-A30 No:19</a>	
<a href="#">internal strainer A18-A19-A27-A30 No:7</a>	
<a href="#">A27/A30 : set of 4 EPDM gaskets (volute case, diffuser, connections) No:8-9 (SET)</a>	
<a href="#">13671</a>	Carrier for sealing A15-30
<a href="#">258M</a>	thin filter paper Outer Ø 258 mm / inner Ø 40 mm (500 sheets)
<a href="#">258E</a>	thick filter paper Outer Ø 258 mm / inner Ø 40 mm (500 sheets)

<a href="#">GM02015668</a>	
<a href="#">M50-52602</a>	PP centrifugal pump Item no.: M50-52602 magnetically coupled Motor 3Ph 230/400V 50Hz 0.18kW automatically self-priming max. output 5m <sup>3</sup> /h max. height 10m Axle / sleeve made of ceramic FPM seals Inlet/outlet with hose connector G1½"-DN25
<a href="#">M50-52608</a>	PVDF centrifugal pump Item no.: M50-52608 magnetically coupled Motor 3Ph 230/400V 50Hz 0.18kW automatically self-priming max. output 5m <sup>3</sup> /h max. height 10mWS Axle/sleeve PTFE+graphite/ceramic FPM seals Inlet/outlet with hose connector G1½" - DN25mm
<a href="#">15668</a>	PES folding candle 20" 5µm L-TECH
<a href="#">G2'3/4 DN50</a>	
<a href="#">TR108X5 DN65</a>	
<a href="#">01629</a>	Pump housing M35/M50
<a href="#">11861</a>	Rulon stop with EPDM ring for impeller M35-M50
<a href="#">01684</a>	Impeller with stop M35/M50 PP/EPDM 50Hz
<a href="#">15530</a>	PP sealant/carrier M35/M50/M70
<a href="#">01608</a>	Magnetic drive for pump M35-M50
<a href="#">11277</a>	Ceramic-PVDF guide shaft M20-70
<a href="#">01655</a>	PTFE flat gasket M20-M70
<a href="#">01673</a>	Front flange M35-M50
<a href="#">M50-52606</a>	PP centrifugal pump magnetically coupled Motor 3Ph 230/400V 50Hz 0.18kW automatically self-priming Maximum output 5m <sup>3</sup> /h Max. height 10m Axle/sleeve made of Teflon+graphite / ceramic EPDM seals Inlet/outlet with hose fitting G1½"-DN25
<a href="#">13749 Teflon Dichtungs-Set M35 - M50 - A15</a>	
<a href="#">13738</a>	
<a href="#">76565 230v 9,3w 50hz</a>	
<a href="#">14898</a>	
<a href="#">Art.-Nr. : 13138</a>	Swivel flange made of PP for pumps M100-M140-A18-A19
<a href="#">13694</a>	
<a href="#">15801 / Motor M100 Pp 0,75kw</a>	
<a href="#">Seal Kit For 50 C7005advdf/Pp</a>	
<a href="#">M140-52565</a>	
<a href="#">10354 Zwischenring Verteiler</a>	
<a href="#">4kw 2800dd Motor</a>	Auslassdurchmesser 2 "
<a href="#">Pump Body Mek.A27-51443</a>	
<a href="#">M390-52787</a>	
<a href="#">14914</a>	Distributor M250 / M290
<a href="#">Art.-Nr. : 13905</a>	EPDM folding candle insert with 1 PP-Faltkerze 20 "10µm, filter area: 5m <sup>2</sup> for filters L50 / L51 / L52 / L58 / L59

<a href="#">L51 - M100 Filtrationseinheit</a>	F¼R DAS OBEN GENANNTÉ MODEL; ENTL¼FTUNGSVENTIL SET
<a href="#">A31-50742</a>	
<a href="#">L51-52295</a>	
<a href="#">Art.-Nr. : M250-52289</a>	magnetically coupled Motor 3Ph 230 / 400V 50Hz 1,5kW Max. Power: 25m <sup>3</sup> / h Max. Height: 19m Seals made of FPM In / outlet with hose connection automatically re-priming
<a href="#">M390-52729</a>	
<a href="#">T202-52047</a>	
<a href="#">Mc15</a>	
<a href="#">Art.-Nr. : L51-52115</a>	PP filter device with pump M100-53037 Motor 3Ph 230 / 400V 50Hz 0.75kW Max. Power: 9m <sup>3</sup> / h, EPDM gaskets Input and output with union nut without filter insert
<a href="#">M200-50241</a>	
<a href="#">M140- 52574</a>	
<a href="#">14984</a>	PP impeller w. attack
<a href="#">09086</a>	
<a href="#">Siebec-14871-Zwischenring-F3;R-Verteiler-Mit-Ptfe-Istanbul-Turkiye</a>	
<a href="#">14820</a>	
<a href="#">Mc10-50552</a>	
<a href="#">P52e</a>	
<a href="#">Art.-Nr. : 13134</a>	Screw fitting made of PP for pumps M100-M140-A18-A19 An exit
<a href="#">01655 Flache Bez. Dichtung M20-M50</a>	
<a href="#">13990</a>	
<a href="#">H2s04</a>	
<a href="#">Art.-Nr. : 44770</a>	kpl.Mano. 0-4 bar for filters L31-51-52-58-59-81-82-88 and new P filters; with EPDM gasket
<a href="#">Art.-Nr. : M250-52288</a>	magnetically coupled Motor 3 Ph 230 / 400V 50Hz, 1,5kW Max. Power: 25m <sup>3</sup> / h Max. Height: 19m Seals made of EPDM In / outlet with hose connection automatically re-priming
<a href="#">A19-51418</a>	with mechanical seals 13704/14261 Motor 3Ph. 230 / 400V, 50Hz, 1.1kW automatically self-priming built-in suction strainer Max. Total head 17m Max. Flow rate 16.5m <sup>3</sup> / h EPDM seals Inlet / outlet with hose connector G 2¼ "DN40mm
<a href="#">M35-52619</a>	
<a href="#">M140 E M100</a>	
<a href="#">M250-52288</a>	PP centrifugal pump Item No. : M250-52288 magnetically coupled Motor 3 Ph 230 / 400V 50Hz, 1.5kW automatischwiederselbstansaugend Max. Performance: 25m <sup>3</sup> / h EPDM seals Inlet / outlet with hose connector
<a href="#">P50-52256</a>	
<a href="#">Siebec-11862-FI3;Gelradanschlag-Mit-Vitonring-Istanbul-Turkiye</a>	

[13748 Viton Dichtungsset M35 - M50 - A15  
Bestehend Aus Pumpengeh¼;Use - Verteiler -  
U. Stutzendichtungen  
10352 Pvdf Verteiler M 35/ M50](#)

[Siebec-14870-FI3;Gelradanschlag-Mit-Ptfe-  
Istanbul-Turkiye](#)

[Item No. : 13738](#)

cover complete L / H Item No. : 13738 PP, without cover gasket

[Siebec-15024-Motor-F3;R-M70-Istanbul-Turkiye](#)

[13761](#)

[P51e](#)