Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Simco

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Simco Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Simco Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
13010198	SIMCO ionization with air knife - Transvector Vortec - Air Knife - Transvector active length 2465.2 mm (96 ") Air connection G 1/4 " mounted on SIMCO anti-static bar type MEB active length 2438.4 mm total length 2505.0 mm incl. 3 m HS cable Country of origin: NL stat. Item no .: 85437090 Net weight: 2.3 kg
12070044	SIMCO power supply type A 2A7 S 230 V / 50 Hz / 7 kV 4 x device connection 7kV max. 12 m (from HS cable including rod length) 1 x high voltage display 1 x power switch with display Tests CE, UL / CSA Protection class IP 54 Country of origin: NL stat. Item no .: 85437090 Net weight: 3.1 kg
A 2A3 S	SIMCO power supply type A 2A3 S 230 V / 50 Hz / 3 kV 4 x device connection 3 kV max. 12 m from HV cable including rod length 1 x high voltage display 1 x power switch with display Tests CE, Protection class IP 54 Without Schuko plug

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Country of origin: NL stat. Item no .: 85437090 Net weight: 2.8 kg
0207000040	
0209000000	
06.59.20.2000	
09.30.07.6100	
09.32.80.0010	
0928800210	
0932800160	
0932800190	
0974707000	
0974707100	
0974709000	
15.45.00.0160	
17809.	
25-R-1000	
39.30.00.0200	
4002371	
400916301	
4012304	
4012306	
4012474	
4015591	
4015703	
4050661	
4105292	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
antistatic for ÅÑÌ 60Ð +60kV DC	
DES20424	
EP-SH-N 2115mm x 2245mm	
EP-SH-N 2133mm x 2263mm	
EP-Sh-N eff. 2115 mm/total 2245 mm w	
HD-R Charging Bar	
MEB	
MEB eff. 2286 mm/total 2356 mm	
SIMCO-NETZTEIL TYP LB 2A4 D	
STBAR HD-C 2250x 2325MM OAL	
THUNDERION 2.0	
TT-P-645C	Green
VCM-30	
02.07.00.0040	Field strength meter FMX-004 with 9V battery and case, optical distance display, including measurement of ion balance
SIMCO CM5-30-N	SIMCO charging generator Operating voltage: 100-240V / 50-60Hz Number of outputs: 4 Output Voltage: 0-30KV Polarity: Negative Output current: 5.0mA max Incl. Power cord 2.5m IEC 320 I/O plug Sub-D 25 pin without cable Country of origin: NL
09.74.70.9081	Supercharging system CM5 60 N for 100/240V, 50/60Hz Output voltage adjustable from 0 - 60 kV negative, current limited remote control connection for voltage, power and on/off including field bus 69.72.70.4800
09.74.70.9181	Supercharging system CM5 60 P

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	for 100/240V, 50/60Hz Output voltage adjustable from 0 - 60 kV positive, current limited remote control connection for voltage, power and on/off including field bus 69.72.70.4800
45.09.00.1035	Emitter Thunderlon 2.0
75.10.99.000	
75.10.99.0020	
45.10.90.3920	
45.09.00.1035	
45.09.00.1030	
Typ A 2A7 S	12070044 230V / 50Hz / 7kV 4 x device connection 7kV max. 12 m (above HS cable incl. rod length) 1 * High Voltage Indicator 1 x power switch with indicator Tests CE, UL/CSA Degree of protection IP 54
Typ FMX-004	15010026 including case and 9 V battery Measuring distance 25 mm Setting via 2 LED light marks on the object to be measured Measuring ranges Electrostatic field Measuring range Low +/- 1.5kV High +/-30.0 kV Ion balance measurement, with the built-in ion adapter Measuring range Low +/- 300 V High +/- 2.0 kV LCD display -- bar graph + / - Digital -- battery -- display 4 digits The measuring device for the commissioning engineer - maintenance. including calibration and calibration certificate
ion FMX-004	
1531011710 Static Neutrolising Busbar	
09.74.70.7000	Charging system CM5 30 N for 100/240V, 50/60Hz

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Output voltage adjustable from 0 - 30 kV negative, current limited Remote control connection for voltage, current and On off
09.74.70.9081	CM5 60 N charging system for 100/240 V, 50/60 Hz Output voltage adjustable from 0 - 60 kV negative, current limited Remote control connection for voltage, current and On off including fieldbus 69.72.70.4800
09.74.70.9181	CM5 60 P charging system for 100/240 V, 50/60 Hz Output voltage adjustable from 0 - 60 kV positive, current limited Remote control connection for voltage, current and On off including fieldbus 69.72.70.4800
09.74.70.7000	CM5 30 N charging system for 100/240 V, 50/60 Hz Output voltage adjustable from 0 - 30 kV negative, current limited Remote control connection for voltage, current and On off
02.07.00.0040	Field strength meter FMX-004 with 9V battery and case, optical distance display, including measurement of ion balance
02.07.00.0040	Field strength meter FMX-004 with 9V battery and case, optical distance display, including measurement of ion balance
08.05.25.7000	A2A7S für 230 V, 50 Hz, 7 kV
15.09.01.0875	anti-static bar ThunderIon IQ 2.0 effective length: 875 mm, dead length: 1070 mm
15.09.01.0625	anti-static bar ThunderIon IQ 2.0 effective length: 625 mm, dead length: 820 mm
00985074000	CMM mini static device
05.07.20.0010	Top Gun III ion spray gun

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	with power supply for 230V, 50Hz, air filter 0.01 micron and 3 m cable/hose, Airflow control valve
4004261	(PRICE/EA) AEROSTAT GUARDIAN 3-FAN OVERHEAD IONIZER, 230V, 50 HZ CE-EU
Mcm30	CHARGER
4008832	VISION CONTROLLER 120-240VAC 50/60HZ 22W
4001995	HOOD
12010707	
1511000100	
Ch30-N	CHARGER 2.5A 115VAC 50/60HZ 30KV 5MA 6MA SCC MAX
4003337	CHARGER
R50-Blue-Bar-20.5in	STATIC NEUTRALIZING BAR 20.5IN OVERALL LENGTH
Hd-C Charging Bar 2200/2275 Mm. + 14 M Cable	
14-21570	
R51-Blue-Bar-27in	STATIC NEUTRALIZING BAR 5800VAC 50/60HZ
As-10	
4010442	POWER SUPPLY, LINEAR, 7KV, POWER SUPPLY OUTPUT TYPE:FIXED, NO. OF OUTPUTS:1, OUTPUT VOLTAGE:7KV, POWER RATING:20VA, INPUT VOLTAGE VAC:120V, LENGTH:6.4
08.05.10.7000	
Type Cm5 60 N	High voltage generator type CM5 60 N 100-240V, 50/60Hz Output voltage 60 kV DC
4005105	AIR IONIZER, IONIZING AIR GUN, APPROVAL BODIES:CE / UL, FEATURES:OSHA COMPLIANT, OPERATES ON COMPRESSED AIR OR NITROGEN, STATIC DISSIPATIVE GUN AND 7
4011281	(PRICE/EA) AEROSTAT FPD HIGH OUTPUT 3-FAN OVERHEAD IONIZER, 120/230V, 50/60 HZ, CE-EU
4006599	(PRICE/EA) TOP GUN 3 IONIZING BLOW-OFF GUN, 120V, 14-FOOT CABLE/HOSE ASSEMBLY, N.A.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
13200037	
R50-Blue-Bar-20in	NEUTRALIZER BAR 8KV BAR 20IN W/CORD
94-156250	PC BOARD ASSEMBLY ADC/GAIN MEMORY
12070135	
Hd-R 1313/1388	
11020308	
4012557	CONTROL
23040001	
64-08.0525.7000	
4012199	(PRICE/EA) TOP GUN 3 IONIZING BLOW-OFF GUN, 120V, 5 CABLE/HOSE ASSEMBLY, OPTICAL SENSOR, N.A.
08.34.62.5480	
13040005	
4004175	BLOWER STATIC ELIMINATION 2AMP 120VAC 50/60HZ
4010018	NEUTRALIZER BAR 8KV BAR 29IN W/CORD
Simco-Netzteil Typ Lb 2a4 D	
23040002	
4011009	(PRICE/EA) AEROSTAT FPD HIGH OUTPUT 4-FAN OVERHEAD IONIZER, 120/230V, 50/60 HZ, NAM
4002549	IONIZED AIR BLOWER MODEL AS30 2AMP 120VAC 50/60HZ
4088022	STBAR R50 1710X1795MM OAL WITH 7 FOOT HV CABLE
03.20.06.1003	
08.05.25.7900 - A2a7bhr	
4010608	POWER SUPPLY DC HIGH VOLTAGE .6AMP 120VAC 50/60HZ
12010766 Typ P-Sh-N	
Cm5 30n	
4012250	CENTURION SINGLE-FAN DC IONIZING AIR BLOWER, IONIZER

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	TYPE:BENCHTOP, FLOW RATE MAX:90CFM, DEPTH:3.375, WIDTH:8, HEIGHT:9.375, SUPPLY VOLTAGE VAC:120
4011549	IONIZING BAR, POWER SOURCE:BATTERY, SUPPLY VOLTAGE: 9V
Electrode For A6c7s	
A2a7s 230v 50hz 7 Kv	
4012210	ORION IONIZING AIR NOZZLE, 230V, 7 CABLE/HOSE ASSEMBLY, OPTICAL SENSOR, EU CE
4011546cald	IONIZATION BAR, LENGTH:457MM, POWER SOURCE:BATTERY, SUPPLY VOLTAGE:9V
As-20af	IONIZED BLOWER 9KS RMS MAX 120VAC 60HZ
A2a7s	
05.06.20.0010	
12011804 - Performax Easy	
R50-Blue-Bar-26.5inch	STATIC NEUTRALIZER BAR SHOCKLESS 6INCH RANGE
4050202	MOTOR
4012556	CHARGEMASTER GENERATOR NEGATIVE POLARITY 115/230V
R50-Blue-Bar-14-1/2in	NEUTRALIZER BAR 8KV BAR W/CORD 14-1/2IN
4011154	VISIONI CONTROLLER, 120V, 50 HZ
Vcmbp30	CHARGER
4011547cald	IONIZING BAR, POWER SOURCE:BATTERY, SUPPLY VOLTAGE: 9V
4016015c	CHARGER BOARD
4008404	CHARGER
08.05.25.7000 - A2a7s Power	
Vcm30-N	CHARGEMASTER GENERATOR NEGATIVE POLARITY 115/230V
0805257000	
Ivse300	STATIC ELIMINATOR VOLUME 115VAC 435W 5AMP

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
13200038	
4008729	(PRICE/EA) AEROSTAT GUARDIAN CR2000 2-FAN CLEANROOM OVERHEAD IONIZER, 120V, 60 HZ
R50-Blue-Bar-53in	STATIC NEUTRALIZER BAR SHOCKLESS 8KVAC
Ch25-N	ELECTROSTATIC GENERATOR 2/3MA 25KV OUTPUT
4012229	(PRICE/EA) FUSION IN-LINE LOCALIZED IONIZER, TUNGSTEN (W) EMITTERS
Sdvp	PERFORATION DETECTOR CHARGING UNIT
P-Sh The Upper Electrode Is Double	
Hd-C 2500mm	
Vcmbp60	CONTROLLER
4004063	IONIZING AIR BLOWER, APPROVAL BODIES:CE / UL, DEPTH: 17.1CM, EXTERNAL DEPTH:6.75, EXTERNAL HEIGHT:4, EXTERNAL WIDTH:42.75, FEATURES:PATENTED POINT C
4088013	R50 BLUE BAR, 41.1” OL W/7FT CABLE
4014683	POWER SUPPLY
0805254000	
4012563	GENERATOR
4012022	PC2 IONIZING AIR BLOWER, MANUAL EMITTER CLEANER, IONIZER TYPE:BENCHTOP, FLOW RATE MAX:100CFM, DEPTH: 3.5, WIDTH:6, HEIGHT:7.8, SUPPLY VOLTAGE VAC:24
4012245cald	PC2 IONIZING AIR BLOWER, AUTOMATIC EMITTER CLEANER, IONIZER TYPE:BENCHTOP, FLOW
17809	
As20a W/Oplt, Part Number-4100735as 20 Bar & Block Zus	
11179001	POWER SUPPLE DUAL POLARITY 1AMP 120V 50/60HZ
11040040 - Cm5 30 Negativ	
4050230	POWER SUPPLY FOR IONIZATION BARS 230V 50HZ
A6c7s,Art. Nr. : 08.05.60.7000	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Pshnex-230-50hz.	
T780 80x66	
4012245	PC2 IONIZING AIR BLOWER, AUTOMATIC EMITTER CLEANER, IONIZER TYPE:BENCHTOP, FLOW RATE MAX:100CFM, DEPTH: 3.5, WIDTH:6, HEIGHT:7.8, SUPPLY VOLTAGE VAC
4002321	POWER SUPPLY MODEL N167 0.24A 120VAC 60HZ
4005106	(PRICE/EA) TOP GUN 3 IONIZING BLOW-OFF GUN, 230V, 7 CABLE/HOSE ASSEMBLY, EU CE
Hd-R	
4009245	(PRICE/EA) ORION IONIZING AIR NOZZLE, 120V, SIDEKICK (HANDS-FREE STAND), N.A
Ecm 30 N 85-265v/50-60 Hz	
4012555	GENERATOR
11020307	
4012212	(PRICE/EA) ORION IONIZING AIR NOZZLE, 120V, SIDEKICK (HANDS-FREE STAND), OPTICAL SENSOR, N.A
13040006	
4008630	GUARDIAN CR2000 3-FAN OVERHEAD IONIZING AIR BLOWER, APPROVAL BODIES:CULUS, CE, DEPTH:6.75
4006992	(PRICE/EA) AIR IONIZER, BENCHTOP, 120VAC, IONIZER TYPE:BENCHTOP, SUPPLY VOLTAGE VAC:120V, PRODUCT RANGE:-
4011550	IONIZING BAR, POWER SOURCE:BATTERY, SUPPLY VOLTAGE: 9V
Worksurface Tester Model St 4	
Pn25a	STATIC GENERTR
4011007	(PRICE/EA) AEROSTAT FPD HIGH OUTPUT 3-FAN OVERHEAD IONIZER, 120/230V, 50/60 HZ, NAM
A157c2	
4007059	TOP GUN SIDEKICK (FOR HANDS-FREE OPERATION)
Valve Type 16 Offset Design, Female Npt	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
10742-001	(PRICE/EA) I-VSE 5000 STATIC CONTROL BLOWER
4012209	(PRICE/EA) ORION IONIZING AIR NOZZLE, 120V, 5 CABLE/ HOSE ASSEMBLY, OPTICAL SENSOR, N.A
Aerostat As-10	
Vcm60n	CHARGER
4012206	(PRICE/EA) TOP GUN 3 IONIZING BLOW-OFF GUN, 230V, SIDEKICK (HANDS-FREE STAND), OPTICAL SENSOR, EU
4011726	PREFORMAX IQ POWER SUPPLY 24VDC 1.5AMP INPUT
4011548	IONIZING BAR, POWER SOURCE:BATTERY, SUPPLY VOLTAGE: 9V
Spring Connector/Federkonnektor Hv 30/60kv 5050328(91.46.87.3900)	
4011282	(PRICE/EA) AEROSTAT FPD HIGH OUTPUT 3-FAN OVERHEAD IONIZER, 120/230V, 50/60 HZ, CE-UK
12011403	
4000048	4 RING
4012205	TOP GUN 3 IONIZING BLOW-OFF GUN, 120V, SIDEKICK (HANDS-FREE STAND), OPTICAL SENSOR
11010012	
As-20	IONIZER BLOWER 230V
4011547	IONIZING BAR, POWER SOURCE:BATTERY, SUPPLY VOLTAGE: 9V
4088028c	BAR
91-6115- Nxfmr	
03.20.06.0623	
Meb-229-299	
Cm5 60 P	
R50-Blue-Bar	STATIC NEUTRALIZER BAR SHOCKLESS 6INCH RANGE
10735-015	(PRICE/EA) VOLUME STATIC ELIMINATOR (VSE) 3000, 230V, 50HZ CE-UK

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Meb 7kv Lendth:375mm	
1500000240	
A2a7bhr 230v 5-Hz 7kv	
4011546	IONIZATION BAR, LENGTH:457MM, POWER SOURCE:BATTERY, SUPPLY VOLTAGE:9V
29t1-1000	
P-Sh-N-Ex	
91-0280a-C	(PRICE/EA) DIGITAL CHARGED PLATE MONITOR, MODEL 280A FOR HIGH FREQUENCY IONIZERS (MP TECHNOLOGY), SOFTWARE AND CARRYING CASE INCLUDED, CALIBRATION CER
C1750	CABLE CUTTER
14020005	
Ch-20-Ni	CHARGING UNIT .3AMP 230VAC 50/60HZ
4009894	TOP GUN 3 IONIZING BLOW-OFF GUN, 120V, 7 CABLE/HOSE ASSEMBLY, UK CE
Es2j	
25- R-1000	
4008804	(PRICE/EA) AEROSTAT GUARDIAN CR2000 2-FAN CLEANROOM OVERHEAD IONIZER, 230V, 50 HZ CE-UK
92-6115-Us	AIR FORCE BLOW-OFF GUN, 65PSI, PLUG TYPE:US, AIR PRESSURE MAX:65PSI
He3	
Fmx-002(Replacemont)fmx-004	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.