

Sitec-Sieber

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sitec-Sieber** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Sitec-Sieber Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
7200211	Pressure screw 3/8 "and 10 mm HP Vibro according to drawing: 720.0211 Nominal width 1.6, 3 and 5 mm M 20 x 1.5 Width across flats 22 Anti-Vibro
7200221	Pressure ring 3/8 "HP VIBRO according to drawing: 720.0221 Internal thread 3/8 "- 24 UNF LH Anti-Vibro Material: 1.4104 Goods no .: 84818099; Country of origin: CH
7190116-R-NHEP	Through valve NC, 500 bar, G1 / 4 ", DN = 4 with pneumatic drive Spindle made of 1.4542 with ceramic ball and interchangeable seat for N-heptane commitment O-ring in Viton in contact with the medium Medium temp .: -15 ° C to + 200 ° C with magnet and guide on the cylinder prepared for inductive position indication without reed contact switch
7190101-LD4R	Test bench valve NO, 400 bar, DN = 4mm with O-ring connection Spindle made of 1.4542 with ceramic ball and interchangeable seat 17 -4PH Test pressure 450 bar, compressed air requirement: 6 bar Medium: n - Heptane O-rings in the drive in MVQ O-rings in Viton in contact with the medium with magnet and guide on the cylinder prepared for inductive position indication without reed contact switch Item no .: 84814090; Country of origin: CH Replacement for: 719.0101-LD4RK
720.1511	Bulkhead fitting 4000bar, 9/16HP, DN5
720.1512 / a	Elbow 4000bar, 9/16HP, DN5

7105310	Valve 4000 bar 1/4" HP, T1, shut-off Material: 1.4571 Drawing: 710.5310 Nominal diameter 3 mm, type 1, shut-off valve
7201512	Elbow 4000 bar 9/16" HP Material: 1.4571
720.0220	Pressure ring 3/8" HP Material: 1.4104 Drawing: 720.0220 Internal thread 3/8-24 UNF LH standard
7200210	Pressure screw 3/8" and 10 mm HP Material: 1.4305 Drawing: 720.0210 Weight: 0.120 KG M20 x 1.5 Wrench size 22 standard
7200230	Plug 3/8" HP Material: 1.4305 Drawing: 720.0230
7201412	Elbow 2000 bar 9/16" HP Material: 1.4571
7201414	Crosspiece 2000 bar 9/16" HP Material: 1.4571
7301113	Nipple 9/16" HP 2,000 bar, Lg. 200 mm Material: 1.4435 9/16" = 14.3 mm = outer diameter 8.0 mm = inner diameter Material 1.4435
7301112	Nipple 9/16" HP 2,000 bar, Lg. 100 mm Material: 1.4435 9/16" = 14.3 mm = outer diameter 8.0 mm = inner diameter
7200120	
7200110	Pressure screw 9/16" and 14 mm HP Material: 1.4305 Drawing: 720.0110 Weight: 0.198 KG Nominal diameter 5 and 8 mm M26 x 1.5 Wrench size 27 standard
720.1512	
7105310	Valve 4000 bar 1/4" HP, T1, shut-off Material: 1.4571 Drawing: 710.5310
710-5310	4000BAR 1/4" DN3
720.0211	Thrust screw 3/8 "and 10 mm HP Vibro Nominal width 1,6, 3 and 5 mm M 20 x 1.5 Spanner size 22 Anti-Vibro
771,1001	
720.0221	Thrust ring 3/8 "HP VIBRO 5% / -2.40 according to drawing: 720.0221 Internal thread 3/8 "- 24 UNF LH Anti - vibro
720.0330	Plug 1/4 "HP Standard + Anti-Vibro
771,1009	
729.5024-2	
720.0311	Thrust screw 1/4 "and 6 mm HP VIBRO according to drawing: 720.0311 Nominal width 1.6 and 3 mm M 16 x 1.5 Spanner size 17 Anti-Vibro
771,1006	
720.0321	Thrust ring 1/4 "HP VIBRO according to drawing: 720.0321 Internal thread UNF 1 / 4-28 Anti-Vibro
719.0116-K	
719.0115-K	
771,1002	
7280300-10	
7280722	
770,2100	
771,1017	



Yursat DıŐ Tic. M¼nendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

[7700.1100](#)