Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Siti Spa

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Siti Spa Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Siti Spa Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
FC132S2-4	
A/38	
FC712-6	885RPM
M1 60B H7 15/1	
60061915	SITI variator Type MKF20 (rpwebshop.nl)
MU631524140 (410425)	SITI - Worm gearbox with IEC motor attachment MU 63-15-PAM90B14-Ø24/140 Translation 15 Output torque (Nm) max. 141 (at n1=1400 1/min) IEC motor input PAM 90B14A Ø24/140 Hollow shaft diameter (mm) 25 H7 with feather keyway according to DIN 6885/1 Housing version universal Universal installation position Lubricant synthetic oil Viscosity 320 Quantity of lubricant (l) 0.33l Aluminum housing Painting unpainted Weight 5kg
RAA 112 PS/L92 V. RATİO: 1/5 F.4.	
RAA 112 PS/L92 V. RATİO: 1/5 F.4.	
MI50FP2514105 (410830)	SITI - worm gear with IEC motor attachment MI 50FP-25-PAM71B14-Ø14/105 Ratio 25 Output torque (Nm) max. 57 (at n1=1400 rpm) IEC motor input PAM 71B14/A Ø14/105 Hollow shaft diameter (mm) 24 H7 with keyway according to DIN 6885/1

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Housing design FP Installation position universal Lubricant synthetic oil Viscosity 320 Lubricant quantity (l) 0.19l Housing aluminum Paint unpainted Weight 3.5 kg
MU755024200	SITI - Worm gear with IEC----motor attachment MU 75-50-PAM90B5-□24/200 Translation 50 Output torque (Nm) max. 231 (at n1=1400 1/min) IEC motor input PAM 90B5 Ø24/200 Hollow shaft diameter (mm) 28 H7 with keyway according to DIN 6885/1 Universal housing design Installation position Universal lubricant synthetic oil viscosity 320 Lubricant quantity (l) 0.5l aluminum housing paintwork unpainted
CI50AI90A500AAL	SITI - Double worm gear CI 50A-I 90A-500 Translation 500 Output torque (Nm) max. 550 (at n1=1400 rpm) Hollow shaft diameter (mm) 38H7 with keyway according to DIN 6885/1 Drive shaft diameter (mm) 14j6 x 30 with keyway according to DIN 6885/1 Housing design foot AAL design Installation position B3 Lubricant synthetic oil Viscosity 320 Lubricant quantity (l) 0.19/1.7l Housing aluminum/GG Paint finish RAL5010 Weight 27kg
Mbh80c28/250	
Mi 60 B 60/1 Pam 19/200	
Mbh56c14/160	
I3010	
Fbc-I/Mi30	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0.75 Hp.1400 Rpm.B5 Type:M1-60-V Ratio:1:50 Pam:19/200 0.55kw	
Mnhl 40/2 -23,45 - Pam 100/ B5 - 28/250	SITI-helical gear units Translation 23,45 Output torque (Nm) max. 600 Engine mounting PAM 100 B5 Ø 28/250 Output shaft diameter (mm) 40j6 x 80 with keyway according to DIN 6885/1 Type B3 Weight 35 kg including oil filling Customs fee number. 8483 4021 Country of origin Italy
Ms712-4	
Dma2 56g4	
Mu401011140	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.