Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr






Skum

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Skum Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Skum Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Mlr-40a	Skum Foam nozzle MLR-40A, 400 Ltr., 5 bar, 1.1/2" ball valve with Storz coupling C; 8 kg each, made in Sweden
Fire Hydrant Angle Valve	Fire Hydrant angle valve with 1 flange DN 40, PN 16 x outlet C-storz coupling Ms, je 5 kg, made in Germany
Bladder Tank	Bladder Tank, 1500 lt.
FJM-80	Skum Monitor FJM-80 DIN/ANSI 3700 liters/minute at 10 bar max. range 75 m Rotation 360°, Elevation -60° 90° Material stainless steel Bronze
BLADDER TANK 1500 LT	PED APPROVED (CE MARKED),RED EPOXY FINISH,DN 50 PN16 DIN FLANGED CONNECTIONS,INC.LEVEL HOSE INDICATOR,DRAIN VALVE,VENT AND FILL VALVES
SKUM ARC	3 X 3 AR-AFFF FOAM CONCENTRATE EN 1568 & UL-162 GRADE % 3 1500LT
WIDE RANGE RATIO,	VARIABLE FLOW, SUITABLE TO WORK WITH 3% AR-AFFF FOAM, SUITABLE TO USE IN SPRINKLER SYSTEM, 100-5000 L/MIN CAPACITY
WATER ACTUATED FOAM	VALVE MODEL WAFV-40 MK2,FOAM LINE CONNECTION DN40 BSP FEMALE,DA ACTUATOR/SS-316 BALL VALVE INCL.LEVER FOR MANUAL RESETTING
SKUM Monitor Tp FJM-80 DIN / ANSI 3700 l/min	max range 75 m Rotation 360 ° Elevation -60 ° - + 90 ° Metrial stainless steel, bronze
foam gun applicator	For 6 circuit

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
SKUM MLB	Heavy foam pipe MLB-40 F DIN Expansion rate up to 15: 1 K-factor 224/500 L / min protection area 4-6 m Connection DN40 PN16 Material: stainless steel
FJM-80 model	O-RING KIT- There is a leak in the foam guns on our ship because there is no suitable o-ring. Ribbon o-rings were tried but no result could be obtained because the same thickness could not be obtained. There are 6 foam guns in total on board. Each of them must have 2 o-rings. For this reason, 3 spares are required for 12 existing foam guns. Inner Diameter :93 mm Outer Diameter : 96 mm Wall Thickness: 3 mm
FJM-150 EL/MV M	
TYP FJM-100	KUM MONITOR TYPE FJM-100 DIN / ANSI6000 LITER / MINUTE AT 10 BAR MAXIMUM RANGE 80 METERS ROTATION 360°, ELEVATION - 60° + 90° MATERIAL: STAINLESS STEEL, BRONZE"
FOAM PUMP PROPORTİONER	FOAM CONN. DN20 / WATER CONN DN80
WET ALARM VALVE DN80	
ppw 150/50 (tyco,Skum) dosing mixer	
FOAM PUMP PROPORTİONER	FOAM CONN. DN20 / WATER CONN DN80
FOAM PUMP PROPORTİONER -	FOAM CONN. DN20 / WATER CONN DN80
123008108	SKUM FOAM PUMP MIXER TYPE PP 80 INTERMEDIATE FLANGE DN 80, FOAM INLET 3/4"" IT CAPACITY 300 - 2000 LITERS/ MINUTE ADJUSTABLE MIXING RATE FROM 1% - 6% MATERIAL BODY: BRONZE
Pp-100/50 dın/ansı	Order 2560649c
MONITOR TYPE FJM-100 DIN / ANSI6000	LITER / MINUTE AT 10 BAR MAXIMUM REACH 80 METERS ROTATION 360°, ELEVATION - 60° + 90° MATERIAL: STAINLESS STEEL, BRONZE"

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
FOG/JET MONITOR MANUAL FJM-80 DIN/ANSI	FLANGED DN80 UP TO 3700 L/MIN CAPACITY @ 10BAR
DN80 PN16 foam gun	SKUM MONITOR TYPE FJM-80 DIN / ANSI3700 LITER / MINUTE AT 10 BAR MAXIMUM RANGE 75 METERS ROTATION 360°, ELEVATION - 60° + 90°MATERIAL: STAINLESS STEEL, BRONZE
FJM-80 WTO	Skum monitor type FJM-80 WTO 3700l/min at 10 bar max. range 75 m Material stainless steel, bronze
FJM 80	10 bar range 75m Rotation 360, elevation -60 +90 Material stainless steel/bronze
O-RING KIT FJM-80 169108201	PACKAGE CONTAINING NITRILE O-RINGS: 1 PCE 94,5X3 1 PCE 84,5X3 1PCE 114,5X3 2 PCE 10,3X2,4 5 PCE 84,1X5,7 SILICONE GREASE AND INSTRUCTIONS
FOG/JET (FJM-80 DIN/ANSİ 9 BAR)	
FJM 100””	Flench 100 DIN PN 16,8 Holes)
FJM-150	Skum monitor type FJM-150 DIN / AMSI/ JIS 11700 l/min at 10 bar max. range 90 m rotation 360°, elevation -60° + 70° Material stainless steel, bronze
FOAM CONCENTRATE VALVE WAFV MK	II DN 50 BSP HYDRAULIC VERSION FOR Bladder tank systems ACTUATOR CONNECTION 1/4" IG STAINLESS STEEL BALL VALVE DN 50 IG INCLUDES HAND LEVER FOR MANUAL PROVISION
Skum foam concentrate valve WAFV MK II DN50	BSP hydraulic for bladder tank system Connection actuator 1/4" IG Stainless steel ball valve 2" IG BSPT incl. hand lever for manual reset
MTB-H 3000	3000 litres capacity, red epoxy finish, c/w drain vent and fill valves, PED approved (CE marked) DN80 PN16 din flanged connections incl level hose indicator

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
TPW 6" MK3	Wide range bladder tank proportioner 1% AFFF setting foam 2" BSP (female)
PN16;SS316;0-RING NBR	2" Wafer
WAFV-50 MK2	Foam line connection DN50 BSP female DA actuator/SS-316 ball valve incl. lever for manual resetting
FJM-80 S	Providing repair kits for the maintenance and repair of old water + foam monitors and for mounting them on mobile platforms.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.