
Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Sodeco

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Sodeco Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Sodeco Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
34579	Double-acting pneumatic actuator type ADA Double-acting pneumatic actuator Rack & pinion Housing made of aluminum Swivel movement: 90 ° ± 5 ° Stroke limitation: ± 5 ° Operating temperature: -30 ° C ~ 100 ° C Operating pressure: 3 - 8 bar
2 APA4-BB05	UGELLO PE
16234ETR DN 300	Butterfly valve Fig. 16234 ET / R Ring body butterfly valve Housing made of nodular cast iron EN GJS-400-15 ASTM A351 CF8M stainless steel flap AISI 416 stainless steel shaft EPDM seat, for high temperatures, max. 130 ° C Max. Operating pressure: 16 bar (DN 32 - DN 300), 10 bar (DN 350 - DN 600) Installation length: ISO 5752 Connection: flange PN 10, PN 16 and ANSI 150 ISO mounting flange for direct mounting With worm gear
16234ETR-0303 DN 400	Butterfly valve Fig. 16234 ET / R Ring body butterfly valve Housing made of nodular cast iron EN GJS-400-15 ASTM A351 CF8M stainless steel flap AISI 416 stainless steel shaft EPDM seat, for high temperatures, max. 130 ° C Max. Operating pressure: 16 bar (DN 32 - DN 300), 10 bar (DN 350 - DN 600) Installation length: ISO 5752 Connection: flange PN 10, PN 16 and ANSI 150 ISO mounting flange for direct mounting With worm gear
16234ETR-0303 DN 450	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
16234ETR-0303 DN 600	
16234ETH DN 100	Ring body butterfly valve Housing made of nodular cast iron EN GJS-400-15 ASTM A351 CF8M stainless steel flap AISI 416 stainless steel shaft EPDM seat, for high temperatures, max. 130 ° C Max. Operating pressure: 16 bar Installation length: ISO 5752 Connection: flange PN 10, PN 16 and ANSI 150 ISO mounting flange for direct mounting With aluminum hand lever, adjustable in steps of 10 ° (DN 32 - DN 200) With steel hand lever, adjustable in steps of 10 ° (DN 250 - DN 300)
16234ETH DN 150	
16234ETR DN 200	Butterfly valve Fig. 16234 ET / R Ring body butterfly valve Housing made of nodular cast iron EN GJS-400-15 ASTM A351 CF8M stainless steel flap AISI 416 stainless steel shaft EPDM seat, for high temperatures, max. 130 ° C Max. Operating pressure: 16 bar (DN 32 - DN 300), 10 bar (DN 350 - DN 600) Installation length: ISO 5752 Connection: flange PN 10, PN 16 and ANSI 150 ISO mounting flange for direct mounting With worm gear
530AIT diam. 11/2"	Ball valve Fig. 530 AIT - ANSI 300 Flanged ball valve with floating ball Housing made of steel A216 Gr. WCB Ball made of stainless steel A 351 Gr. CF8M PTFE seats Max. Operating pressure: 50 bar Installation length: ASME B16.10 long pattern Connection: flanged ANSI 300 Lbs ISO mounting flange Fire safe according to ISO 10497 With hand lever made of nodular cast iron (free shaft end from 8 ')
530AIT diam. 1"	
530AIT diam. 1/2"	
530AIT diam. 2"	
530AIT diam. 3"	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
530AIT diam. 3/4"	
530AIT diam. 4"	
530AIT diam. 6"	
530AIT diam. 8"	
364BAAITIFS diam. 11/2"	Ball valve Fig. 364 BA AIT / I / FS Three-part ball valve with floating ball, full passage Housing made of steel A216 Gr. WCB AISI 316 stainless steel ball Seats made of PTFE + 15% glass fiber Max. Operating pressure: 138 bar (1/4 'to 1'), 103 bar (11/4 'to 2') Connection: NPT internal thread ISO mounting flange Fire-safe according to API 607, Part 4 With hand lever made of stainless steel and locking device
364BAAITIFS diam. 1"	
364BAAITIFS diam. 1/2"	
364BAAITIFS diam. 1"	
364BAAITIFS diam. 2"	
222AIIT-0303 diam. 1/4"	Ball valve Fig. 222 A IIT Two-part ball valve with floating ball ASTM A351 Gr. CF8M Stainless steel ball ASTM A351 Gr. CF8M Seats made of PTFE + 15% glass fiber Max. Operating pressure: 63 bar Connection: NPT internal thread With hand lever made of stainless steel and locking device
363/4BAAITIFS DN15	Ball valve Fig. 363/4 BA AIT / I / FS Three-part ball valve with floating ball, full passage Housing made of steel A216 Gr. WCB AISI 316 stainless steel ball Seats made of PTFE + 15% glass fiber Max. Operating pressure: 138 bar (DN 8 to DN 25), 103 bar (DN 32 to DN 50) Connection: weld-in / NPT internal thread ISO mounting flange Fire-safe according to API 607, Part 4 With hand lever made of stainless steel and locking device
BFE-S24A8 diam. 1"	Piston Check Valve - Class 800 # API602 Lid with bolt - reduced passage

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Housing made of A105N Trim 8 (13Cr / HF) NPT thread NACE MR-0175 & ATEX
VR300BCA8-0303 diam. 2"	Check valve - Class 300 # Check valve ANSI 300, full passage Body made of ASTM A216 WCB steel ASTM A216 WCB + 13Cr flap ASTM A105 + Stellite size 6 seat Max. Working pressure: 51 bar Installation length: ISO 5752 Connection: flanged ANSI 300
VR300BCA8-0303 diam. 3"	
VR300BCA8-0303 diam. 4"	
VR300BCA8-0303 diam. 8"	
BFE-S24A8 diam. 11/2"	Check valve Fig.S24A8 - Class 800 (marking: BFE) Piston Check Valve - Class 800 # API602 Lid with bolt - reduced passage Housing made of A105N Trim 8 (13Cr / HF) NPT thread NACE MR-0175 & ATEX
VR300BCA8-0303 diam. 12"	Check valve - Class 300 # Check valve ANSI 300, full passage Body made of ASTM A216 WCB steel ASTM A216 WCB + 13Cr flap ASTM A105 + Stellite size 6 seat Max. Working pressure: 51 bar Installation length: ISO 5752 Connection: flanged ANSI 300
VC150BBA8-0303 diam. 14"	Gate valve Fig. VC 150-BB-A-8 - 150 Lbs Gate valve ANSI 150 Housing made of steel A 216 Gr. WCB Slider made of steel A 216 Gr. WCB + ER410 Seat made of A 105 + stellite Max. Working pressure: 19.6 bar Installation length: ISO 5752 Connection: flanged ANSI 150 Lbs With gray cast iron handwheel (2 '~ 14') With worm gear (16 '~ 20')
VC150BBA8-0303 diam. 4"	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
BAV2P000107 diam. 2"	Ball valve Fig. 730 AIT / AS / SXM9XXT - ANSI 300: 050 + 16-5966 + 16-5967 + 16-6891
BAV2P000107 diam. 3"	
BAV2P000107 diam. 4"	
BAV2P000107 diam. 6"	
BAV3P000090 diam. 8" x 6"	Ball valve Fig. 7030J A I CG RF / AS / SXM9XXT - 300 # RF: 200 + DIVSO000007 + 16-5967 + DIVXX000034
STRYFI000055 diam. 2"	Inclined seat strainer - A216WCB - mesh size 1 mm - 300RF
STRYFI000055 diam. 6"	
1003A-1528 diam. 11/2"	Angular seat strainer Fig. 1003A - NPT - Class 800 Made of A105N steel, support and inner sieve made of AISI 304 stainless steel Connection: NPT internal thread
STRYFI000056 diam. 16"	Inclined seat strainer - A216WCB - mesh size mm - 150 RF
V33H9IIRL diam. 3/4"	Ball valve Fig. V33H-9-IIR / L - Class 300 Three-way ball valve, horizontal, L-borehole Made of stainless steel, seat rings made of PTFE, reinforced Flanged to ANSI 300 Lbs With hand lever
Type 500	Article number : ADA Double-acting pneumatic actuator type ADA Double-acting pneumatic drive Rack & pinion Aluminum body Pivoting movement: 90° ±5° Stroke limitation: ±5° Operating Temperature: -30□ ~ 100□ Operating pressure: 3 - 8 bar
ES428	
Tht/Cl-90-4t-5.5-120-F-300	
Hct-90-4t-10/Al	
Tht/Cl-90-4t-7.5-140-F-300	
1001a40	
Tht/Cl-90-4t-4-100-F-300	
Hct-100-4t-10/Al	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Aba4bb1000583103	
Hct-80-4t-5.5/Al	
Ckn 322 M4 Nodo	
Apa1.Aa03cp	
Tht/Cl-90-4t-10-200-F-300	
H412148230	
Apa3.Aa3-1	
Zlvtf	
450148150	
Tht/Imp-C-Ini-38-2/4t-1.5-F-300	
Dmm362m4s2n0v00(Excnp312m4n0n0e0 024vdc	
Hgt/Cl-125-4t/6-30-180	
Hct-90-4t-7.5/Al	
Es2153-24vdc	
Tht/Cl-100-4t-20-240-F-300	
Hct-90-4t-4/Al	
Type: Dn150 Pn16 Mat C: 1.4408 .:300c	
Hc-40-4m/L	
Tht/Cl-125-4t/6-30-180-F-300	
42864800	
Hc-35-4m/H	
Tht/Cl-100-4t-15-220-F-300	
H2 811 8812 0	
Apa4bb05	
Jc516set	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Tht/Cl-100-4t-10-160-F-300	
6.132.012.863	
Apa4.Bb10	
465 Kc/Pe Pn 16 Dn 25	
412148230	
Hct-80-4t-4/Al	
082d1nonoe	
Apa3.B3	
Tht/Cl-71-4/8t-4-240-F-300	
Tht/Cl-90-4/8t-5.5-120-F-300	
Apa3aa11	
Tht/Cl-100-4t-15-200-F-300	
428648000	
Cnp312d1n0n0e	
Apa1aa003cp	
H4-503-4801-0	
150hit	
Tht/Cl-80-4t-160-F-300	
Apa4bd10	
Apa3-Aa-5-1	
Fig.90 R2\"	
Tcr/R-2271-4t-F-300	
Zl24vdc	
Hgt/Cl-125-4t/6-75-300	
Cnp312d1n0n0e11000vac	
Rg865e 15is 100/115	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Es423	
Type: 1/2 Rg 161 24 Vdc, 25 Imp/Sec, 180 Ohms, 6 Digits	
Tht/Cl-71-4t-1.5-80-F-300	
Apa3-B-5	
428648050	
Hct-100-4t-15/Al	
Zlvt	
Hct-100-4t-20/Al	
Hct-100-4t-7.5/Al	
Kod2 E15	
Hct-71-4t-4/Al	
281188120	
Tht/Cl-160-6t/6-40-220-F-300	
Saia E15.Z25	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.