

## Sofamel



Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Sofamel** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Sofamel Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Rescue Pole 154 Kv</a>	
<a href="#">Rescue Pole 11kv</a>	
<a href="#">Rescue Pole 380kv</a>	
<a href="#">VOLTAGE DETECTOR WITH POLE VTE-5/36-P</a>	641103
<a href="#">VOLTAGE DETECTOR VTE-5/36-U</a>	641113
<a href="#">010280</a>	
<a href="#">010330</a>	
<a href="#">010340</a>	
<a href="#">015140</a>	

<a href="#">015150</a>	
<a href="#">015160</a>	
<a href="#">015170</a>	
<a href="#">545130</a>	
<a href="#">580115</a>	
<a href="#">585260</a>	
<a href="#">615301</a>	
<a href="#">615302</a>	
<a href="#">615325</a>	
<a href="#">630108</a>	
<a href="#">630162</a>	
<a href="#">635205</a>	
<a href="#">645251</a>	
<a href="#">659180</a>	
<a href="#">665285</a>	
<a href="#">710110</a>	
<a href="#">715120</a>	
<a href="#">S245110</a>	
<a href="#">S245120</a>	
<a href="#">S245130</a>	
<a href="#">S245140</a>	
<a href="#">S245150</a>	
<a href="#">S270100</a>	
<a href="#">S270110</a>	
<a href="#">S270120</a>	
<a href="#">S270130</a>	
<a href="#">S270160-AT-2,5/3</a>	
<a href="#">S270180</a>	
<a href="#">S270220</a>	
<a href="#">S270230</a>	
<a href="#">VTE-5/36-P</a>	Voltage dedector with pole 641103
<a href="#">PANOPLY SZ-51M</a>	Part no: 690110I
<a href="#">660230</a>	Earthing Equipment 3 spring-loaded phase clips for cylindrical conductors between 3 mm and 20 mm 2 pieces of 2.5 meters long 25 mm <sup>2</sup> cross section copper cable with silicone insulation between phase clips 1 piece of 15 meters long 16 mm <sup>2</sup> cross-section silicon insulated copper cable for line grounding 1 earthing stake 1 piece of 2 meter long 66 kV telescopic cue 1 cue carrying case 1 metal bag for transporting equipment IEC 61230 standard, 6.9 kA/1s short circuit current

<a href="#">640210</a>	VOLTAGE DETECTOR WITH POLE VTO-5/36-P
<a href="#">647 VTC-OA 5m</a>	
<a href="#">666 PATF-PC 5m</a>	
<a href="#">EMGE EG41-L</a>	
<a href="#">645260</a>	Voltage Dedector Power-3/10
<a href="#">VTE-5/36P</a>	Spannungsprüfer mit Mittelspannungspol
<a href="#">VT66/220-U</a>	
<a href="#">641113 REF VTE-5/36-U</a>	
<a href="#">640104</a>	COMPACT DETECTOR 5/36 KV PEKE WITH POLE
<a href="#">VBD-3/36</a>	
<a href="#">648240</a>	SET COMBO D-TUERI DUAL 7.9/69 kV / 400 kV
<a href="#">648270</a>	SET COMBO PRO 66/138 kV
<a href="#">635310</a>	MULTIMETER CTL-600
<a href="#">410220</a>	TOOL SET KT-1000/37
<a href="#">665220 36KV</a>	komple set
<a href="#">660230 36KV</a>	komplet set
<a href="#">Medium Voltage Insulation Stand, 30 cm high</a>	Compatible with UNE204 001 standard, 50x50 and 30 high, 45KV
<a href="#">OG Insulation Stand 50 cm high</a>	Compliant with UNE204 001 standard
<a href="#">VTO-5/66-P</a>	VOLTAGE DEDECTOR 5-66 KV
<a href="#">640140</a>	Compact detector 5/36 kV with pole
<a href="#">Sg-30 T10 530280</a>	
<a href="#">511120</a>	
<a href="#">Patcpf-Mpu/5050</a>	
<a href="#">111.160 Tdc/S150</a>	
<a href="#">Die U5-K22d 185 (437210)</a>	
<a href="#">650105</a>	
<a href="#">471100</a>	
<a href="#">530320</a>	
<a href="#">Hse-1217</a>	
<a href="#">0321171 - ???185/12 (185mm2 - M12)</a>	
<a href="#">St66</a>	SIEHE ANHANG
<a href="#">456100</a>	
<a href="#">110130</a>	
<a href="#">456120</a>	
<a href="#">111 160 Tdc S150</a>	

<a href="#">010770</a>	
<a href="#">530160</a>	INSULATED GLOVE SG-50 T10
<a href="#">Vte-5/36-U (641113) / 18 Pcs.</a>	
<a href="#">032151 - ???120/12 (120mm2 - M12)</a>	
<a href="#">456170</a>	
<a href="#">(16mm2 - M8)</a>	
<a href="#">Die U5-Dc35 (462110)</a>	
<a href="#">Tpe-185/10 (1 Pack, 1x10pcs)</a>	
<a href="#">Die U5-K25m 240 (437220)</a>	
<a href="#">Art Nr.: 645250</a>	
<a href="#">740100</a>	
<a href="#">032160 - ???150/10 (120mm2 - M10)</a>	
<a href="#">285140 Pin Terminal Apl-2,5</a>	
<a href="#">032161 - ???150/12 (150mm2 - M12)</a>	
<a href="#">Sz-51m</a>	
<a href="#">110140</a>	
<a href="#">0321171</a>	
<a href="#">010750</a>	
<a href="#">110180</a>	
<a href="#">526110</a>	
<a href="#">526100</a>	
<a href="#">456150</a>	
<a href="#">Tdc/S-150</a>	
<a href="#">032170 - ???185/10 (185mm2 - M10)</a>	
<a href="#">Ter.Bim.Estampacion Tdc/A-78</a>	
<a href="#">Die U5-Dc70 (462120)</a>	
<a href="#">110120</a>	
<a href="#">650107</a>	
<a href="#">110210</a>	
<a href="#">645220</a>	VOLTAGE DETECTOR VTM-3/10-U
<a href="#">Pat-Mpl/12008</a>	Art Nr. 680208 EARTHING EQUIPMENT PAT-MPL/12008
<a href="#">630107</a>	ADAP. B-UK
<a href="#">032150 - ???120/10 (120mm2 - M10)</a>	
<a href="#">Vt-5/36-P 640210</a>	
<a href="#">111.140 Tdc/S95</a>	

<a href="#">110150</a> <a href="#">Vte-5/66u</a>	
<a href="#">645250</a>	
<a href="#">032181</a> -??? 240/12 (240mm2 - M12)	
<a href="#">456110</a>	
<a href="#">010760</a>	
<a href="#">Eds3090pg</a>	
<a href="#">Die U5-K18 120/95 (437190)</a>	
<a href="#">110160</a>	
<a href="#">032170</a>	
<a href="#">Tdc/S-120</a>	
<a href="#">630120</a>	MANOEUVRING HOOK SM-02K
<a href="#">585230</a>	
<a href="#">650108</a>	
<a href="#">?? 5-36kv 640103 By Voltage Detector With Pole Vt-5/36-P 640210</a>	
<a href="#">610100</a>	RESCUE POLE BS-45
<a href="#">Tdc/S-240</a>	
<a href="#">585430</a>	
<a href="#">411120</a>	
<a href="#">Hps50 (411130)</a>	
<a href="#">585330</a>	
<a href="#">Art Nr. 641113 Vte-5/36-U</a>	VOLTAGE DETECTOR
<a href="#">032160</a>	
<a href="#">Vt 5-36kv 640104</a>	
<a href="#">5/36 Kv Peke</a>	
<a href="#">110170</a>	
<a href="#">Die U5-K20d 150cu (437200)</a>	
<a href="#">471110</a>	
<a href="#">110190</a>	
<a href="#">645225 Vt-4/12-U</a>	
<a href="#">Tdc/S-70</a>	
<a href="#">616512</a>	CONNECTABLE POLE BMAI-4V/220B
<a href="#">Ecbt-Mpubth/35</a>	