



## Solinst

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Solinst** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Solinst Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">3001 Lt Levellogger Edge M100/100m</a>	HStariff#9015.80.00 CoO: CA
<a href="#">3001 Levellogger 5/M200</a>	22 x 160mm 166gr CoO: CA
<a href="#">3001 Optical Reader Levellogger</a>	
<a href="#">3001 Direct Data Cable 328ft / 100m</a>	
<a href="#">3001 Direct Data Cable 656ft / 200m</a>	
<a href="#">3001 Pc Interface Sdi Kabel</a>	
<a href="#">M201/300m</a>	Measuring device water test. / Temp
<a href="#">3001 Levellogger 5/M200</a>	HStariff# 9015.80.00
<a href="#">3001 3250 PC Interface USB Cable</a>	HStariff# 9015.90.00 CoO: CA
<a href="#">3001 Barologger 5</a>	
<a href="#">110194</a>	water level meter M101 / 250m / P7
<a href="#">100109</a>	Carry Case medium
<a href="#">110192</a>	water level meter M101 / 100m / P7
<a href="#">110193</a>	water level meter M101 / 150m / P7
<a href="#">M101/100m/P7</a>	
<a href="#">M101//P7/150m</a>	

<a href="#">3001 Levellogger 5/M100</a>	114613
<a href="#">3001 Levellogger 5/M200</a>	114614
<a href="#">3001 Desktop Reader 5 USB</a>	114404
<a href="#">3001 3250 PC Interface USB Kabel</a>	
<a href="#">114894</a>	Water level meter M102 / 150m / P10
<a href="#">102 Water Level Meter P10/300ft</a>	
<a href="#">3001 Levellogger 5/M100</a>	114613
<a href="#">3001 Levellogger 5/M100</a>	
<a href="#">110192</a>	Water level meter M101/100m/P7
<a href="#">M101/100m/P7</a>	110192 LEVEL METER
<a href="#">M101/P2/300m</a>	water level meter 101681
<a href="#">M101/300m/P7</a>	water level meter 110195
<a href="#">Cable light plummet, length 300m - stand frame</a>	300058
<a href="#">M101/100m/P7</a>	water level gauge
<a href="#">Levellogger® 5 LTC</a>	
<a href="#">Water level measuring device 101/P2/150m/PE</a>	101679
<a href="#">Water level measuring device 101/P7/150m</a>	110193
<a href="#">Cable light solder length 150- stand frame</a>	300056
<a href="#">Water Level Meter (250 m)</a>	Water level meter with a measuring range of 250 meters.
<a href="#">114804</a>	107 measuring water level; T+LF, 250m-without bag
<a href="#">114816</a>	Oil layer thickness gauge 122/30m - o pocket
<a href="#">Levellogger 5 (Model 3001)</a>	
<a href="#">101 P7 - water Level Meter</a>	
<a href="#">Water level measuring device 102/150m/P10</a>	114894
<a href="#">1212 30m</a>	Solinst oil layer thickness gauge M122
<a href="#">1217 60m</a>	Solinst oil layer thickness gauge M122
<a href="#">Ltc/M10</a>	LTC Levellogger M10 Water level, conductivity, temperature
<a href="#">P 7 Sonde</a>	F¼r das Model 101 Solinst ben¼tigen wir einen

<a href="#">Skom Usb</a>	<del>wasserstandsmesssonde</del> Standard communication package Optical reader with USB port
<a href="#">1215 100m</a>	Solinst oil layer thickness gauge M122