

## Spx Flow

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Spx Flow** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Spx Flow Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">Tag No.: 10/20 LAB30 AA101</a>	Job No.: VJ16302199812-10 Valve S/N: 100003113822 PN V16302199812010000 TRIM,4",BAL,2.5"HSH H,3STR,420 Trim consists of: PN VCAG32501020302 CAGE Qty. 1 PN VPLG325020202A PLUG Qty. 1 PN VSRG32512502 SEAT Qty. 1 PN V359194 PISTON RING SET 2 Pac. PN VADR3042502 ADAPTER RING Qty. 1 PN VUAR3042502 ADAPTER RING Qty. 1 PN V268901 TRIM GASKET Qty. 2 PN V286166 TRIM GASKET Qty. 2 PN VSTM310219002 STEM Qty. 1 PN V365089 SPRING PIN Qty. 1
<a href="#">BRAN LUEBBE PROCAM DS500/100</a>	Bran and Luebbe dosing pump documentation Documentation, operating instructions in English, Output medium: paper
<a href="#">002-02V NF 00N</a>	
<a href="#">Disc-Drum Shear Oil Circulation Equipment</a>	
<a href="#">Shims</a>	Shims (POZ 10)
<a href="#">Mechanical Seal Type V</a>	Mechanical Seal Type V (POZ 12)
<a href="#">0.2234.330</a>	
<a href="#">0.2237.234</a>	
<a href="#">10-13329-04</a>	
<a href="#">137870</a>	
<a href="#">3.01983.11</a>	
<a href="#">3.94751.11</a>	

<a href="#">32-02-653/59</a>	
<a href="#">625976</a>	
<a href="#">7-115067</a>	
<a href="#">7-236125</a>	
<a href="#">7-240071</a>	
<a href="#">9166694</a>	
<a href="#">B309200020</a>	
<a href="#">B310700230</a>	
<a href="#">G6042F0XTX7AXXXA</a>	
<a href="#">G604XKXXXXXAMMXA</a>	
<a href="#">GOS1XKXXXXXAYYXA</a>	
<a href="#">GZS14F0XTX6AXXXA</a>	
<a href="#">GZS14F4XTX6AXXXA</a>	
<a href="#">H205622</a>	
<a href="#">HDT400086</a>	
<a href="#">M543S131320</a>	
<a href="#">RM110</a>	
<a href="#">Rotor M03SS428547</a>	
<a href="#">Rotor M03SS478214</a>	
<a href="#">Rotor M03HP475003</a>	
<a href="#">APV Rotor M03SS428548</a>	
<a href="#">Lightnin LC 155 oil mixer</a>	
<a href="#">WPS3.5</a>	
<a href="#">EKS00146 / SNAP-UP1-ADS</a>	BRAIN I/O ANALOG DIGITAL SERIES OPTO 22
<a href="#">018-U2/18U2NPTSSV/18U2NPTSSV-R1/018 U2</a>	Chemical Pump (Model # 018-U2) ( WAUKESHA )
<a href="#">015-U2/15U2NPTSSV/</a>	15U2SSV/15U2NPTSSV-R1/015 U2 Chemical Pump ( Model # 015 - U2) WAUKESHA PUMP FOR SECOND GEL LINE
<a href="#">006-U2/6U2SSV./6U2NPTSSV/006 U2</a>	Chemical Pump ( Model # 006 - U2) ( WAUKESHA )
<a href="#">006-U2/6U2SSV./6U2NPTSSV/006 U2</a>	Chemical Pump ( Model # 006 - U2) ( WAUKESHA )
<a href="#">YTMC34571 SPX TRIP-L-TRAP MOD. 505 Autom</a>	
<a href="#">21000365</a>	
<a href="#">14.CA.SP-01.10</a>	Dolinger filter (Supply and Assembly price)
<a href="#">2737 238</a>	
<a href="#">ASME VIII DIV</a>	only horseshoe link
<a href="#">SW42-80 NC-CU41-S-AS-I</a>	S-Nr. : H330222
<a href="#">028 1544</a>	ETSILINE COMPACT 028 1544 AIR DRYER ADAPTOR 90-264VAC/48VDC

<a href="#">ETSILINE COMMPACT 028 1400</a>	ETSILINE COMMPACT 028 1400 AIR DRYER 8OUT LN LV RACK TYPE
<a href="#">9166694 Metering Pump Bran+luebbe Procam Ds500</a>	
<a href="#">Cc 150-400</a>	
<a href="#">0.2234.330 Simmerring 25x35-Nitril</a>	
<a href="#">32-02-653/59 Ventil Type Spx Sd41-1.5" Fs-Cu41n-S-Dc 12s (H174890 (32-02-653/59)</a>	
<a href="#">3.94751.11 Rotations-Dichtungenglrd Hr361/46-E1 Sic/Sic/Viton</a>	
<a href="#">Cn 80-400</a>	
<a href="#">Cc 150-400 Replace For Sn 12-2431721a</a>	
<a href="#">13-2650301a 0.2234.330 Spx</a>	
<a href="#">7-236125 Back Up</a>	
<a href="#">M543s131320 O-Ring-215 Fda Nitrile/Buna</a>	
<a href="#">2.80925.11</a>	
<a href="#">Cn 80-400 Replace For Sn 12-2431892a</a>	
<a href="#">13-2650301a 2.80925.11 Spx</a>	
<a href="#">3.01983.11 Set F. Synchronisation Tw2</a>	
<a href="#">7-115067 Sel Spacer</a>	
<a href="#">0.2237.234 Glrd 25 Mg12g60 Q1q1vggl1k=40</a>	
<a href="#">7-240071 Plug Sel</a>	
<a href="#">3.92088.21</a>	