Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Stafsjö

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Stafsjö Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Stafsjö Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Knife Gate Valve Wb11	Manufacturer: Stafsjö Type: Knife gate valve WB11 Nominal size DN: 200 PN (bolt circle): PN 10 - EN 1092-1 Overall length: DIN EN 558, GR 20 Coating system: CS3 Housing color: RAL 5015 sky blue Housing material: EN-JS1050 (GGG50) Slide plate material: 1.4301 Gland packing material: ASTM A216 WCB Seal: NBR vulcanized on steel core Pack: TwinPack (TY) Scraper: UHMWPE Max differential pressure: 10.00 bar Operating pressure max .: 10.00 bar
Dn 100 Pn16 Karosserie Ggg40 Sphero	Cast Blade Shaft AISI 304 Edelstahl
Dn 150 Pn16 Karosserie Ggg40 Sphero	Cast Blade Shaft AISI 304 Edelstahl
Dn 200 Pn16 Karosserie Ggg40 Sphero	Cast Blade Shaft AISI 304 Edelstahl Pneumatisches Antriebsmesserventil
Dn 80 Pn16 Karosserie Gg 25 Klingenwelle	aus Gusseisen AISI 316 Edelstahl Die Absperrklappe
Absperrklappe Dn 100 Pn16 Gehäuse Gg 25	Klingenwelle aus Gusseisen AISI 316 Edelstahl
Absperrklappe Dn 150 Pn16 Gehäuse Gg 25	Klingenwelle aus Gusseisen AISI 316 Edelstahl
DN 100 Ø104 mm AISI 316L ferrule	connected knife valve
WB 11	6070176 Knife gate valve type: WB11 Nominal size DN: 150 Flange drilling: PN 10/16 - EN 1092-1

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Overall length: DIN EN 558, GR 20 Coating System: CS3 Housing color: RAL 5015 sky blue Housing material: EN-JS1050 (GGG50) Material valve plate: 1.4404 Seal: NBR vulcanized on a steel core Packing: TwinPack (TY) Operating pressure max .: 10.00 bar Differential pressure max .: 10.00 bar Structure: beams, anodized aluminum with tie rods 1.4301 Hole in the beam: D = 28 mm open / close Preparation: square for handwheel Material spindle: 1.4016 Spindle size: TR 20x4 LH Version spindle: not rising + 4173322 Manufacturer: Stafsjö Type of actuation: handwheel Material: EN-JL1040 (GG25) Coating System: CS3 Corrosion protection / color: RAL 5015 sky blue Diameter: 250.00 mm Shape of the shaft support: square Dimension of the shaft holder: 12.00 mm Direction of actuation: Closing clockwise Control element: knob
WB11 DN200	6075768 Manufacturer: Stafsjö Knife gate valve type: WB11 Nominal size DN: 200 Flange drilling: PN 10 - EN 1092-1 Overall length: DIN EN 558, GR 20 Coating System: CS3 Housing color: RAL 5015 sky blue Housing material: EN-JS1050 (GGG50) Material valve plate: 1.4404 Seal: NBR vulcanized on a steel core Packing: TwinPack (TY) Scraper: UHMWPE Operating pressure max .: 10.00 bar Differential pressure max .: 10.00 bar Structure: beams, anodized aluminum with tie rods 1.4301 Hole in the beam: D = 28 mm open / close Preparation: square for handwheel Material spindle: 1.4016 Spindle size: TR 24x5 LH Version spindle: not rising + 4136190

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Manufacturer: Stafsjö Type of actuation: handwheel Material: EN-JL1040 (GG25) Corrosion protection / color: RAL 5015 sky blue Diameter: 315.00 mm Shape of the shaft support: square Dimension of the shaft holder: 16.00 mm Direction of actuation: Closing clockwise Control element: knob
6102572	
NO: 13 IN DATASHEET	
U00182	
WB14 (DN 150) PN10 EPDM	
WB14-(DN 300) PN10 EPDM	
WB14-DN 200 PN10 EPDM	
4163703	Type: flange ring Manufacturer: Stafsjo Slider type: MV, HG Manufacturing stage: Finished part Nominal size DN: 350 Material: 1.4408 Version seat: for soft sealing
4189784	Category: Assembly Type: seat ring Slider type: MV, HG Nominal size DN: 350 Seal: PTFE with O-ring FKM black
4176249	Category: Assembly Type: gland packing Manufacturer: Stafsjo Slider Type: WB11, WB14 Nominal size DN: 150 Material: TwinPack (TY) + NBR consisting of: 1 piece seal: NBR vulcanized on steel core 1 set pack: TwinPack (TM) 2 flange seals: NBR
4540708	Seal kit for EC160 and EC160.1 NBR consisting of: O-ring, bottom, NBR Piston seal, O-ring, NBR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Piston bearing POM Piston rod seal, O-ring, NBR Lid seal, top and bottom, O-ring, NBR
MANUAL KNIFE GATE VALVE DN 125 PN16	
MANUAL KNIFE GATE VALVE DN 150 PN16	
MANUAL KNIFE GATE VALVE DN 250 PN16	
BODY: 1.4408 GATE: 1.4404 DRILLING: PN10 - EN 1092-1D2G	BIÇAKLI VANA TAMİR TAKIMI ÇİFT BIÇAKLI DN400/16"
Vana (4"lik Dişli Küresel Vana-Paslanmaz)	
Vana (Dn 250 Biçakli-Paslanmaz-Opsiyonelli)	
Kompansatör (Dn 150 Pn 16 Kauçuk Flanşli)	
Vana (Dn 200 Biçakli-Paslanmaz-Opsiyonelli)	
Kompansatör (Dn 200 Pn 16 Kauçuk Flanşli)	