Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Stenflex

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Stenflex Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Stenflex Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Dn2100 Pn10 300mm 300mm	STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279
Dn1350 Pn10 300mm 300mm	STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279
length 200	Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent
length 1750	Input-Output Connection=100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent
Length 1850	Input-Output Connection = 100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent.
length 1750	Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with swivel flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex B-1 or equivalent.
KOMFL 100	Kompensator, DN100/PN 16, EPDM
11161600	Customs tariff number: 40169997 STENFLEX rubber expansion joint according to Dimension sheet: GR-SAE / 1-D15, GR-SAE / 2-D15 Type: GR-SAE Nominal size: DN 80 Material bellow: NBR Pressure stage bellows: PN 16

Ürün	Açıklama
	Material flange: aluminum Hole pattern of the flanges: SAE 3000psi Corrosion protection flange: untreated Overall length (BL): 130 mm
AS-1/1-D15, AS-1/2-D15	STENFLEX rubber expansion joint according to Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 150 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm Customs tariff number: 40169997
BELLOW RUBBER DN200 L:205MM EPDM	
BELLOW RUBBER DN200 L:168MM EPDM	
BELLOW RUBBER DN125 L:175MM EPDM	
A-1/1-H21	STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 40 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
A-1/1-H21, A-1/2-H21	STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 50 Material bellow: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm Customs tariff number: 40169997
Bild	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Type A PN16 DN200-BL175 EPDM	
Type A PN16 DN600-BL250 EPDM	
Type A PN10 DN700-BL275 EPDM	
Type A PN16 DN800-BL275 EPDM	
Type A PN10 DN900-BL285 EPDM	
A-1/1-H21, A-1/2-H21 PN10	STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm
A-1/1-H21, A-1/2-H21 PN16	STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm
11373700	Customs tariff number: 40169997 STENFLEX rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11161700	STENFLEX Gummikompensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 100 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Length (BL): 130 mm
SF-10/1/2/3/4-H21	15700500 STENFLEX steel compensator Type: SF-10 Nominal width: DN 50 Material bellows: 1.4541 Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 155 mm Movement (+/-): ± 18mm axial at design pressure
AS-1/1-H21, AS-1/2-H21 (150 mm)	11373600 STENFLEX rubber compensator Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
RS-1/1-H21, RS-1/2-H21 (130 mm)	00016316 according to dimension sheet: RS-1/1-H21, RS-1/2-H21 Type: RS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 130 mm
11161500	Rubber compensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal width: DN 65 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm
11374800	Rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 50

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 125 mm
11375300	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11373800	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11369500	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm
11368000	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm
COMPENSATOR RUBBER DN200 PN16 L: 175mm	3 nbr, 3 epdm
AS-1/1-H21, AS-1/2-H21	STENFLEX rubber compensator Type: AS-1 11375500 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 175 mm
11161800	according to dimension sheet: GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 125 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm
COMPENSATOR RUBBER DN150 PN16	NBR
COMPENSATOR RUBBER DN150 PN16	EPDM
COMPENSATOR RUBBER DN200 PN16 L: 175mm	NBR
COMPENSATOR RUBBER DN200 PN16 L: 175mm	EPDM
Type AS-1 DN125 PN16 Medium – Water	Flange outer diameter – 250 mm
Type AS-1 DN40 PN 16 Medium – Water	Flange outer diameter – 150 mm BL(overall length) – 125mm
Ruber Below	NBR/DN200DN200 PN16, BL175, Type AS-1 , red/blue, Steel wire cord reinforcement Stenflex TÜV/DIN 4809
Ruber Below	EPDM/DN200DN200 PN16, BL175, Type AS-1 , orange/blue,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Steel wire cord reinforcement Stenflex TÜV/DIN 4809
Ruber Below	NBR /DN150DN200 PN16, BL150, Type AS-1 , red/blue, Steel wire cord reinforcement, with vacuum supporting ring Stenflex TÜV/DIN 4809
DN 200 PN 16 EPDM L LENGTH: 175 MM	
DN 200 PN 16 NBR L LENGTH: 175 MM	
DN 200 PN 16 VACUUM RING NBR L LENGTH: 175 MM	
DN 50 PN 16 VACUUM RIN NBR L LENGTH:125 MM	
DN 50 PN 16 NBR L LENGTH: 125 MM	
GR-SAE DN125 PN 16	
DN 32 mm.	
DN 40 mm.	
DN 50 mm.	
Liste am anhang	
TYPE A	FLANGES=St37-2 SERIAL NO=20654 Size DN 200, rubber type NBR.
A245614	M/E COOLING WATER COMPENSATOR PHONEIX / A245614 / TYP(AS) / DN 125 PN 16
c1	
EXPANSION JOINT DN125,PN16,L: 120MM,RUBBER	
am anhang	
A DN100 PN16 BL150	
DN350 PN16 BL200 A1	
Rubber compensator type A DN700 PN16	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
– EPDM	
A-0 TYPE	EXPANSION JOINT DN 300, L : 200 MM NBR
Type GR –SAE , DN 80,PN 16	Flange connection both side SAE, Face to Face 140mm, Flange dimensions DN 80, 106mm, 62mm, Rubber grade NBR, color code Red/Yellow, Use for hydraulic oil.
Type GR –SAE , DN 500,PN 16	Flange connection both side SAE, Face to Face 120mm, Flange dimensions DN 50, 178mm, 43mm, Rubber grade NBR, color code Red/Yellow, Use for hydraulic oil.
KOMFL 150-BHT	Compensator, DN150-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 100-BHT	Compensator, DN100-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 125-BHT	Compensator, DN125-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 150-HT	Compensator, DN150-PN16 (DIN/ EN), EPDM (high temperature)
KOMFL 125-HT	Compensator, DN125-PN16 (DIN/ EN), EPDM (high temperature)
KOMFL 65-HT	Compensator, DN65-PN16 (DIN), EPDM (high temperature)
KOMFL 80-HT	Compensator, DN80-PN16 (DIN/EN), EPDM (high temperature)
KOMFL 40-HT	Compensator, DN40-PN16 (DIN), EPDM (high temperature)
KOMFL 50-HT	Compensator, DN50-PN16 (DIN/EN), EPDM (high temperature)
DN250PN1003832100505MD	
11163400	XX050145587 STENFLEX rubber expansion joint XX050145587 according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal diameter: DN 350 Bellows material:

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	EPDM Bellows pressure level: PN16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN16 Corrosion protection flange: galvanized Overall length (BL): 200 mm
23311100001	RUBBER EXPANSION JOINT DN 210 PN 16 FLANGED, FLANGES=St37-2, SERIAL NO=20654, COAL VAL.5
DN40 PN16	rubber compensator
11373500-00, As-1, Dn 100, Pn 16	
Type Rs – 1 / Universal-Expansion Joint , Without Resistant	
00003209	
00003211-00	
Dm A1-Dn40pn16	
As-1 Dn 125	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11373500	STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 80 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11162800-00	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
11162900-00	
11163400 Type A-1	
Art. Nr. 11161700-00	
11375200-00	
As-1 Dn200 Pn16 Hot Verzinkt	
As2n125	
11161400-00	
11163100-00 Gummi- Kompensator	
10pga31aa701 Compensator	
11373700-00, Dn 125, Pn 15	
00016319	
11162400-00 Rubber Expansion Joint	
11161800-00	
11152900-00	
11153300-00 A-1	
11375600-00	
11153300-Oo Gurnmi - Kompensator	
Sa10-Dn150	
11161700-00 Gummi - Kompensator	
Kompensatoren	Mass: DN80 PN16
11162200, Type A-1	
11153300-Oo	
Art.No. 00007994-00 Type : Ar-1	
As-1 Dn 32	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 32

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
Sa10-Dn100	
11373800 , Type: As-1 Dn150	
As-1 Dn 50	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 50 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11373600 , Type: As-1 Dn100	
11162600-00 A-1	
11373400	STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 65 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11369500-00	
Adn 100 Dn Pn 16 Epdm Orange/Blue	
11153300 Type A-1 (Dn 100)	
Type P-1	
00013592-00	
As2n100	
00001323-00	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
11152100-00 Gummi - Kompensator	
11525400	
51898100-00	
11164100-00	
00004863-00 (Typ A-1) Gummi-Compensator	
Artikelnr. 11152300-00	
11162300	STENFLEX rubber compensator gem. Dimension sheet: A-1/1-D15, A-1/2-D15 Type: A-1 Nominal size: DN 40 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11189300-00	
11373700-00	
11162600-00 A-1 / Dn 80 Epdm Pn16 Bl 150 Pn16	
00015368 Type Ar-1	
A-2 Dn800 L=275mm	
11375100-00	
Sa10-Dn125	
As-1 Dn200 Pn16 Zink Galvanized	
As-1 Dn100	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
As-1 Dn40	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 40 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11161700 - 00	
11373400-00, Dn 55, Pn 16	
11373600-00	
1,003876030810md Dn65 Pn25 Dn100 Pn16	
11162600 , Type A-1	
Art.No. 11161400-00	
Art.No. 11375200-00 Type: As-1	
As-1 Dn 25	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 25 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Special design flange: with threaded holes Overall length (BL): 125 mm
Art.No. 11161800-00 Type Gr-Sae	
11162800 , Type A-1	
Sa10-Dn200	
11164200-00	
00022583-00 Stahl-Kompensator	
Product Code : Eps53/58-080-E,P	
11373200-00	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
As Dn125 Pn 16	
10pgb51aa701 Compensator	
11164300-00 Gummi- Kompensator Typ A-1	
11153300-00 A-1 / Dn100 Epdm Pn 16 Bl150 Pn16	
11375500-00	
11375300-00	
Art.No. 11363200-00 Type: As-1	
As-1 Dn65	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 65 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11373500-00	
R1 Dn65 Pn16	
3044183	STENFLEX rubber expansion joint according to dimension sheet A-1/1-H21, A-1/2-H21 type A-1 nominal diameter DN 600 material bellows EPDM pressure rating bellows PN 16 material flange 1.0038 (S235JR) flange hole pattern PN 10 corrosion protection flange hot-dip galvanized length 250 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.