

Stenflex



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Stenflex** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Stenflex T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Dn2100 Pn10 300mm 300mm	STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279
Dn1350 Pn10 300mm 300mm	STENFLEX" RUBBER EXPANSION JOINT RUBBER COMPENSATOR WITH ROTATING FLANGES TYPE:C-1 RUBBER BELLOWS :EPDM PS-86279
length 200	Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent
length 1750	Input-Output Connection=100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent
Length 1850	Input-Output Connection = 100 Rubber expansion joint consisting of rubber bellows with rotating flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex A-1 or equivalent.
length 1750	Input-Output Connection=200 Rubber expansion joint consisting of rubber bellows with swivel flanges and connecting rods. Synthetic fiber reinforcement. PN 16. Stenflex B-1 or equivalent.
KOMFL 100	Kompensator, DN100/PN 16, EPDM
11161600	Customs tariff number: 40169997 STENFLEX rubber expansion joint according to Dimension sheet: GR-SAE / 1-D15, GR-SAE / 2-D15 Type: GR-SAE Nominal size: DN 80 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: aluminum Hole pattern of the flanges: SAE 3000psi Corrosion protection flange: untreated Overall length (BL): 130 mm

AS-1/1-D15, AS-1/2-D15	STENFLEX rubber expansion joint according to Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 150 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm Customs tariff number: 40169997
BELLOW RUBBER DN200 L:205MM EPDM	
BELLOW RUBBER DN200 L:168MM EPDM	
BELLOW RUBBER DN125 L:175MM EPDM	
A-1/1-H21	STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 40 Material bellow: NBR Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
A-1/1-H21, A-1/2-H21	STENFLEX rubber expansion joint according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal size: DN 50 Material bellow: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm Customs tariff number: 40169997
Bild	
Type A PN16 DN200-BL175 EPDM	
Type A PN16 DN600-BL250 EPDM	
Type A PN10 DN700-BL275 EPDM	
Type A PN16 DN800-BL275 EPDM	
Type A PN10 DN900-BL285 EPDM	
A-1/1-H21, A-1/2-H21 PN10	STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm
A-1/1-H21, A-1/2-H21 PN16	STENFLEX rubber compensator Type: A-1 Nominal width: DN 700 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: hot-dip galvanized Length (BL): 275 mm
11373700	Customs tariff number: 40169997 STENFLEX rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11161700	STENFLEX Gummikompensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 100 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm
SF-10/1/2/3/4-H21	15700500 STENFLEX steel compensator Type: SF-10 Nominal width: DN 50 Material bellows: 1.4541 Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 155 mm Movement (+/-): ± 18mm axial at design pressure
AS-1/1-H21, AS-1/2-H21 (150 mm)	11373600 STENFLEX rubber compensator Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm

RS-1/1-H21, RS-1/2-H21 (130 mm)	00016316 according to dimension sheet: RS-1/1-H21, RS-1/2-H21 Type: RS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 130 mm
11161500	Rubber compensator GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal width: DN 65 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm
11374800	Rubber compensator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal diameter: DN 50 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 125 mm
11375300	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11373800	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 150 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Overall length (BL): 150 mm
11369500	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm
11368000	Rubber Compansator according to dimension sheet: AS-1/1-H21, AS-1/2-H21 Type: AS-1 Nominal width: DN 200 Material bellows: EPDM Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 10 Corrosion protection Flange: galvanized Length (BL): 175 mm
COMPENSATOR RUBBER DN200 PN16 L:175mm	3 nbr, 3 epdm
AS-1/1-H21, AS-1/2-H21	STENFLEX rubber compensator Type: AS-1 11375500 Nominal width: DN 200 Material bellows: NBR Pressure level bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection Flange: galvanized Length (BL): 175 mm
11161800	according to dimension sheet: GR-SAE/1-H21, GR-SAE/2-H21 Type: GR-SAE Nominal diameter: DN 125 Material bellows: NBR Pressure level bellows: PN 16 Flange material: aluminium Hole pattern of the flanges: SAE 3000psi Anti-corrosion flange: untreated Length (BL): 130 mm
COMPENSATOR RUBBER DN150 PN16	NBR
COMPENSATOR RUBBER DN150 PN16	EPDM
COMPENSATOR RUBBER DN200 PN16 L:175mm	NBR
COMPENSATOR RUBBER DN200 PN16 L:175mm	EPDM
Type AS-1 DN125 PN16 Medium – Water	Flange outer diameter – 250 mm
Type AS-1 DN40 PN 16 Medium – Water	Flange outer diameter – 150 mm BL(overall length) – 125mm
Ruber Below	NBR/DN200DN200 PN16, BL175, Type AS-1 , red/blue, Steel wire cord reinforcement Stenflex TÜV/DIN 4809
Ruber Below	EPDM/DN200DN200 PN16, BL175, Type AS-1 , orange/blue, Steel wire cord reinforcement Stenflex TÜV/DIN 4809

Ruber Below	NBR /DN150DN200 PN16, BL150, Type AS-1 , red/blue, Steel wire cord reinforcement, with vacuum supporting ring Stenflex TÜV/DIN 4809
DN 200 PN 16 EPDM L LENGTH: 175 MM	
DN 200 PN 16 NBR L LENGTH: 175 MM	
DN 200 PN 16 VACUUM RING NBR L LENGTH: 175 MM	
DN 50 PN 16 VACUUM RIN NBR L LENGTH:125 MM	
DN 50 PN 16 NBR L LENGTH: 125 MM	
GR-SAE DN125 PN 16	
DN 32 mm.	
DN 40 mm.	
DN 50 mm.	
Liste am anhang	
TYPE A	FLANGES=St37-2 SERIAL NO=20654 Size DN 200, rubber type NBR.
A245614	M/E COOLING WATER COMPENSATOR PHONEIX / A245614 / TYP(AS) / DN 125 PN 16
c1	
EXPANSION JOINT DN125,PN16,L:120MM,RUBBER	
am anhang	
A DN100 PN16 BL150	
DN350 PN16 BL200 A1	
Rubber compensator type A DN700 PN16 – EPDM	
A-0 TYPE	EXPANSION JOINT DN 300, L : 200 MM NBR
Type GR –SAE , DN 80,PN 16	Flange connection both side SAE, Face to Face 140mm, Flange dimensions DN 80, 106mm, 62mm, Rubber grade NBR, color code Red/Yellow, Use for hydraulic oil.
Type GR –SAE , DN 500,PN 16	Flange connection both side SAE, Face to Face 120mm, Flange dimensions DN 50, 178mm, 43mm, Rubber grade NBR, color code Red/Yellow, Use for hydraulic oil.
KOMFL 150-BHT	Compensator, DN150-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 100-BHT	Compensator, DN100-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 125-BHT	Compensator, DN125-PN16 (DIN/ EN), NBR (high temperature)
KOMFL 150-HT	Compensator, DN150-PN16 (DIN/ EN), EPDM (high temperature)
KOMFL 125-HT	Compensator, DN125-PN16 (DIN/ EN), EPDM (high temperature)
KOMFL 65-HT	Compensator, DN65-PN16 (DIN), EPDM (high temperature)
KOMFL 80-HT	Compensator, DN80-PN16 (DIN/EN), EPDM (high temperature)
KOMFL 40-HT	Compensator, DN40-PN16 (DIN), EPDM (high temperature)
KOMFL 50-HT	Compensator, DN50-PN16 (DIN/EN), EPDM (high temperature)

DN250PN1003832100505MD	
11163400	XX050145587 STENFLEX rubber expansion joint XX050145587 according to dimension sheet: A-1/1-H21, A-1/2-H21 Type: A-1 Nominal diameter: DN 350 Bellows material: EPDM Bellows pressure level: PN16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN16 Corrosion protection flange: galvanized Overall length (BL): 200 mm
23311100001	RUBBER EXPANSION JOINT DN 210 PN 16 FLANGED, FLANGES=St37-2, SERIAL NO=20654, COAL VAL.5
DN40 PN16	rubber compensator
11373500-00, As-1, Dn 100, Pn 16	
Type Rs - 1 / Universal-Expansion Joint , Without Resistant	
00003209	
00003211-00	
Dm A1-Dn40pn16	
As-1 Dn 125	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 125 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11373500	STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 80 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11162800-00	
11162900-00	
11163400 Type A-1	
Art. Nr. 11161700-00	
11375200-00	
As-1 Dn200 Pn16 Hot Verzinkt	
As2n125	
11161400-00	
11163100-00 Gummi- Kompensator	
10pga31aa701 Compensator	
11373700-00, Dn 125, Pn 15	
00016319	
11162400-00 Rubber Expansion Joint	
11161800-00	
11152900-00	
11153300-00 A-1	
11375600-00	

11153300-Oo Gummi - Kompensator	
Sa10-Dn150	
11161700-00 Gummi - Kompensator	
Kompensatoren	Mass: DN80 PN16
11162200, Type A-1	
11153300-Oo	
Art.No. 00007994-00 Type : Ar-1	
As-1 Dn 32	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 32 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
Sa10-Dn100	
11373800 , Type: As-1 Dn150	
As-1 Dn 50	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 50 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11373600 , Type: As-1 Dn100	
11162600-00 A-1	
11373400	STENFLEX rubber compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal size: DN 65 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11369500-00	
Adn 100 Dn Pn 16 Epdm Orange/Blue	
11153300 Type A-1 (Dn 100)	
Type P-1	
00013592-00	
As2n100	
00001323-00	
11152100-00 Gummi - Kompensator	
11525400	
51898100-00	
11164100-00	
00004863-00 (Typ A-1) Gummi-Compensator	
Artikelnr. 11152300-00	
11162300	STENFLEX rubber compensator gem. Dimension sheet: A-1/1-D15, A-1/2-D15 Type: A-1 Nominal size: DN 40 Bellows material: EPDM Bellows pressure rating: PN 16 Flange material: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm

11189300-00	
11373700-00	
11162600-00 A-1 / Dn 80 Epdm Pn16 Bl 150 Pn16	
00015368 Type Ar-1	
A-2 Dn800 L=275mm	
11375100-00	
Sa10-Dn125	
As-1 Dn200 Pn16 Zink Galvanized	
As-1 Dn100	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 100 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
As-1 Dn40	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 40 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 150 mm
11161700 - 00	
11373400-00, Dn 55, Pn 16	
11373600-00	
1,003876030810md Dn65 Pn25 Dn100 Pn16	
11162600 , Type A-1	
Art.No. 11161400-00	
Art.No. 11375200-00 Type: As-1	
As-1 Dn 25	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 25 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Special design flange: with threaded holes Overall length (BL): 125 mm
Art.No. 11161800-00 Type Gr-Sae	
11162800 , Type A-1	
Sa10-Dn200	
11164200-00	
00022583-00 Stahl-Kompensator	
Product Code : Eps53/58-080-E,P	
11373200-00	
As Dn125 Pn 16	
10pgb51aa701 Compensator	
11164300-00 Gummi- Kompensator Typ A-1	
11153300-00 A-1 / Dn100 Epdm Pn 16 Bl150	

Pn16	
11375500-00	
11375300-00	
Art.No. 11363200-00 Type: As-1	
As-1 Dn65	STENFLEX Rubber Compensator gem. Dimension sheet: AS-1/1-D15, AS-1/2-D15 Type: AS-1 Nominal diameter: DN 65 Material bellows: EPDM Pressure stage bellows: PN 16 Material flange: 1.0038 (S235JR) Hole pattern of the flanges: PN 16 Corrosion protection flange: galvanized Overall length (BL): 125 mm
11373500-00	
R1 Dn65 Pn16	