

Strack

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Strack Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Strack Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
SN5650-PMO-0230-15-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0230-30-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0065-45-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0330-15-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0165-20-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0125-70-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0065-10-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0090-5-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0260-20-M-N-V03	PowerMax above
SN5650-PMO-0260-25-M-N-V03	PowerMax above
SN5650-PMO-0090-10-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0065-75-M-N-V03	Standard slide hanging above PowerMax
SN5650-PMO-0330-30-M-N-V03	Standard slide hanging above PowerMax
Z4-21-0-0	latch lock

Ürün	Açıklama
Globe valve S24.056	Globe valve DN 100, PN 40 type S24.056, welding connection, manual actuator type, working medium temperature 160
Globe valve S24.056	Globe valve DN100, PN 40 type S24.056, welding connection, with electric actuator AUMA SA 10.1, temperature of working medium 160 C
Check valve Type S70.056	Check valve DN 100, Pworking 52 type S70.056, welding connection, temperature of the working medium 158 C
check valve Type S72.021	Check valve DN 200, PN 16 type S72.021, welding connection, temperature of the working medium 158 C
check valve Type S72.021	Check valve DN 100, PN 16 type S72.021, welding connection, temperature of the working medium 158 C
STRACK Type S17, DN50 PN250, with actuator	STRACK Type S17, DN50 PN250, with actuator AUMA SA
STRACK Type S21, DN50 PN250, with actuator	STRACK Type S21, DN50 PN250, with actuator AUMA SA
Globe valve S20.013	Globe valve DN 40, P working 8 type S20.013, welding connection, with electric actuator AUMA SA 07.1, temperature of working medium 163 C
Globe valve S20.013	Globe valve DN 50, PN 25 type S20.013, welding connection, with electric actuator AUMA SA 07.1, temperature of working medium 163 C
Globe valve S21.021	Globe valve DN 50, Pworking 91 type S21.021, welding connection, with electric actuator AUMA SA 10.1, medium temperature 297 C
Globe valve S21.021	Globe valve DN 65, PN 160 type S21.021, welding connection, with electric actuator AUMA SA 10.1, medium temperature 504 C
Globe valve S21.021	Globe valve DN 20, PN 160 type S21.021, welding connection, manual actuator, working medium temperature 504 C

Ürün	Açıklama
Globe valve S21.024	Globe valve DN 50, P working 89 type S21.024, welding connection, with electric actuator AUMA SA 10.1, temperature of working medium 536 C
Z3-31-50-125	151923 round latch lock Set consisting of: 141699 Z3-3-01-125 1 pc draw bolt 151892 Z3-31-50 1 pc complete housing
Z3-31-50	complete housing
VANA GATE 4" 2500 CLASS //	TECHNICAL DRAWING IS ATTACHED. OPERATION PRESSURE: 280 BAR OPERATION TEMPERATURE: 350 C FLUID: BROWN WATER STEAM DIMENSIONS: 114X20
SN4321-63-200	guide column with waistband DIN 9825-4, ISO 9182-5
Z4416-63-75	guide bush with waistband rolling guide ~DIN 9831-2, ISO 9448
SN1798-63-148	ball cage made of brass
SN4321-40-125	guide column with waistband DIN 9825-4, ISO 9182-5
Z4411-40-50-B	guide bush with waistband CuSn12 ~DIN 9831-1 / ISO 9448
SN2808-VS-920-32	gas spring MICROseries VDI 3003
SN2808-V-470-25	gas spring MICROseries ~VDI 3003
SN1515-17.5-M12-90	screw

Ürün	Açıklama
	with spacer tube
SN1591-50	Tragzapfen VDI 3366
SN1860B-HSS-6.1-80-10	cutting stamp cylindrical head discontinued ISO 8020 Form B
SN1860B-HSS-8.1-80-13	cutting stamp cylindrical head discontinued ISO 8020 Form B
SN1860B-HSS-5.6-80-8	cutting stamp cylindrical head discontinued ISO 8020 Form B
APX 8 19 80 P5.6 M2	
512030/4 Size 65	Body 1.0460 Trim Stell?
12606	Z5260-50-38-24.5 Counter Mechanical
600780	Z5263-38-24.5-48 Counter Mechanical
Z7600-6	limit switch mechanical 30V, 2A max. 120°C
Z7415-16	
P/N: 151225 Type: Z7602-2-3000	
Z4-2-07	
Sn2540-20-25	
Z7618-500	
Z7565	
Z7675	
Z68-25-160	

Ürün	Açıklama
Z5106-Ds-Z5101-12	
250165 Sn5650-Pmo-0330-10-M-N-V02	
Z7769-10-1,5 141487	
Z 7600-4	
Z7609	
P/N: 181899 Type: Z7616-2	
35063 Klinkenzüge Z5 – 2	
P/N: 73835 Type: R523-10-40	
Z5140-1	
Z68-16-63	
R1031-6-40	
Sn1709-2	
Z7769-10-3,2 141489	
Z5130-18	
Z4-2-02	
Z7750-8	
Sn1598-M20	
162647	
Z5101-12-12	
P/N: 73823 Type: R523-8-30	
123972 Z75-32-76	
182696	
Z7410-16	
Z7408-16	
37773 Z81-42-150	
Z4-15-03	

Ürün	Açıklama
P/N: 73815 Type: R523-6-30	
37771 Z81-42-110	
Z7600	
Z5140-0	
127445	
Bp25c25x32x25	
Z 5-31	
Z 5-32	
Z3-3-125	
Z6040-1	
84572 Z81-42-200	
R1031-6-25	
Z5130-13 182692	
Z7769-10-2,5 141488	
Z7433-3	
P/N: 37192 Type: Z75-50-76	
Z6040-3	
Z7608	
250093 Sn5650-Pmo-0230-5-M-N-V02	
Z5130-27	
Z7433-2	
Z5177-10-1-12-13 = Z5176-10-1-12 + Z5174-6-13 + Z5173-6	
Z7616-2	
Z4-15-0-0	
Z5-32 -162,5	

Ürün	Açıklama
Z5-31 -162,5	
R523-20-60	
Z7416-16	
S17rks	
P/N: 140309 Type: Z7662	
Z5-0	
Z 50-1 / Z51-1	
Z3-2-100-220	
Z4315-25-300	
Z7678-500	
150975	
Z7665-3000	
Z5-4	
145218 Z4310-25-190	
Z4-2-06	
10060216 Z20-40-117	
Z4-15-02	
P/N: 73852 Type: R523-16-60	
Z624-2	
Sn4322-80-224	
Z51-02	
P/N: 26711 Type: Z148-16-120	
Z3-1-40-125	
Z68-20-100	
221057 Sn5650-Pmo-0400-20-M-N	
P/N: 73845 Type: R523-12-50	

Ürün	Açıklama
Z5085-22	
Z5134-7	
P/N: 73851 Type: R523-16-50	
Z48-30/26/40	
Sn 2500-17-85 Stat. Warennummer:7320 20 81	
Z5260-50-38-24,5	
Z5260-50-38-24.5	
W25-18-160	
Z5129-13	
Z5129-27	
Sn1598-M30	
Z3-2-01-120	
Sn1763-80-150-C	
35317 Z15-125-20	
Z5129-18	
Z5-1	
Z3-11-40-100	
Z5-2	
Z57-25 / Z56-25	
181906 / Z7618-500	
250099 Sn5650-Pmo-0330-5-M-N-V02	
R523-5-30	
Z68-25-250	
P/N: 181302 Type: Z7615	
P/N: 165874 Type: W32-16-22	

Ürün	Açıklama
Z4078-R-25-76	
10100473 Klinkenzug Z5 – 4	
Z4325-2	
Z68-25-200	
Wz8031/B-20-025	
R523-13-50	
Z68-12-63	
250819 Sn5650-Pmo-0230-60-M-N-V02	
Z20/40(30)-117	
Z7602-2	
151794	
P/N: 40020 Type: Z56-25	
P/N: 35063 Type: Z5-2	
Strack Z5-0	
Z4320-20-100	
Z68-16-160	
Z7538re-14	
Z3-2-25-170	
Z7685	
Z4-32-189-290	
1855a-Hss-5,0-90	
Z3-2-75-120	
Z5-0-06	
Z5101-12-24	
Z4-15-0-0	
85533 Z78-25-49	

Ürün	Açıklama
Z7606-40	
Z7604	
P/N: 600019 Type: Z51-1	
Z7616-1	