Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Straub

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Straub Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Straub Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Eco Grip Ø88.9 - Stainless Steel A4	
100695	
103519	
103537	
1105	
1110	
1112	
13146	
481-525-300	
G20206	
G20351	
G20450	
G20550	
G20551	
G20558	
G20601	
G20650	
G20900	
G21051	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
STRLE48	
WGR560	Item No.: G21107 STRAUB-GRIP FF 133.0 mm NBR/ES W5 Clamping range 131.7 - 134.3 Housing 1.4404 or equivalent Screws A4-80 Bolt 1.4404 or equivalent Sealing sleeve NBR Operating pressure (Ind.) 21.00 Temperature -20°C - +80°C
article code=6829/0612	name plate=6620M0016 NORMA Grip-E-FP-W5-NBR ø133.0
article code=6829/0612	name plate=6620M0018 NORMA Grip-E-FP-W5-NBR ø133.0
OPEN-FLEX 1 ⍰ 114.3mm EPDM/ES PN20 W5	35650 Sealing Sleeve :EPDM Clamping Range :112,5. - 116.0 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :20
OPEN-FLEX 1 ⍰ 76.1mm EPDM/ES PN25 W5	35250 Sealing Sleeve :EPDM Clamping Range : 74.5-77.5 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :25
OPEN-FLEX 1 ⍰ 88.9mm EPDM/ES PN25 W5	35350 Sealing Sleeve :EPDM Clamping Range :87.5-90.5 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :25
OPEN-FLEX 1 ⍰ 48.3mm EPDM/ES PN25 W5	35000 Sealing Sleeve :EPDM Clamping Range :47.0 - 49.5 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :25

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
OPEN-FLEX 1 ⍰ 60.3mm EPDM/ES PN25 W5	35150 Sealing Sleeve :EPDM Clamping Range :59.0-63.0 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :25
GRIP 33.7 mm EPDM/ES W5	ALTERNATIVE (Bu boyuttaki OpenFlex modeli üretimden kaldırılmıştır) G20100 Sealing Sleeve :EPDM Clamping Range :33.2-34.2 Temperature : -20 C to +100C CAsing : 1.4404 o. equivalent Bars : A4-80 Bolts : 1.4404 o.rquivalent Pressure (Ind.) :39
30600	108.0mm EPDM/W5 /PN20 Clamping range 106.5-110.0 Pressure ind. 20 EPDM Casing 1.4404 Bars A4-80
30800	133.0mm EPDM/W5 / PN16 Clamping range 131.0-135 Pressure ind. 16 Sealing sleeve : EPDM Casing 1.4404 Bars A4-80
3” SCH40 304L	
Grip-L 33.7mm NBR/W5	claming range 33.2-34.2 pressure :39 sealing sleeve NBR Casing 1.44044 Bars A-4-80 Bolts1.4404
1017 Marquardt 648 1264.3501	
36050	STRAUP-OPEN-FLEX 1Ø168,3mm EPDM/W5 I PN16
35350	STRAUP-OPEN-FLEX 1Ø 89.9 mm EPDM/W5 I PN25

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
STR30250	76.1 mm Pipe Outer Diameter, EPDM Gasket, SS Bolt
270200490	Flange C 48.3 DIN 2633 1.4571 PN 16
WGR560- various other things	various other things Article number: 35250 STRAUB Open-Flex-1 W5 DN 65 / 76.1 mm PN 25 EPDM / ES
Grip FF 76.1 EPDM/W2	with steel strip bearing, VDS clamping range mm 75.3-76.9 Pressure 56 Sealing sleeve EPDM Casing 1.4404 bars 1,722 Bolts 1.0737 temperature -30 to 100 degrees
35650	
406.4 EPDM/W5	with steel band layer with drinking water approval Clamping range mm 402.5-410.5 Pressure 7 Sealing sleeve: EPDM NSF Casting 1.4162 bars A4-80 Temperature -20 +100 degrees
G20300	STRAUBGRIP 48.3 EPDM/W5 with steel band insert Customs tariff number: 73072900 Country of origin: CH Clamping Range mm: 47.8 48.8 Operating pressure (Ind.) / Pressure (Ind.): 28 Sealing sleeve: EPDM Housing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
SPI XXSC4	Pipe Coupling - DN50-450
G20300	STRAUBGRIP Ø 48.3 EPDM/W5 | PN28 with stainless steel band insert Clamping range (mm): 47.8–48.8 Operating pressure (Ind.) / Pressure (Ind.): 28 Sealing sleeve: EPDM Casing: 1.4404 or equivalent
G20450	STRAUBGRIP Ø 60.3 EPDM/W5 | PN23

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	with stainless steel band insert Clamping range (mm): 59.7 - 60.9 Operating pressure (Ind.) / Pressure (Ind.): 23 Sealing sleeve: EPDM Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
G20650	STRAUBGRIP Ø 88.9 EPDM/W5 | PN26 with stainless steel band insert Clamping range (mm): 88.0–89.8 Operating pressure (Ind.) / Pressure (Ind.): 26 Sealing sleeve: EPDM Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
G21350	STRAUBGRIP Ø 168.3 EPDM/W5 | PN16 with stainless steel band insert Clamping range (mm): 166.6–170.0 Operating pressure (Ind.) / Pressure (Ind.): 16 Sealing sleeve: EPDM Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
21412	STRAUBGRIP Ø 219.1 EPDM/W5 | PN16 with stainless steel band insert, approved for drinking water use Clamping range (mm): 216.9 - 221.3 Operating pressure (Ind.) / Pressure (Ind.): 16 Sealing sleeve: EPDM NSF Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
25199	STRAUBGRIP Ø 273.0 EPDM/W5 | PN7 with stainless steel band insert, approved for drinking water use Clamping range (mm): 270.5 - 275.5 Operating pressure (Ind.) / Pressure (Ind.): 7 Sealing sleeve: EPDM NSF Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
25310	STRAUBGRIP Ø 323.9 EPDM/W5 | PN5 with stainless steel band insert, approved for drinking water use

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Clamping range (mm): 320.5 - 327.0 Operating pressure (Ind.) / Pressure (Ind.): 5 Sealing sleeve: EPDM NSF Casing: 1.4404 or equivalent Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
102460	STRAUBGRIP Ø 355.6 EPDM/W5 | PN10 with stainless steel band insert, approved for drinking water use Clamping range (mm): 352.0 - 359.0 Operating pressure (Ind.) / Pressure (Ind.): 10 Sealing sleeve: EPDM NSF Casing: 1.4162 Screws / Bars: A480 Bolts: 1.4404 or equivalent Temperature: 20°C to +100°C
Grip-L 166,6 - 170,0mm	
Grip-L 166,6-170,0mm	
491-625-300	
41681663	
Grip W5 114,3mm	NBR PN bar 22
42218654	
Grip-L 47,8 - 48,8mm	
41806532	
S30651/1-L-114,3	
381-215-200	
S30251/1-L-76,1	
42216950	
Grip-L 138,3-141,1mm	
Grip-L 33,2 - 34,2mm	
392-420-400	
381-108-200	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Grip-L 59,7 - 60,9mm	
500246716	
Grip W5 168,3mm	NBR PN Bar 16
491-525-300	
Grip-L 113,2-115,4mm	
500246715	
Grip-L 113,2 - 115,4mm	
Rep-Flex Kupplung Reparatur525mm (525-535) L=300mm Nbr/Es	
Grip-L 26,4 - 27,4mm	
Grip-L 273,0mm	
41625338	
Grip-L 138,3 - 141,1mm	
Grip-L 216,9 - 221,3mm	
Grip-L 59,7-60,9mm	
Grip-L 88,0 - 89,8mm	
Grip-L 33,2-34,2mm	
381-269-300	
Grip-L 75,3-76,9mm	
381-159-200	
Grip-L 41,9-42,9mm	
Grip-L 48.3 Kupplung	
S30151/1-L-60,3	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.