

Tai Milano

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Tai Milano Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Tai Milano Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
0A1056.24010.XTZZ	
421299.08330.XJZZ	
4524	
907000.00001-S/A/P-PT-127 BAR	
9117-4Q1 6-922-MPTX	
923000.00004-S/A/P-PT-4 BAR	
977040.06431.XJZZ	
9R6560.58720.XJZZ	
9R6580.30020.XJZZ	
9R7541.58720.XJZZ	
A25280.43520.XKZZ	
A30340.43550.XKZZ	
A35640.11720.XJZZ	
A35640.43550.XKZZ	
P/N 421399.08330.XJZZ	
P/N 426382.10120.MKDZ	
W20280.10171.XJ1Z	
W21140.08130.XTZZ	
W21140.10170.XJ1Z	

Ürün	Açıklama
W25280.11120.MKDZ	
W26140.08130.XJ1Z	
W30340.08130.XJZZ	
W30340.11720.XJ2Z	
W35640.08130.XJZZ	
W35640.M1620.XJ2Z.ERIF	
W50240.16120.XKZZ	
W60340.08130.XJZZ	
W65150.16220.XKZZ	
W65240.10170.XJ1Z	
4211YC ORİFİS DY	3/4"X1",300X150 LB FLG,BODY ASTM A105 FORGED STEEL,SIT: 316+STELLITE,SET PRESSURE: 26 BAR POS: 4,14,5,10 WITH REPAIR KIT,
169285	
WATER SAFETY VALVE, 3/4"-1", 6 BAR	Fluid: Seawater, Set Pressure: 6 Bar Working temperature: 40 °C Brand: Tai Milano Series: 4000 W Inlet-Outlet Diameter: 3/4" ASME 150 - 1" ASME 150 Body: CF8M, Bonnet: CF8M, Disc Holder: UNS S17400 Nozzle: AISI 316,UNS S21800, Ring-Pin-Guide: AISI 316, Spindle: UNS S17400, Bellows: AISI 316 Screw: UNS S17400 Lock Nut. AISI 316, Spring: AISI 316, Gasket: PTFE-Graphite, Body drain plug: AISI 316, Government ring: AISI 316, Plug: AISI 316
STEAM SAFETY VALVE, 3/4"-1", 18 BAR	Fluid: Steam, Set Pressure: 18 Bar Working temperature: 232 °C Brand: Tai Milano

Ürün	Açıklama
	Series: 4000 W Inlet-Outlet Diameter: 3/4" ASME 300 - 1" ASME 150 Body: CF8M, Bonnet: CF8M, Disc Holder: UNS S17400 Nozzle: AISI 316, UNS S21800, Ring-Pin-Guide: AISI 316, Spindle: UNS S17400, Bellows: AISI 316 Screw: UNS S17400 Lock Nut. AISI 316, Spring: AISI 316, Gasket: Graphite, Body drain plug: AISI 316, Government ring: AISI 316, Plug: AISI 316
1500 Rtj	
34054011220xj2z	
Zogzzaaf18	
34044008130xj1z	
3000w	
34054012020xjzz	
Holder, Disc, Tai Milano, S/N:105582, Tag No.:24-Trv-005 P/N 421382.11521.Xxkz	
330340.16220.Xkzz	
99558310020pj3z	
A30340.11720.Mkdz	
426382.10120.Yazz	
Spring, Tai Milano, S/N: 105582, Tag No.: 24-Trv-005 P/N 000004.11525.Mlcm	
000003.21583.Amzm	
000003.25260.Xjzm	
Disc, Tai Milano, Tag No. 24-Trv-005, S/N: 105582 P/N 426382.10120.Mkdz	
3311-1 / F2-Cb	
340540.16220	
4524-3/4-D1-S-O	

Ürün	Açıklama
Psv Spares	
W30340.10170.Xj1z	
W21140.08130.Xjzz	
000003.42681.	
Spindle, Tai Milano, S/N: 105582, Tag No.: 24-Trv-005 P/N 421382.15121.Xxmz	
P/N 927000.28321.Pj2z	
W40120.08180.Xjzz	
W40540.11220.Xxgz	
325140.16220.Xkzz	
031849.47012.Xh1z	
000003.23443.Amzm	
340120.23120.Muzz	
34564023121	
330340.08180.Xh1z	
3111-3l4-Tl2 // 85285-85286	
3311-1e2-Cb	
Nozzle, Tai Milano, Tag No. 24-Trv-005, S/ N: 105582 P/N 421399.08330.Xjzz	
Type A-Sv-501	
000003.42681.Arzm	
Zogzaaf19	
A25140.43550.Xkzz	
A30340.43550.Mjzz	
3521-1-1/2d2-Cb	
000003.24393.Amzm	
4524 3/4-D1-S-O Disc/Plug	

Ürün	Açıklama
325140.08180.Xh1z	