

Tamagawa Seiki



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in

info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Tamagawa Seiki Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Tamagawa Seiki T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
TS2651N221E78 / 1X / BRT	Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
TS2651N221E78 / 1X / BRT	Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
TS2650N11E78 / 1X / BRT	Resolver, pancake version Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21
Resolver TS2651N221E78	TS2651N221E78 / 1X / BRT Frequency : 4.000 kHz Voltage: 10.00Vpp Size: S-21
TS2660N31E64 / 1X / BRX	Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-34
TS2651N221E78	Our article number: 10.1102339.001 Frequency : 4,000 kHz Voltage: 10.00Vpp Size: S-21
RESOLVER TS2113N21E10NLA	
TS2660N31E64	Resolver TS2660N31E64 / 1X / BRX Resolver, Pancake Version Frequency : 10.000 kHz Voltage: 7.00Vrms Size: S-34
F89094 encoder	
TS2651N111E78	
Resolver TS2651N221E78	TS2651N221E78 / 1X / BRT Frequency : 4,000 kHz Voltage: 10.00Vpp Size: S-21 silicone hose
P/N 800123-S	2048 PPR BRX/FA SOLVER RATIO 26V,2400 HZ S/O #847782 HEAVY DUTY SHAFT DIAMETER: 15.84
121607.001	Resolver TS2650N21E78 TS2650N21E78 / 1X / BRT Resolver, pancake version Frequency: 4,000 kHz Voltage: 10.00Vpp

	Size: S-21
110239.001	Resolver TS2651N221E78 TS2651N221E78 / 1X / BRT Frequency: 4,000 kHz Voltage: 10.00Vpp Size: S-21 Silicone hose
SMART SYN TS2651 N 141 E78	
TS2651N221E78-	
Resolver TS2640N101E64	120892.001 Drawing-No.: 026400016S30 ; Index: Resolver TS2640N101E64 1 / BRX Resolver, Pancake Type Frequency: 10.0 kHz Voltage: 0.0 -- Size: S-21
I95787	
A66640	
120688.001	Resolver TS2650N11E78 TS2650N11E78 / 1X / BRT Resolver, Pancake Version Frequency : 4.000 kHz Voltage: 10.00Vpp Size: S-21
DRY TYPE CONTACT SPRAY	
A86908	
XA24939	
Absolute Encoder Interface ACC-70E	
Ts2640n871e172	
4850016513	
Proseat Ce62 Ts2620n701e11	
Ts5213n315	Encoder, hollow shaft version Incremental Digital Size: OIH- 35 Resolution: 2048 pulses / rev. Output signal: TTL (LD) Commutation: 6-pin Connection: Cable Cable length: 500 Plug type:
Ts2014n281e26	
Ts1857n16 , Ts1857n17	
Smcsy5120-5lz-01	
Ts2640n141e172	TS2640N141E172 / 1X / BRX Resolver, pancake version Frequency: 4,000 kHz Voltage: 5.00Vrms Size: S-21
Ts2025n371e10d	
Ta4721n 8000 - !!	
4810010025	
Tas4725n Gt; ???	
	TS5213N551 Encoder, hollow shaft version Incremental Digital Size: OIH-48 Resolution: 2048 pulses / rev. Output

Ts5213n551	signal: Commutation: 8-pin Connection: Cable Cable length: 170 Plug type:
Ts 45 I 4n I 23 I E200	
B66609e	
Ts5208n30	
1963	
1569 Ts5214n530/ 2500 P/U/ 8p/ L6 Oih-48	
Ts 2640 N241 E172 Gt;Gt;Gt;	
Sblb-1050-30-0/Bpx	
Springts2651	
Ts2641n41e64	
Oih 35 -2500 Ts5214 N310 P 8 -L6 -5v	
Tas4725n 80	
Ts 2030n71e14	
Brt - Ts2651n141e87	
Ts 2650	
Ts 5667 N2303 A08059 !!	
Au6550n286e194	
Au6803	
Ts 2054n31e51 S/N454	
Ts 4512n4021e200 !!	
Tas4725n 5	
Ts:6246 N :331 Sn A06274 !!	
Tas4725n1320	
Tbl-V Ts4742n5022e601 (Oem)	
617526/Ts453e11	
Ts 4839n4035e234 !!	
Rfh1024-22-1m-68	
Ms01-20-25	
Bkt-D20682	

Ose1024-3-15-68-8	
Ta4767n165e100	
Ts2640n641e64	TS2640N641E64 / 1X / BRX Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-21
Ts2651n111e78	
Ta4725n30	
6590-608	
S5205n452 Serial: A2183f	
TS26251N221E78	
Ts4836n8220e201	
Rfh1024-22-1m	
Ts 3203n35e8	
Track Ball For Tas4725n Medison X8 Oem	
800123-R Brx Fa-Solver	
Ts2225n213e102	
TS2651N221E78	Resolver, type TS2651N221E78 Our article number. 10.110239.001
Ts2651n181e78	
Ts5214n8566 - Not Available	
Ts 4834n9021e235	
Au6550.N206.N268	
Ts 5667	
Brt Ts2651n111e78	
Ts 4513n9026e200 !!	
Ts 4514n4025e200 !!	
D24909, 48 2500p8, L6 Fv 5214 N566	
1151	
Ts2620n581e97	TS2620N581E97 / 1X / BRX Resolver, pancake version Frequency: 10,000 kHz Voltage: 7.00Vrms Size: S-15
506.933a03101wo...30bar/Out 4-20 Ma	
D71059a	Encoder Please look at the attachment
Ts2640n1501e109	

Ta3420n22
Ta3420n12
Ts 6246 N 331
Ts5216n510
Oah-14b-Sd-Bko-M-6046
Part No Ts-5226n-104, Sr. No.A84470a
Brt - Ts2651n111e78
Ts2640n441e26
Ts5n2e18
Ohe 25 K-6 Oem
Ta1664 N 1918 (Oem)
603197/Ts4n2e12
Ts2605n31e64
Oih48; 2000c/T; L3 5v
Ta4701n2000e1