Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Te Co

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Te Co Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Te Co Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
C2---55-8b3	55KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315S
C2---22-6b5	22KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
C2---90-2b5	90KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M
C2----7-8b5	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---18-4b3	18.5KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
C2---30-2b3	30KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE DS00L
C2---15-8b5	15KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
C2---22-4b5	22KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180L
C2---90-6b3	90KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
C2---55-2b3	55KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
C2---90-6b5	90KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
C2---75-8b5	75KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
A510-4040-H3	A510-4040-H3-400V, 30 KW HEAVY DUTY, 37 KW NORMAL DUTY

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
C2---22-2b3	22KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
I2---15-4b5	15KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Db45-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 75 HP: 460V
N3-460-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---37-2b5	37KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
C2---45-4b3	45KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M
A510-4025-H3	A510-4025-H3-400V, 18.5 KW HEAVY DUTY, 22 KW NORMAL DUTY
C2---75-2b5	75KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
C2---55-6b3	55KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280M
C2---37-6b5	37KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
Kdrulg2le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulh2le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
I2---11-6b5	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Pa7300-4075-N1	DRIVE VARIABLE TORQUE AC 75HP 111AMP 3PH 460VAC
C2---55-4b5	55KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D250M
C2---15-4b5	15KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
I2---11-6b3	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
Jntebgbb0040jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdrulg3he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	22.12 X 20.43 X 24.37
C2---30-4b5	30KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
C2---22-2b5	22KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D180M
C2---37-8b5	37KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S
Cv-4060-H3 Kmf3150a	CV-4060-H3 KMF3150A TECO 45KW/96AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
A510-4075-H3	A510-4075-H3-400V, 55 KW HEAVY DUTY, 75 KW NORMAL DUTY
A510-4030-H3	A510-4030-H3-400V, 22 KW HEAVY DUTY, 30 KW NORMAL DUTY
C2----7-8b3	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---45-4b5	45KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225M
C2---37-4b3	37KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225S
Cv-4050-H3 Kmf3100a	CV-4050-H3 KMF3100A TECO 37.5KW/80AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---37-2b3	37KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D200L
Cv-4075-H3 Kmf3180a	CV-4075-H3 KMF3180A TECO 55KW/128AMPS IP00 INVERTER COMMERCIAL FILTER 3PHASE INPUT 3PHASE OUTPUT
C2---18-6b3	18.5KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
I2---18-2b5	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE 160L
N3-475-N1	N3 COMPACT DRIVE, 460 V 3-PHASE INPUT/ 3-PHASE OUTPUT
I2----7-8b5	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
A510-4050-H3	A510-4050-H3-400V, 37 KWHEAVY DUTY, 45 KW NORMAL

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	DUTY
Kdrulf26he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
C2---37-4b5	37KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D225S
I2---18-2b3	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE 160L
Eq5-4020-N1	VARIABLE TORQUE
Jntebgbb0040az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Eq5-4500-C	VARIABLE TORQUE
C2---18-2b3	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
Ma7200-2010-N4	MA7200 PLUS NEMA 4/12, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
A510-4030-H3f	A510-4030-H3F-400V, 22 KW HEAVY DUTY, 30 KW NORMAL DUTY
Kdrulh2l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.50
I2---15-2b5	15KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160M
Kdrull1h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.50
Kdrulf4he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
C2---30-6b5	30KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225L
A510-4215-H3	A510-4215-H3-400V, 160 KW HEAVY DUTY, 185 KW NORMAL DUTY
C2---15-6b5	15KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
Tmvrxe12-650-2300-12	2300 VOLT, NEMA12
Eq5-4075-C	VARIABLE TORQUE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
C2---75-8b3	75KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 315M
Eq5-2007-N1	VARIABLE TORQUE
Hb0104	MAX-E2/841 NEMA PREMIUM EFFICIENCY, TYPE AEHH8B
C2---90-4b5	90KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280M
Bu37-2c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Kdrulh22le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 7.00
A510-4020-H3f	A510-4020-H3F-400V, 15 KW HEAVY DUTY, 18,5 KW NORMAL DUTY
C2---37-8b3	37KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 280S
V1k305a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Jntebgbb0030jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Eq5-4600-C	VARIABLE TORQUE
Kdrull4h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.50
A407	SEVERE DUTY W/ ACROSS THE LINE BYPASS, STANDARD MODULAR OPTION 16 CHANNEL RTD MODULE(S), 100 OHM PLATINUM (ALSO AVAILABLE FOR REMOTE MOUN
Kdrulj22he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Eq5-2030-N1	VARIABLE TORQUE
Kdruli21h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulh22l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Eq5-4003-N1	VARIABLE TORQUE
N3-215-N1	N3 COMPACT DRIVE, 230 V 3-PHASE INPUT/ 3-PHASE OUTPUT
C2---75-4b5	75KW 4 POLE (1500RPM) TECO AC MOTOR, IE2, B5 FLANGE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D280S
C2---11-6b5	11KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 160L
C2---30-8b3	30KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 250M
Bu132-4c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING UNIT
Kdrull4he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulh24h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Eq5-2003-N1	VARIABLE TORQUE
Eq5-2040-C	VARIABLE TORQUE
C2---18-2b5	18.5KW 2 POLE (3000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE D160L
Kdrulf1he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Kdrull6he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 36.00 X 28.39 X 30.19
C2---18-6b5	18.5KW 6 POLE (1000RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 200L
Db37-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 60 HP: 460V
Dbr-221	BRAKING RESISTOR, AC DRIVE HP RATING 50
7200ma	***DO NOT USE INCORRECT PART NUMBER***
Kdrulj23l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 11.50
Kdrulh1le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Dbr-213	BRAKING RESISTOR, AC DRIVE HP RATING 125
Jntebgbb0100az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Eq5-4250-C	VARIABLE TORQUE
V1k250a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	CHASSIS UNIT DIMENSIONS
V1k55a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulj22h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.75
Kdrulf2he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
Eq5-4700-C	VARIABLE TORQUE
Jntebgbb0060az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Tmvrxe12-750-2300-12	2300 VOLT, NEMA12
Jntebgbb0250az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Kdruli22h	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulg22le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 9.00
Eq5-2005-N1	VARIABLE TORQUE
Kdruls1l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 15.00 X 13.25
Kdruli2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Pa7300-2050-N1	DRIVE AC 144AMP 50HP 230V
Kdrulf25he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
V1k362a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulg1he01	LINE REACTORS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Ga7200-4025-N1	DRIVE 25HP 34KVA
V1k420a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Dbr-108	BRAKING RESISTOR, 230V 3-PHASE,OHMS 6.8

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Kdrulg3l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.00
Kdrulj1l	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 12.00 X 11.50
Dbr-230	BRAKING RESISTOR, AC DRIVE HP RATING 100
V1k110a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Kdrulh2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Kdrulj23le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 9.75
Kdruli24l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 7.00
Pdh03004te5	MOTOR 30HP 1765RPM 28AMP 575VAC 22KW 3PH
Kdrulg25he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 22.12 X 20.43 X 24.37
Kdrulg22l	LINE REACTORS, CHASSIS UNIT DIMENSIONS 9.00 X 11.00 X 9.00
Kdrull5h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 11.00
Db37-2c	EQ7 PERIPHERALS, MULTIPLE DUTY, BRAKING RESISTOR
V1k750a00	OUTPUT REACTORS/ LOW PASS FILTER COMBINATIONS, CHASSIS UNIT DIMENSIONS
Db90-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 150 HP: 230V
Db55-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 100 HP: 230V
I2----7-8b3	7.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, ALUMINIUM CONSTRUCTION, FRAME SIZE D160L
C2---11-8b5	11KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B5 FLANGE MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 180L
Nema1-110g11-4	NEMA1 KIT 150,200HP 460V
A406	SEVERE DUTY W/ ACROSS THE LINE BYPASS, STANDARD MODULAR OPTION 8 CHANNEL RTD MODULE, 100 OHM (ALSO AVAILABLE FOR REMOTE MOUNTING, CALL FA

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Jntebgbb0100jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
Dbr-191	BRAKING RESISTOR, AC DRIVE HP RATING 25
Kdruli23le01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 9.00 X 11.00 X 7.00
C2---18-8b3	18.5KW 8 POLE (750RPM) TECO AC MOTOR, IE2, B3 FOOT MOUNTED, CAST IRON CONSTRUCTION, FRAME SIZE 225S
Ma7200-2005-N4	MA7200 PLUS NEMA 4/12, 230V 1-PHASE OR 3-PHASE INPUT/ 3-PHASE OUTPUT
Kdrull2h	LINE REACTORS 460V, CHASSIS UNIT DIMENSIONS 11.38 X 14.50 X 9.31
Db75-2c	EQ7 PERIPHERALS, BRAKING RESISTOR 125 HP: 230V
Jntebgbb0200az	460V 3-PHASE INPUT/ 3- PHASE OUTPUT
Jntebgbb0075jk	230V 3-PHASE INPUT/ 3-PHASE OUTPUT
V1k130a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Kdrulh24he01	LINE REACTORS, UL TYPE 1 ENCLOSURE DIMENSIONS 19.13 X 15.43 X 15.43
V1k25a01	OUTPUT REACTORS/LOW PASS FILTER COMBINATIONS 460V, UL TYPE 1 ENCLOSURE DIMENSIONS
Eq5-4015-N1	VARIABLE TORQUE
Tmvrxe12-1500-2300-3r	2300 VOLT, NEMA3R
Db132-4c	EQ7 PERIPHERALS, BRAKING RESISTOR 250 HP: 460V
Hb0204	MAX-E2/841 NEMA PREMIUM EFFICIENCY, TYPE AEHH8B
Eq5-2100-C	VARIABLE TORQUE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.