

Te Connectivity



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Te Connectivity Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Te Connectivity Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
47820	DIE SET
314268-1	DIE SET
679300-1	DIE SET
47821	DIE SET
48128	HYP8 SOLIS 6AWG NEST
48129	HYP8 SOLIS 4AWG NEST
48127	HYP8 SOLIS 6-2AWG INDENTER
48132	HYP8 SOLIS 1/0AWG NEST
48131	HYP8 SOLIS 1/0-4/0AWG INDENTER
59974-1	HYP8 8-2AWG MANUAL TOOL
69051	CRIMPING HEAD
69065	HYP8 8-4/0AWG 12T HEAD
206037-1	10 pin
206043-1	10Pin
RVPX-HPD-2	ALIGMENT PIN
JMAPD-26XM	RELAY GEN PURPOS DPDT 1A 26.5VDC
ASTA558FR92730100000	19-Pin Female M23
AKUA559MR93730100000	19-Pin Male M23transformer
2-284932-8	Automotive Connectors DUOPLUG MKI STD KEYED 2/38 POS BROWN
DT06-3S-P032	

0462-221-1631	
0462-201-1631	
W9S-1939-P012	
794940-1	6POL.MINI REAR PLUG HOUSING SEALED
770903-1 ##(pahling 96151197)	AMP pin contact AWG22-18 MMNL vz t=0.2mm (strip) - 100 pieces#manufactured part no
794895-1	MINI RECEIVER HOUSING SEALED 6POL
770904-1	HRS TOOL FEMALE PIN IS 600 V 9A RATED FEMALE PIN CABLE RANGE 0.3-0.9 mm2
KUP-5D55-12	General Purpose Relays SP BRKT MT QC 12VDC
DRB16-102SAE-L018	571-DRB16-102SAEL018 DRB PLUG ASM TE Connectivity Automotive Connectors RoHS: Konform ECCN: EAR99 /
DRB102-BT	571-DRB102-BT MFR PN: DRB102-BT BT DRB 102 WY PL TE Connectivity Automotive Connectors RoHS: Konform ECCN: EAR99
DTM15-12PA	
P/N 1-966067-2	CABLE TERMINAL END,COPPER (E-CU), TIN PLATED,14LX2DX3.5D, CABLE 1.5MM2,1.5LIK DIN 46228-4 Black
P/N 966067-9	CABLE TERMINAL END,COPPER (E-CU), TIN PLATED,14LX1.7DX3D, CABLE 1MM2,1 46228-4 red
ETE s1001-c610 resolve	
TMS-SCE-1/4-2.0-9	
TMS-SCE-1/4-2.0-4	
TMS-SCE-3/16-2.0-9	
TMS-SCE-3/16-2.0-4	
TMS-SCE-1-1/2-2.0-4	
CM-SCE-TP-1/2-4H-9	
CM-SCE-TP-1/4-4H-4	
1966-RIBBON	
TMS-SCE-3/8-2.0-4	
TMS-SCE-1/2-2.0-4	
665-501-04-50 (MARL // LED)	
571-1-1241380-2	MFR PN: 1-1241380-2 AMP MCP 1, 5 K SWS TE Connectivity Automotive Connectors RoHS: Konform

571-964972-1	MFR PN: 964972-1 WIRE SEAL TE Connectivity Automotive Connectors RoHS: Konform
571-1-1418448-1	MFR PN: 1-1418448-1 3 POS. AMP MCP1.5K R TE Connectivity Automotive Connectors
MFR PN: 1-967626-1	9P 2TAB PLUG YELLOW
MFR PN: 929505-1	FF FLSTE-GEH2X2P
MFR PN: 929505-2	FF FLA-STE-GEG2X3P
962885-5	
279-MCU2K210	CUST PN: MFR PN: MCU2K210 2.2 KOhms Cermet Fla TE Connectivity Potentiometers
1718329-1	ADAPTER FOR TAB HSG TE Connectivity Automotive Connectors
CONBNC002	
8PCV-04-006	
2-647123-3	
91H1-15-06-1-B-HE100	
800 A Shielded Detachable Cable Head	for 36 (42) kV 1 x 120 mm2 (Unarmored) Copper Conductor Cables. The shoe is copper crimped type. (Interface Type C) RSTI 6824 for RMU type cells.
M83536/33-003L	
E244-213-G-QX-XA-C7	
,0-200Bar,4-20mA,G¼"NPT	
RY211005, 5VDC 8A SPDT (1 FORM C)	
282404-1	MINI MIC SRS TAB CNT TE Connectivity Automotive Connectors
282403-1	Crimp Terminal
770520-1	Crimp Terminal
281934-4	Terminal Conta
282107-1	Connector
282089-1	Connector
776164-1	Connector
282104-1	Connector
282080-1	Connector
880814-1	Connector Backshell

880810	Connector Backshell
776463-1	Connector Backshell
DT06-6S	Connector
1062-16-0622	Crimp Terminal
81044/12-20-9	Cable
DR-25-3/8-0-MS-SP	Makaron
DR-25-1/4-0-MS-SP	Makaron
FN3000-50KN (EFN30-50KN-C20002)	
59250	CRIMP TOOL, PIDG, STRATO-THERM, PLASTI-GRIP TERMINALS
5EFM4S EMI Filter	EMI filter module
44A0111-26-1	
K1136849	Relay 31-311-11-S-P
K1136757	Relay 31-311-12-S
SMOE 63486	36 KV 1 X 120 / 16MM ² CRIMP-TYPE CONNECTORS FOR COPPER CONDUCTOR CABLES
MS3137E19-7S	
MS3130E19-7P	
201692-4	PLUG 104P
202119-2	PIN HOOD
282088-1	HSG PLG 1X04C F/H TE Connectivity Automotive Connectors
281934-2	SINGLE WIRE SEAL TE Connectivity Automotive Connectors
M85049/88-19N02	Bulk/Bag
Dsy 1205.02 Shw/ 374z-05341	
T92s7d12-24 Monostabiles Relais	
Te 1-965641-1	Automotive Connectors 6P 2TAB PLUG BLUE CONNECTOR HOUSING 6 er Stecker schwarz
009263083	
Dtp06-4s	mit Gehuse, Stift und Keil
0-1415035-1 Sockel	
9-160583-5	
006405821	

He 024m Industrielle Stecker Buchse	
013752552 Hook & Loop Cable Tie	
Te Acc1230u20 3100y30t12999cj	
Orwh-Sh-112d1f.000	
3-1579007-7	
H24? -Tsh-Pg21 Flachsteckergehaeuse	
Dthd06-1-4s	mit Gehäuse, Stift und Keil
Rt315024 Allzweckrelais Spdt 16a 24vdc Pcb	
1971919-1	Item number: 1971919-1 Manufacturer: TE Connectivity / Amp Brand Description: PIN KITS, PV4 PANEL MOUNTED CONNECTOR
539972-1	
009268931	
016586801	
A101sycq04 4-1825136-5	
Csl-38-60010 Relais	
951-08rc8-4s50	
165565-2 Plug-In Fingerhut 2,8x0,5mm Rot	
4-1393817-1	
006405811	
He 024m Industrieller Stecker-Stecker	
Dt15-12pc	mit Gehäuse, Stift und Keil
Rvip-15-120i	
350706-7 Contact Male 0,2 -0,8 Mm2	
Dthd04-1-8p	mit Gehäuse, Stift und Keil
Te 967635-1	Accessory Type : TPA (Terminal Position Assurance) Color : Brown Connector System : Wire-to-Board, Wire-to-Wire Material : PBT GF Operating Temperature Range : -40 – 140 °C [-40 – 284 °F]
292304-2 Stecker	
Pt3s7lc4-1415075-1 Relay	
003508091	

9-0160583-5	
1102855-8	
1-1579007-6	
8-321045-1 Cable Lug Ring M6 1.25 2sn Bu	
02560927-000	
Te 967630-1	Connector Style : Housing for male terminals 21 OUTPUT FEMALE CONNECTOR (braun) Mating Tab Width : 2.8 mm [.11 in] Connector System : Wire-to-Wire Number of Positions : 21 Centerline (Pitch) : 5 mm [.197 in]
Fdba56-10-6sn-K081	
Rp420048	
001826491	
M5246-00000p-020bg	
Rt424024, Pcb Relay Dpdt 8a 24vdc	
H24? -Sgrh-Pg21 Flachsteckergehaeuse	
009655761	
1102855-5	
Dt15-12pb	mit Gehäuse, Stift und Keil
60.194.23	
1-1579007-7	
000660988 Amp Connector	
016711961	
Mtl106d 3-1437559-4	
001305160	
626481-1 Faston Connector 110	
Relais Oj-Sh-124lmh (24dc Spule, Kontakt 8a, 240v)	
003508101	
002008932 Amp Connectors	
1971920-1	Item number: 1971920-1 Manufacturer: TE Connectivity / Amp Brand Description: SOCKET KITS, PV4 PANEL MOUNTED CONNECTOR
1102855-2	

Dt15-12pd	mit Gehuse, Stift und Keil
Te 967633-1	Accessory Type : TPA (Terminal Position Assurance) Connector System : Wire-to-Board, Wire-to-Wire Material : PBT GF Operating Temperature Range : -40 – 140 C [-40 – 284 F]
61.159.23	
Te 967628-1	All AMP MCP, UN-SEALED CONNECTOR HOUSING (164) Connector Style : Housing for male terminals Mating Tab Width : 2.8 mm [.11 in] Connector System : Wire-to-Wire Number of Positions : 15 Centerline (Pitch) : 5 mm [.197 in]
0460-202-16141	
Ry211024 Te Connectivity Monostabiles Relais Printrelais, 24vdc Spule, 1-Poliger Wechsler	
02291333-000	
02560984-000	
002195852 Madison Kabel Cat6,	
0410 63 043 005wg Relais	
016586702	
6-1625984-3	
Dt15-12pa	mit Gehuse, Stift und Keil
Dtm06-12sa	mit Gehuse, Stift und Keil
000661009 Amp Connector	
1-1579007-8	
2-1415356-1 Relay Pn 2-1415356-1, Pbh34012	
Pn: Ir-1759 Miniray Infrared Heating Tool	
017279123 Ep95-13rohs 2 Konform	
1102855-7	
Dlx21-P Kabelverschraubung (Kabelverschraubung)	
019335421	