

Telex

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Telex Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Telex Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Btr-800b4r5	BTR-800 BASE STATION RTS, A5F HEADSET JACK, B4 BAND
Vrk-3b	BLACK VERTICAL RIGGING KIT FOR EVH
Hrk-3b	BLACK HORIZONTAL RIGGING KIT FOR EVH
Zx3-90w	600-WATT, 12 TWO-WAY LOUDSPEAKER SYSTEM, BI-AMP OR PASSIVE, 90 X 50 HORN, INTEGRAL STAND MOUNT, NEUTRIK SPEAKON, WHITE
Tr-825-F3	TR-825 BELT PACK, A4M HEADSET JACK, F3 BAND
Tr-825-A2r	TR-825 BELT PACK RTS, A4F HEADSET JACK, A2 BAND
Tr-80n-H1r5	TR-80N BELT PACK RTS, A5F HEADSET JACK, H1 BAND
Evf-1122d/94-Fgb	EVF-1122D 90 X 40 FIBERGLASS WEATHERIZED
Tr-82n-H1	TR-82N BELT PACK, A4M HEADSET JACK, H1 BAND
Qrx-218s-Blkw/Rig	PLEASE CALL FOR MANUFACTURING LEADTIME
	BODYPACK SYSTEM INCLUDES: WT-500 TRANSMITTER, FMR-

Fmr-500e-Beige-G	500 RECEIVER, RE97 MINIMIC HEADWORN IN LIGHT BEIGE, RACK MOUNT KIT FOR SINGLE/DUAL MOUNT
Hcu-317	SINGLE CHANNEL INTRINSICLY SAFE BELTPACK, UL APPROVED (EXPLOSION PROOF) .
Tr-300-710a1	TR-300 VHF BELT PACK, A4M HEADSET JACK, 7-10A1
Qrx-112/75-Blk	12-INCH TWO-WAY, 75 X 50 ASYMMETRICAL HF WITH DH7, 300 WATTS, PASSIVE/BIAMP, FLYING, POLE MOUNT, BLACK
Fmr-500c-A	BODYPACK SYSTEM SAME AS ABOVE WITH RE92TX UNIDIRECTIONAL MIC
Ls1-Oc100e-1	HEMI-DIRECTIONAL LOUDSPEAKER 100W
Safe-1000hd-G	952-CHANNEL AGILE FULLY ENCRYPTED SYSTEM INCLUDES: RECEIVER, HANDHELD TRANSMITTER WITH EV N/D767A DYNAMIC MIC, RACK HARDWARE, IN-LINE POWER SUPPLY, AN
Qrx-212/75-Wh	DUAL 12-INCH TWO-WAY, 75 X 50 ASYMMETRICAL HF WITH DH7, 600 WATTS, PASSIVE/BIAMP, FLYING, WHITE
Tr-700-C3-R	TR-700 BELT PACK RTS, A4F HEADSET JACK, C3 BAND
Evf-1152s/94-Blk	90 X 40 , EVCOAT, BLACK
Evf-1152d/94-Fgb	EVF-1152D 90 X 40 FIBERGLASS WEATHERIZED
Evf-1122s/126-Blk	120 X 60, EVCOAT, BLACK
Pa2250t 120v	DUAL CHANNEL COMMERCIAL SOUND POWER AMPLIFIER, 2 X 270 WATTS AT 4 OHMS, 70V/100V OR LOW IMPEDANCE OPERATION, COMPACT 2RU CHASSIS, 110/120 VAC OPERATIO
Safe-1000wt-A2	SAME AS SAFE-1000L WITHOUT MICROPHONE
Safe-1000h/L-G	950-CHANNEL AGILE FULLY ENCRYPTED COMBO SYSTEM INCLUDES: RECEIVER, BODYPACK TRANSMITTER, RE97LTX OMNI LAPEL MIC, HANDHELD TRANSMITTER 767A, RACK HARDW
Evf-1152s/64-Blk	60 X 40 , EVCOAT, BLACK
Tr-700-C3	TR-700 BELT PACK, A4M HEADSET JACK, C3 BAND
Tr-300-Mavt	TR-300 VHF BELT PACK, A4M HEADSET JACK, MIRROR UNITS AVT
Safe-1000l-G	950-CHANNEL AGILE FULLY ENCRYPTED SYSTEM INCLUDES: RECEIVER, BODYPACK TRANSMITTER, RE97LTX OMNI LAPEL MIC, RACK HARDWARE, IN-LINE POWER SUPPLY, AND TW
Tx1152	500 WATTS, 15-INCH TWO-WAY, PASSIVE, 60 X 40 HORN PATTERN, ALL-NEW SMX2151 WOOFER, DH3 COMPRESSION DRIVER, BACKBONE GRILLE, INTEGRATED POLE MOUNT, A
Evid62tb	LINE MATCHING TRANSFORMER

71276912b	BTR-300 VHF BASE STATION, A4M HEADSET JACK, 8-12B
Tr-825-B4	TR-825 BELT PACK, A4M HEADSET JACK, B4 BAND
Phtu-2c4-A	PHTU-2C4 RE-2PRO HANDHELD TRANSMITTER WITH RE410 CARDIOID CONDENSER MICROPHONE.
Safe-Wt-G	950-CHANNEL UHF ENCRYPTED BODYPACK TRANSMITTER NOTE: FOR ANY SPARE OR REPLACEMENT SAFE-1000 TRANSMITTER, THE RECEIVER MUST BE RETURNED TO THE FACTORY
Tr-300-811b3	TR-300 VHF BELT PACK, A4M HEADSET JACK, 8-11B3
Cdp-850t	PAGING HORN 60WATT 280-8000HZ 105DB
Elx118p-120v	POWERED SUBWOOFER
Cp3000s 120v	POWER AMPLIFIER, 2 X 1100 WATTS AT 4 OHMS, SWITCH-MODE POWER SUPPLY, 2 RU
Safe-1000h/L-A2	950-CHANNEL AGILE FULLY ENCRYPTED COMBO SYSTEM INCLUDES: RECEIVER, BODYPACK TRANSMITTER, RE97LTX OMNI LAPEL MIC, HANDHELD TRANSMITTER 767A, RACK HARDW
Fmr-500e-Beige-A	BODYPACK SYSTEM INCLUDES: WT-500 TRANSMITTER, FMR-500 RECEIVER, RE97 MINIMIC HEADWORN IN LIGHT BEIGE, RACK MOUNT KIT FOR SINGLE/DUAL MOUNT
4002	IFB 8 POSITION CONTROL STATION FOR 8 IFB, 2 SA, WITH ILLUMINATED SWITCHES, PROGRAMMABLE PRIORITY LEVELS AND 1/4 GOOSENECK MIC CONNECTOR.
Btr-80n-A5r5	BTR-80N BASE STATION RTS, A5F HEADSET JACK, A5 BAND
Re20	MICROPHONE, 1.5MV/PA, CARDIOID, 18KHZ, DIRECTIVITY:CARDIOID, OUTPUT IMPEDANCE:150OHM, FREQUENCY RESPONSE MIN:45HZ, FREQUENCY RESPONSE MAX:18000HZ, SEN
Btr-800-E88	BTR-800 BASE STATION, A4M HEADSET JACK, E88 BAND
Tr-300-712a2	TR-300 VHF BELT PACK, A4M HEADSET JACK, 7-12A2
4012	SYSTEM INTERCONNECT, 50PIN TO 3PIN CONNECTOR TRANSLATION ASSEMBLY.
Q1212120v	Q1212 POWER AMPLIFIER, 2X 1200W @ 4 OHMS, 2U, 120V
Btr-24	BTR-24, 2.4 GHZ MULTI-CHANNEL WIRELESS BASE STATION/ACCESS POINT. INCLUDES OMNI ANTENNAS, BUILT IN BATTERY PACK, RACK MOUNTS AND US POWER SUPPLY.
Evf-1122d/66-Pib	EVF-1122D 60 X 60 EVCOAT WEATHERIZED
Tx2181	1000 WATTS, DUAL 18-INCH SUBWOOFER, EVS-18S WOOFERS, BACKBONE GRILLE, ANGLED INPUT PANEL, ROTATABLE LOGO, BLACK EVCOAT.

Btr-80n-C5	BTR-80N BASE STATION, A4M HEADSET JACK, C5 BAND
Fri2082-Blk	DUAL 8-INCH, TWO-WAY, LOW PROFILE, PASSIVE, 100 X 100 FULL RANGE LOUDSPEAKER, 200-WATT, 93DB 1W@1M, TERMINAL STRIP CONNECTIONS, U-MOUNTING BRACKET I
Fmr-500e-Brown-A	BODYPACK SYSTEM INCLUDES: WT-500 TRANSMITTER, FMR-500 RECEIVER, RE97 MINIMIC HEADWORN IN BROWN, RACK MOUNT KIT FOR SINGLE/DUAL MOUNT
Tr-825-B3	TR-825 BELT PACK, A4M HEADSET JACK, B3 BAND
Sm-2	SOUNDMATE PERSONAL LISTENING SYSTEM INCLUDES: ONE ST-300 17 CHANNEL BASE TRANSMITTER, FOUR SR-50 SINGLE CHANNEL RECEIVERS
Dx46120v	DX46, 120V, SPEAKER CONTROLLER
7127711b1	TR-300 VHF BELT PACK, A4M HEADSET JACK, 7-11B1
Ple-2ma240-Us	2-CHANNEL, 240 WATT MIXER AMPLIFIER
Tr-825-F15	TR-825 BELT PACK, A5M HEADSET JACK, F1 BAND
Evf-1181s-Blk	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, NO NETWORK / DSP REQUIRED, EVCOAT, BLACK
Evf-1122s/94-Blk	90 X 40 , EVCOAT, BLACK
7110xc	EXPLOSION-PROOF HORN DRIVER, BODY MATERIAL:DIECAST ALUMINUM, COLOR:GRAY
Mm2tc	25W SUBMERGENCE-PROOF SPEAKER, BODY MATERIAL:DIECAST ALUMINUM
Btr-80n-R4-A1	BTR-80N BASE STATION RTS, A4F HEADSET JACK, A1 BAND
Tr-825-C3	TR-825 BELT PACK, A4M HEADSET JACK, C3 BAND
Tr-800-E88	TR-800 BELT PACK, A4M HEADSET JACK, E88 BAND
Btr-800-H4	BTR-800 BASE STATION, A4M HEADSET JACK, H4 BAND
Btr-700-C3r	BTR-700 BASE STATION RTS, A4F HEADSET JACK, C3 BAND
Ic-100	6 CHANNEL SOURCE ASSIGN PANEL.
Tr-300-Trva1	TR-300 VHF BELT PACK, A4M HEADSET JACK, TRV A1
Evid121w	LOUDSPEAKER, ROHS COMPLIANT: YES
Rev-Hd8, Band C3	REV CONCERT SERIES METAL HANDHELD TRANSMITTER WITH PL80A DYNAMIC SUPERCARDIOID MICROPHONE (INTERCHANGEABLE)
Btr-800-A2	BTR-800 BASE STATION, A4M HEADSET JACK, A2 BAND
Ms4002	4 CH USER/MAIN STATION WITH 4.0 AMP POWER SUPPLY WITH SPEAKER.

Re-2-E-Beige-C-A	BODYPACK SYSTEM INCLUDES: BPU-2 TRANSMITTER, RE-2 RECEIVER, RE97 MINIMIC HEADWORN IN LIGHT BEIGE, ALL IN A HARD SHELL ROAD CASE.
Tr-800	UHF 2CHANNEL WIRELESS SYNTHESIZED TRANSCEIVER, FEATURES INCLUDE
Legacy6	LEGACY 6, 6 COACH SYSTEM, INCLUDES XO-AP BASE STATION, US POWER SUPPLY, GOOSENECK ANTENNA MOUNT, DUAL DIVERSITY FLAT PATCH ANTENNA (11DB), CARRY CASE
Evid62tw	LINE MATCHING TRANSFORMER
71276712b	BTR-300 VHF BASE STATION, A4M HEADSET JACK, 7-12B
Evid62w	SPEAKER, SURFACE MOUNT, ALL-WEATHER FULL RANGE
Tr-700-C3-R5	TR-700 BELT PACK RTS, A5F HEADSET JACK, C3 BAND
Spk-300-A4f	UHF TWO-CHANNEL WIRELESS SYNTHESIZED TRANSCEIVER WITH A4F HEADSET CONNECTOR .
Btr-800-F1	BTR-800 BASE STATION, A4M HEADSET JACK, F1 BAND
Cps2.9120v	CPS2.9 POWER AMPLIFIER, 2 X 900W @ 4 OHMS, 2U, XLR/PHOENIX TYPE INPUTS, BARRIER STRIP OUTPUTS, READY FOR OPTIONAL RCM-810 IRIS-NET REMOTE CONTROL MODU
Pln-6tmw-Us	PLENA WEEKLY TIMER
Tr-1	UHF SYNTHESIZED DIGITAL ENCRYPTED BELT PACK TRANSCEIVER, FULL DUPLEX, WITH A4M
Hrk-2b	BLACK HORIZONTAL RIGGING KIT FOR EVF TO SUB
Evf-1122d/99-Pib	EVF-1122D 90 X 90 EVCOAT WEATHERIZED
Lbc3437/00	EX.FLAMEPROOF HORN 15W (RATED VOLTAGE 100 VOLT!)
Qrx-153/75-Blk	15-INCH 3-WAY, 75 X 50 ASYMMETRICAL HF WITH DH7, ASYMETRICAL MF HORN WITH 8-INCH CONE, BIAMP ONLY, FLYING, BLACK
Tr-82n-5p-Telex-F1	TR-82N BELT PACK, A5M HEADSET JACK, F1 BAND
Re-2-L21-C-G	BODYPACK SYSTEM INCLUDES: BPU-2 TRANSMITTER, AND A RE-2 RECEIVER, ULM-21 UNI-DIRECTIONAL MICROPHONE IN A HARD SHELL ROAD CASE
Sys-243	SYS-243, 3 BELT PACK SYSTEM. INCLUDES BTR-24 BASE STATION, US POWER SUPPLY, OMNI ANTENNAS, RACK MOUNTS, CARRY CASE, AND TR-24 BELTPACKS WITH A4M HEADS
Tr-800-A2	TR-800 BELT PACK, A4M HEADSET JACK, A2 BAND
Elx215	DUAL 15 TWO-WAY PASSIVE LOUDSPEAKER

Evf-1181s-Piw	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, NO NETWORK / DSP REQUIRED, EVCOAT PI-WEATHERIZED, WHITE
Evf-1152d/66-Blk	EVF-1152D 60 X 60 EVCOAT BLACK
Sx300we	300-WATT 12-INCH TWO-WAY, 65 X 65 , NEUTRIK SPEAKON CONNECTORS, FLYING AND STAND MOUNT, WHITE POLYPROPYLENE
Re-2-L21-C-A	BODYPACK SYSTEM INCLUDES: BPU-2 TRANSMITTER, AND A RE-2 RECEIVER, ULM-21 UNI-DIRECTIONAL MICROPHONE IN A HARD SHELL ROAD CASE
Fmr-500I-G	FMR-500 OMNI LAPEL SYSTEM INCLUDES, FMR-500 1112 CHANNEL RECEIVER, WT-500 BELTPACK TRANSMITTER, RE97LTX OMNIDIRECTIONAL LAPEL MIC, RACK MOUNT KIT FOR
Tr-800-F3	TR-800 BELT PACK, A4M HEADSET JACK, F3 BAND
Sx100w	2-WAY PORTABLE SPEAKER SYSTEMS
Tr-82n-5pin-F4	TR-82N BELT PACK, A5M HEADSET JACK, F4 BAND
Legacy 4	LEGACY 4, 4 COACH SYSTEM, INCLUDES XO-AP BASE STATION, US POWER SUPPLY, GOOSENECK ANTENNA MOUNT, DUAL DIVERSITY FLAT PATCH ANTENNA (11DB) , CARRY CASE
Ma-1212	AUDIO VISUAL (AUDIO VIDEO), AMPLIFIER
Btr-80n-F4r	BTR-80N BASE STATION RTS, A4F HEADSET JACK, F4 BAND
Btr-80n-H2r	BTR-80N BASE STATION RTS, A4F HEADSET JACK, H2 BAND
Btr-700-A2	BTR-700 BASE STATION, A4M HEADSET JACK, A2 BAND
F.01u.117.291	REMOTE ETHERNET PANEL
Cps2.4-Ii 120v	CPS2.4-II POWER AMPLIFIER, 2 X 450W @ 4 OHMS, 2U, XLR/PHOENIX TYPE INPUTS, BARRIER STRIP OUTPUTS, READY FOR OPTIONAL RCM-810 IRIS-NET REMOT CONTROL MO
Evf-1122s/126-Wht	120 X 60 , EVCOAT, WHITE
Legacy3	LEGACY 3, 3 COACH SYSTEM, INCLUDES XO-AP BASE STATION, US POWER SUPPLY, GOOSENECK ANTENNA MOUNT, DUAL DIVERSITY FLAT PATCH ANTENNA (11DB), CARRY CASE
7127712b4	TR-300 VHF BELT PACK, A4M HEADSET JACK, 7-12B4
Tr-300-912b3	TR-300 VHF BELT PACK, A4M HEADSET JACK, 9-12B3
Evf-1152s/96-Blk	90 X 60, EVCOAT, BLACK
Evf-1152s/99-Blk	90 X 90 , EVCOAT, BLACK
	SINGLE 18IN, 400 WATT SUBWOOFER SYSTEM, NO NETWORK

Evf-1181s-Fgb	/ DSP REQUIRED, FIBERGLASS, BLACK
Tx1181	500 WATTS, 18-INCH SUBWOOFER, EVS-18S WOOFER, BACKBONE GRILLE, INTEGRATED TOP POLE MOUNT, ANGLED INPUT PANEL, ROTATABLE LOGO, BLACK EVCOAT.
Elx115p-120v	POWERED LOUDSPEAKER
Elx118	18 PASSIVE SUBWOOFER
Evf-1152d/96-Pib	EVF-1152D 90 X 60 EVCOAT WEATHERIZED
Cps8.5	CPS8.5 8-CHANNEL POWER AMPLIFIER, 8 X 500W INTO 2, OR 4 OHMS, OR 70V/100V DIRECT DRIVE, 2U, READY FOR RCM-810 IRIS-NET REMOTE CONTROL MODULE, IN/OUTPU
Btr-800 B3	BTR-800 BASE STATION, A4M HEADSET JACK, B3 BAND
Lbb1965/00-Us	PLENA MESSAGE MANAGER
Btr-1-A2	BTR-1 BASE STATION, A4M HEADSET JACK, A2 BAND
Evid62	SPEAKER, SURFACE MOUNT, ALL-WEATHER FULL RANGE
Evu-2082/95-Blk	DUAL 8-IN, TWO-WAY, BLACK
Btr-80n-R4-F1	BTR-80N BASE STATION RTS, A4F HEADSET JACK, F1 BAND
Bc800nm4	BC800NM4, 4 BAY NMH CHARGER FOR TR-1/ 700/ 800/ 825/ 80N/ RKP-4 WITH US POWER CORD AND 4 BP-800NM BATTERY PACKS.
Evf-1122d/126-Wht	EVF-1122D 120 X 60 EVCOAT WHITE
Tr-1-C3	TR-1 BELT PACK, A4M HEADSET JACK, C3 BAND
Wb-5	5 PORT DISTRIBUTION PANEL ALLOWS TO CONNECT 5 HCU-317.
Ple-1p240-Us	240 WATT AMPLIFIER
Ccs-Curd-Us	CONTROL UNIT WITH RECORDER AND DAFS (US)
Sx300pix	300-WATT 12-INCH TWO-WAY, 65 X 65 , WEATHER RESISTANT (INCLUDING FULL GRILLE) , INTERNAL 70.7/100-VOLT, 100-WATT TRANSFORMER, FLYING AND STAND MOUNT,
Rev-Wt-C2	REV SERIES CAST MAGNESIUM RECHARGEABLE BODYPACK TRANSMITTER WITH TA4F CONNECTOR TO BE USED WITH MICROPHONE OR GUITAR CORD.
Tg-7120v	TG-7, TOUR GRADE AMPLIFIER, 2 X 2500W AT 4 OHMS, 2 X 3500W AT 2 OHMS
Vrk-1w	WHITE VERTICAL RIGGING KIT FOR EVF
Spk300la5f	(PRICE/EA) 2 CHANNEL SPEAKER STATION FEATURES CHANNEL SELECT, SPEAKER/MIC TOGGLE ON-OFF SWITCH, CALL LIGHT AND SEPARATE DYNAMIC OR CARBON MIC

	INPUT. I
Evid121	LOUDSPEAKER
Sx600pi	HIGH POWER DUAL 12-INCH TWO-WAY, 65 X 65, WEATHER RESISTANT (INCLUDING FULL GRILLE), SJOW CABLE INPUT, INCLUDES SUPERSAMMOUNT, BLACK POLYPROPYLENE C
Evf-2121s-Wht	DUAL 12IN, 800 WATT LF SYSTEM, PASSIVE/BI-AMP, EVCOAT, WHITE
Sx100+	2-WAY PORTABLE SPEAKER SYSTEMS
La3-Vari-Bh	VARI BASE UNIT HF
Tr-82n-5p-Telex-C5	TR-82N BELT PACK, A5M HEADSET JACK, C5 BAND
Q99120v	Q99 POWER AMPLIFIER, 2X 900W @ 4 OHMS, 2U, 120V
Cdp848at	PUBLIC ADDRESS HORN
71276712a	BTR-300 VHF BASE STATION, A4M HEADSET JACK, 7-12A
Fmr-500hd-A	FMR-500 HANDHELD SYSTEM INCLUDES:FMR-500 1112 CHANNEL RECEIVER, HT-500D HANDHELD TRANSMITTER WITH EV 767A DYNAMIC MIC, RACK MOUNT KIT FOR SINGLE/DUAL M
Evf-1122s/94-Wht	90 X 40 , EVCOAT, WHITE
Re-2-L10-C-G	BODYPACK SYSTEM INCLUDES: BPU2 TRANSMITTER, AND A RE-2 RECEIVER, OLM-10 OMNI-DIRECTIONAL LAPEL MIC IN A HARD SHELL ROAD CASE
Cps2.12120v	CPS2.12 POWER AMPLIFIER, 2 X 1200W @ 4 OHMS, 2U, XLR/PHOENIX TYPE INPUTS, BARRIER STRIP OUTPUTS, READY FOR OPTIONAL RCM-810 IRIS-NET REMOTE CONTROL MO
Zx5-90w	600-WATT, 15 TWO-WAY LOUDSPEAKER SYSTEM, BI-AMP OR PASSIVE, 90 X 50 HORN, INTEGRAL STAND MOUNT, NEUTRIK SPEAKON, WHITE
Chg-240,Na	CHG-240 4 BAY BATTERY CHARGER FOR BP-240 BATTERIES