

Thomson Linear

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Thomson Linear Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Thomson Linear T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
410730	
410740	
410741	
410750	
4421000	
511 H 20 A0	
511H35A0	
A 243848	
A 324864	
A162536-NB	
B 81420	
D535071	

KGF-D 2505 RH EE	
KGT-S-4005-RH-K123-1830-K77-F-E-KK-R-1	
SPB 32 OPN	
SPB 8 OPN	
SSE M25	
SSE M25 OPN WW	
SSEM 16 OPN WW	
SSEM 30	
SUPER 8	
SUPER 8-2LS	
SP12C17A08-02-CAA	Actuator, Electrak 1 Voltage: 12VDC with potentiometer CE compliant dynamic Load Rating: 75lbf Stroke: 2 in Connector: Packard Electric Pack-Con front adapter: ¼ in cross hole rear adapter: ¼ in cross hole
MX12-B8M10-390	
ECT09-I09B01PB-3232 (900 N)	
0215200087	KGF-D-3210-RH-E-EE Ball screw nut with flange 32x10mm right-hand thread single deflection elastomer seal
0215200275	KGF-D-3205-RH-E-KK Ball screw nut with flange 32x5mm right-hand thread single deflection plastic seal
0220022	KGS-3210-T7-RH-R-1-7,144-N Ball screw spindle 32 x 10 mm Slope accuracy: T7 Right hand thread Length: 284 mm
0220019	KGS-3205-T7-RH-R-1-3,500 ball screw 32x5mm Pitch accuracy: T7 right-hand thread Length: 130mm
SSEM20W W	Ball Bushing, SSE, 20mm, Self-aligning, Adjustable, Closed, For End Supported Systems, Not Corrosion Resistant
OPN243848	Precision bearing, ball bushing, steel, Ø 1.5 in not self-aligning, closed, adjustable, not resistant to corrosion
SCREW SHAFT FH KGS 4040 023 RHL L:950MM	
BEARING FH KGF-D RHKK NUT NEFF	
CODE:6715450306 INDUCTIVE PROXIMITY SENSOR	NO 10-30V
671-545-0307 INDUCTIVE LINEAR SENSOR NC 10-30 V	
PC40PA999B10-0500XM1	LINEAR ACTUATOR PC 40

PPA90-58B65-04NXXX	
SSE M40	
NEFF J3	25*10 PITCH RIGHT TOOTH CYLINDRICAL NUT (DIMENSIONS 25*40*45 MM – 5*20 KEYED)
D535070	Linear Motion System Accessories
D535073	Linear unit, SENSOR NO/NC MAK-9913-Y-3
4421000,	SA.LKSTK Linear ball bearings SUPER4
4445000-	SA.LALINESTK Electrak 14 linear actuator DA24-10A65M30MON-DMM corresponds to the previous designation DA24-10A65M30MON Supply voltage 24 VDC Dynamic load capacity: 2250 N Acme/Trapezoid, 30 mm/s, Max. stroke length: 300 mm, Control: No option with loose cable ends and bore ø 12.2 mm on both sides
4446024	SA.ANTTOLSTK Linear actuator Electrak Throttle ET24-174-RS-CN-1 1. Actuator type and supply voltage ET24- = Electrak® throttle valve, 24 VDC Version 2: Maximum dynamic load and speed 174- = 130 N (30 lbf), standard rotational speed 3. Alignment of the cable harness R = Rotated 90° inside the housing 4. Temperature range S = Standard: -40 (-40) to +85 (+185) °C (F) 5. Control option CN = CAN bus SAE J1939 6. Connection options 1 = Free connections 7. Adapter options S = Standard adapter orientation
KGF-D-2005-RH-E-EE ID	MM-0000-9313 NUT CL/CR WITH BALL BEARING 20X5
511h35a0 Lager	
4447000 Sa.Linearstk500 Series Ball Std Carr511h20a0	
Sse M25 Opn Lager	
T09-B3210m Q 047, Without Backlash (Stroke= 240mm)	
A 814 20	
Lager A 81420	
A81420 Uu Lager	
4447000 Sa.Linearstkball Bushinga243848-Nb	
Super 8-2ls Lager	
Sp Pbo M30	
Kgf-D 2505 Rh Ee Mutter	
A 243848 Lager	

Ssem30ww-Nb Bearing
4447000
4421000 Sa.Lkstk Linearkugellager2" A324864
Prm0808 - Engdev-W05 Miniature Rolled Ball Screws With Nut
468015
Spb 32 Opn Lager
Sse M25 Opn Ww Lager
4447000 Sa.Linearstkroundway Sealrs16hts Code: 84849000country Of Origin: Mxweight: 0,03 Kg
Spb 8 Opn Lager
A 324864 Lager
A 6496128
Prm0808 - Engdev-W05
4421000 Sa.Lkstk Linearkugellager1 1/4" A203242-Nb
E5 ?-12-21?5-18?0?19
B 81420 Linear-Kugellager
D12-05b5-06m3n
D12 10/B5/08 M3
4447000 Sa.Linearstk400 Series Carr Metal Scraper 431zz30
4447000 Sa.Linearstk400 Series Ball Std Carr 411h30a1
Cb6-Cw-24vdc-25h9-1 Stop, Teil-Nr. M336-17-016
A162536-Nb 4421000sa.Lkstklinear Ballbushing
- Schraube Mit Mutter
Ssem25ww-Nb Bushing
Screw Jack Jumbo 2 Tr70*10
4446024
4445000

[511 H 20 A0 Lager](#)

[Sse M25 Opn Bearings](#)

[511h20a0 Kugellager Linear Inch](#)

[Ssem20ww-Nb Bearing](#)

[Ssem 16 Opn Ww Lager](#)