Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Tival Sensors

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Tival Sensors Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Tival Sensors Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Pressure Switch Tival Ff4-4dah 0,22-4bar	
Ff4- 4 Dah	Pressure switch with Perbunan membrane Setting range: 0.07 ... 4 bar Pressure connection: 3/8 "inside (silumin) Tariff number 90322000
Ff4- 16 Vds Dai	Pressure switch with Perbunan membrane Setting range: 0.5 ... 16 bar Pressure connection: 1/2 "inside (silumin) VdS approval Product number 90322000
16-120 BAR 3/8 - FF4-120 PAH	
3/8" 0,5-8 BAR - TIVAL FF4-8 DAH	
FF4- 4 DAY A	Pressure switch with Perbunan membrane Setting range: 0.07 ... 4 bar Pressure connection: 3/8 "inside (polyamide) Lot number 90322000
FF4- 30 AAG	Pressure switch with corrugated stainless steel pipe Setting range: 1 ... 30 bar Pressure connection: 1/4 "inside (stainless steel) Max. Medium temperature: 200 ° C Lot number 90322000
FF4- 10 VdS DAI	Pressure switch with Perbunan membrane Setting range: 0 ... 10 bar Pressure connection: 1/2 "inside (Silumin) VdS approval Lot number 90322000
FF4- 60 PAH G	Setting range: 4 ... 60 bar

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pressure connection: 3/8 "inside (stainless steel) Gold-plated contacts Lot number 90322000
TS-UNS-*-02-...	Zone 0 -- Ex II 1G Ex ia IIB T5 Ga
FF4- 250 AB PAH-	Pressure switch with plastic piston Setting range: 14...250 bar Pressure connection: 3/8" internal (stainless steel) Approval ATEX EN 60079
PRJ000360 MISC-0014	TS-EX
EWTSB.4x44.3.1PtM-4.0.G1/4"(10mm) 1110539	Screw-in resistance thermometer with Binder M12x1 round connector Sensor: 1 x Pt1000 Accuracy: class B according to DIN EN 60751 Connection type: 4-wire circuit Connector: Binder Round connector M12x1 (max. 90 ° C), 4-pin, pin assignment: 1.3 & 2.4 Measuring range: -50 ... +250 ° C Protection tube: Ø 4 mm Process connection: G 1/4 ", HEX SW 22 Installation length: 44 mm, including the thread of the G 1/4 "process connection (10 mm) Height including M12x1 connector: 56 mm Case diameter: 18 mm Material: stainless steel 1.4301 Lot number 90251900
EWTSB. 4x39.3.1PtM-4.0.G1/4"(10mm)1110540	Screw-in resistance thermometer with Binder M12x1 round connector Sensor: 1 x Pt1000 Accuracy: class B according to DIN EN 60751 Connection type: 4-wire circuit Connector: Binder Round connector M12x1 (max. 90 ° C), 4-pin, pin assignment: 1.3 & 2.4 Measuring range: -50 ... +250 ° C Protection tube: Ø 4 mm Process connection: G 1/4 ", HEX SW 22 Installation length: 39 mm, including the thread of the G 1/4 "process connection (10 mm) Height including M12x1 connector: 56 mm Case diameter: 18 mm Material: stainless steel 1.4301 Lot number 90251900 country of origin: Germany
1010 003	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1010 016	
1010 062	
1010 063	
1010 069	
1010 072	
1010 073	
1010 074	
1010 087	
1010 094	
1010 096	
1010 100	
1010 109	
1010 117	
1010 122	
1010 299	
1010 300	
1010026	
1010076	
1010078	
1010081	
1010084	
1011 002	
1011 003	
1011 004	
1020 068	
1020 070	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1020067	
1020080	
1030 131	
1030 132	
1030 134	
1030 139	
1030 141	
1030 144	
1030 149	
1040 007	
1040 011	
1050 003	
1050 005	
1050 009	
1050 026	
1050 027	
1050 028	
1051 006	
1070 025	
1071 008	
1071 009	
1071 042	
1080 001	
1080 002	
1080 008	
1080 014	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1090 001	
1090 002	
1090 200	
1090 202	
1090 203	
1090 205	
1090 223	
1090 224	
1090 225	
1090 226	
1090 241	
1090 242	
1090 245	
1090 600	
1090 603	
1090 620	
1091 003	
1091 006	
1120194	
1120198	
1120201	
1121007	
23E01 LISTED:297E	
5357	
FF 142-8 DAH	
FF 4 - 2 Vds DRI	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
FF 4-250 GL PAH	
FF 4-4 AB DAH G3/8''	
FF 4-4ACDAH 1030142	
FF4- 250	
FF4- 4 DAH-	Pressure switch with Perbunan membrane Adjustment range: 0.07...4 bar Pressure connection: 3/8" internal (Silumin)
FF4-4 AB DAH I	
FF4-8 DAH	
TS-KGS-W1222-PL	
TST-DD 10.0	
TST-DD 10.0-25-D	
TST-DD 10.0-2-D	
TST-DD 10.0-5-D	
TST-DD 20.0-25-D	
TST-DD 20.0-2-D	
FF4- 120 PAH	Pressure switch with plastic piston Setting range: 8...120 bar Pressure connection: 3/8" inside (stainless steel) Commodity number 90322000 Country of origin: CZ/EEC
AIR FRESHER SENSOR FF4-32	Pressure switch with Perbunan membrane Setting range: 0.8...32 bar Pressure connection: 3/8" inside (Silumin) Commodity number 90322000
FF4-8 DAH	Pressure switch with Perbunan membrane Setting range: 0.2...8 bar Pressure connection: 3/8" inside (Silumin)
Ex21A.3,2x11.3.2Pt-3.0.2000/8000TTDT	System type: KF EC certificate no.: IBExU 09 ATEX1143 X Degree of protection: intrinsic safety Classification: EX II 2G Ex ia IIC T6-T2 according to DIN EN 60079-0:2012

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	according to DIN EN 60079-11:2012 Insulation class: H Sensor: 2 x Pt100 Accuracy: Class B according to DIN EN 60751 Connection type: 3-wire circuit (from transition sleeve) Measuring range: -50°C...+180°C Protective tube: Ø 3.2 mm L1: 2,000mm Material: VA connecting cable: FEP / FEP / wire mesh / FEP 6*AWG24 Sheath color: blue Wire colors: red, red, white, black, black yellow L2: 8,000mm Line between protective tube and transition sleeve: FEP / Cu braid / PFA 4*AWG26 Sheath color: transparent Wire colors: red, red, white, white Shield placed on transition sleeve Shield: 50 mm brought out Pressure resistance: 3 bar (oil pressure) High voltage test: 250V/AC above 1 at least Incl. documentation / operating instructions EC Certificate No.: IBExU 09 ATEX1143 X Degree of protection: intrinsic safety Classification: EX II 2G Ex ia IIC T6-T2, Ex II 2G Ex ia IIIC Tx Db
1020080	FF4- 10 VdS DAI Pressure switch with Perbunan membrane Setting range: 0...10 bar Pressure connection: 1/2" inside (Silumin) VdS approval
FF4- 16 DAH	Pressure switch with Perbunan membrane less 15.00% -31.68 Setting range: 0.4...16 bar Pressure connection: 3/8" inside (Silumin)
FF4- 4 DAH	Pressure switch with Perbunan membrane Setting range: 0.07...4 bar Pressure connection: 3/8" inside (silumin)
FF4- 12 AAG	Pressure switch with stainless steel corrugated tube Setting range: 0.5...12 bar

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pressure connection: 1/4" inside (stainless steel)
FF4- 10 VdS DAI	Pressure switch with Perbunan membrane Setting range: 0...10 bar Pressure connection: 1/2" inside (Silumin) VdS approval
FF4-4-AB DAH	PRESSURE SWITCH / FF4-4 AB DAH / BVS 06 ATEX E 056 / TYP: 1030134 / I M2 Ex ia I Mb / TIVAL SENSOR
FF4- 60 PAH	Pressure switch with plastic piston Setting range: 4...60 bar Pressure connection: 3/8" internal (stainless steel)
FF4- 4 AB DAH-	Pressure switch with Perbunan membrane Adjustment range: 0.07...4 bar Pressure connection: 3/8" internal (die-cast zinc) Approval ATEX EN 60079
FF4- 250 AB PAH/	Pressure switch with plastic piston Setting range: 14...250 bar Pressure connection: 3/8" internal (stainless steel) Approval ATEX EN 60079
EWTSB.7x60.3.1 PtM-2.0.G1/4	1110509 Resistance thermometer EWTS Sensor type: Pt 1000, 2-wire Case material: stainless steel 1.4301 Connector: M12x1 (4-pin)
FF4-8 DAH-	Pressure switch with Perbunan membrane Setting range: 0.2...8 bar Pressure connection: 3/8" internal (Silumin)
Ff4- 8 Dah	Sensor
Ff4- 250 Ab Pah	Pressure switch with plastic piston Adjustment range: 14 ... 250 bar Pressure connection: 3/8 "inside (stainless steel) Approval ATEX EN 60079 Lot number 90322000 Origin: EEC / DE
Ff4- 120 Pah	1010079 Pressure switch with plastic piston Adjustment range: 8 ... 120 bar Pressure connection: 3/8 "inside (stainless steel) Lot number 90322000
Ff4- 32 Gl Dah	Pressure switch with Perbunan membrane Adjustment range: 0.2 ... 32 bar Pressure connection: 3/8 "inside (silumin)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	GL approval Lot number 90322000
Ps1-A3a	
FF4- 4 AB DAH	Pressure switch with Perbunan membrane Adjustment range: 0.07 ... 4 bar Pressure connection: 3/8 "inside (zinc die-cast) Approval ATEX EN 60079 Lot number 90322000 Origin: EEC / DE
FF4-120PAH	Pressure switch 16-120BAR
FF4-4DAH	Pressure switch

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.