

Turck



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Turck Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Turck T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|---|--|
| Bi5-G18-Y1x | Inductive sensor ATEX Category II 1 G, Ex Zone 0 ATEX Category II 1 D, Ex Zone 20 SIL2 (Low Demand Mode) according to IEC 61508, PL c according to ISO 13849-1 with HFT0 SIL3 (All Demand Mode) according to IEC 61508, PL e according to ISO 13849-1 with redundant structure HFT1 threaded tube, M18 x 1 chrome-plated brass DC 2-wire, nom. 8.2 VDC output according to DIN EN 60947-5-6 (NAMUR) cable connection cable length 2 m rated switching distance: 5 mm, flush Goods tariff no .: 85365019 Country of origin: DE EAN: 4047101000177 Material group: E1 Weight: 0.125 KG |
| Bi4-M12e-Vp6x-H1141 4608031 | Inductive sensor with increased switching distance M12 x 1 threaded tube Long version brass, chrome-plated DC 4-wire, 10 ... 30 VDC changer, PNP output connector, M12 x 1 large detection range Rated switching distance: 4 mm, flush |
| IM21-14-CDTRI | Speed monitor 1-channel TR CU Monitoring of limit values and ranges for overshoot and undershoot, working range 0.06 ... 600,000 min-1 Connection of sensors according to EN 60947-5-6 (NAMUR) as well as 3-wire sensors and external ones Voltage sources Incremental output Parameterization via PC (FDT / DTM), buttons on the front and HART ring memory for 8000 measured values Display Galvanic isolation on all sides Reverse polarity protected input |

| NAMUR SENSOR TURCK | BIM-G18-Y1/S926, 8,2V ,2WİRE, 1KHZ |
|--|---|
| IM43-13-R | 7540040 1-channel limit signal transmitter CFMUS, TR CU Monitoring of 3 limit values of a current or voltage input Supply of 2-wire or 3-wire transmitters / sensors Input circuit: 0/4... 20 mA, 0/2 ... 10 V Output circuit: three independent limit value relays setting of the limit value relays via rotary coding switches selection of hysteresis and direction of action of the relays via DIP switches universal operating voltage all-round galvanic isolation input reverse polarity protected Tariff no .: 85369095 Country of origin: DE EAN: 4047101119084 Material group: D3 |
| IM1-22-R | 7541234 Isolating switching amplifier 2-channel TR CU Two relay outputs (NO contact) Direction of action adjustable (open-circuit / closed-circuit current behavior) Monitoring of the input circuits for wire breakage and short-circuit (can be switched on / off) SIL 2 All-round galvanic isolation input, reverse polarity protected |
| NIMFE-M12/6.2L101-UP6X-H1141 | 1600609 Magnetic field sensor for detecting ferromagnetic components, threaded tube M12 / M8, chrome-plated brass, 3-wire DC, 10 ... 30 VDC, parameterizable (NC / NO) using the VB2-SP1 teach adapter, M12 x 1 connector Tariff no .: 85365019 Country of origin: DE |
| MK13-P-EX0/24VDC | Isolating amplifier 1-channel Intrinsically safe input circuits EEx ia Application area according to ATEX: II (1) GD Direction of action adjustable (open / closed current behavior) Line monitoring for wire break / short circuit (can be switched on / off) Plus-switching, complementary, short-circuit-proof transistor outputs, galvanic separation of input circuits to output circuits Tariff no .: 85365019 DE |
| IM1-22EX-T | Isolating switch amplifier 2-channel ATEX, IECEx, UL, CFMUS, CSA, TR CU, NEPSI, KOSHA, TIIS, CCOE, INMETRO Use in Zone 2 Two transistor outputs, direction of action adjustable (open / closed current behavior) Monitoring of the input circuits for wire breaks and short circuits (on / can be switched off) SIL 2 Galvanic isolation on all sides, input protected against polarity reversal ** Follow-up article to ID 7542116 - MK13-P-EXO / 24VDC ** |
| BI10-S30-AP6X-H1141 | Inductive sensor threaded tube, M30 x 1.5 plastic, PA12-GF30 DC 3-wire, 10 ... 30 VDC normally open, PNP output connector, M12 x 1, rated switching distance: 10 mm, flush |
| BI15U-M30-AP6X-H1141 | Inductive sensor with increased switching distance threaded tube, M30 x 1.5 chrome-plated brass DC 3-wire, 10 ... 30 VDC normally open contact, PNP output connector, M12 x 1 factor 1 for all metals protection class IP68 magnetic field resistant high switching distance flush installation possible rated switching distance: 15 mm , flush |
| NI100-Q160-AP44X/S120 | Inductive sensor with extended temperature range diameter 160 mm, height 60 mm active surface on top plastic, PPO sensitivity adjustable via potentiometer DC 3-wire, 10 ... 55 VDC normally open contact, PNP output cable connection cable length 2 m for temperatures up to + 120 ° C rated |

| | |
|--|--|
| | switching distance : 100 mm, not flush |
| PROXIMITY SWITCH - Bi15-CK40-AP6X2-H1141 | |
| NI50U-CK40-VP4X2-H1141 | Inductive sensor with increased switching distance, cuboid, height 40 mm, active surface can be positioned in 5 directions plastic, PBT-GF30-V0 corner LEDs with high luminosity, optimal view of the operating voltage display and switching status display in every installation situation DC 4-wire, 10 ... 65 VDC changeover contact , PNP output connector, M12 x 1 factor 1 for all metals increased switching distance Protection class IP 68 magnetic field proof Pre-attenuation protection through self-compensation Partly flush installation possible Rated switching distance: 50 mm, not flush |
| 7580020 | IMX12-DI01-2S-2T-0/24VDC Isolating amplifier 2-channel ATEX, IECEX, NEPSI, cUL, cFM, INMETRO, Kosha, TIIS, TR CU EAC, DNV, GL Use in Zone 2 SIL 2 Two transistor outputs (≤ 10 kHz) Switchable: two-channel or signal doubling, direction of action adjustable (working / Quiescent current behavior) Monitoring of the input circuits for wire breaks and short circuits (can be switched on / off) Galvanic isolation on all sides, input protected against polarity reversal |
| 7542116 | MK13-P-EX0/24VDC Isolating amplifier 1-channel Intrinsically safe input circuits EEx ia Application area according to ATEX: II (1) GD Direction of action adjustable (open / closed current behavior) Line monitoring for wire break / short circuit (can be switched on / off) Plus switching, complementary, short-circuit-proof transistor outputs, galvanic isolation of input circuits to output circuits |
| BL67-2AO-V IDENT NO:6827180 | |
| BL67-4DO-0,5A-P IDENT NO:6827173 | |
| BL67 4DI-P | |
| BIM-PST-AP6X-V1131 | Magnetic field sensor for pneumatic cylinders, cuboid, height 16 mm, active surface at the front plastic, PA12-GF30 DC - 3-wire, 10 ... 30 VDC normally open, PNP output connector, M8 x 1 magneto-inductive sensor |
| IM33-11EX-HI/24VDC | Transmitter supply isolator 1-channel ATEX, IECEX, UL, CFMUS, TR CU, CCEO, Kosha Use in Zone 2 Supply of transmitters in 2-wire technology with HART communication and connection to active 2-wire and passive 3-wire - Transmitter Input circuit: 0/4...20 mA Output circuit: 0/4...20 mA SIL2 Removable terminal blocks, screwable, with 2 mm test socket Galvanic isolation on all sides Input protected against polarity reversal |
| IM1-22EX-R | TURCK isolating amplifier |
| | Analog signal isolator 1-channel ATEX, IECEX, UL, CFMUS, TR CU, Kosha, CCOE Use in Zone 2 Supply of intelligent actuators with HART communication Input circuit: 0/4...20 mA |

| | |
|---|---|
| IM35-11EX-HI/24VDC | Output circuit: 0/4...20 mA, intrinsically safe SIL2 Removable Terminal blocks, screwable, with 2 mm test socket Galvanic isolation from the input circuit to the output circuit and from the supply voltage |
| IM31-11EX-I | Analog signal isolator 1-channel ATEX, IECEx, UL, CFMUS, TR CU, NEPSI, Kosha Use in Zone 2 Transmission of standardized analog signals from the hazardous area to the non-hazardous area Input circuit: 0/2...10 V or 0/4... 20 mA Output circuit: 0/4...20 mA All-round galvanic isolation Input protected against polarity reversal |
| BI15-CP40-AP6X2 | Turck BI15-CP40-AP6X2 inductive sensor cuboid H:40mm 16023 Article number: 1821591 |
| BI10-M30-RZ3X/S90 8M NC 230V | |
| BI10-M30-AZ3X/S90 8M NO 230v | |
| JBBS-57-E411 CAN OPEN | |
| BI 15- CP40-AP6X2 H1141 | |
| 64235-A02-3515 | |
| 7580305 | 4147-M0378261 |
| 1534013 | B2N45H-Q20L60-2LI2-H11 51 |
| TP-103A-G1/8-H1141-L013 | Temperature detection sensor 9910400 item number: 2411838 |
| 1821584 | BIM-IKT-AP6X-H1141 Magnetic field sensor H:28mm metal 46210 |
| NI 50-K90 SR-UZ3X | |
| 6870004 | |
| MS96-12R/24VDC | |
| NI10-G18-Y1X | 40151 EAN:4047101091144 |
| BI4-M12-AP6X-H1141 | Inductive sensor with increased switching distance threaded barrel, M12 x 1 brass, chrome-plated DC 3-wire, 10...30 VDC NO contact, PNP output connector, M12 x 1 large detection range Rated switching distance: 4 mm, flush |
| Bi5-G18SK-Y1 | |
| Bi1,5-EG08K-Y1 | |
| Bi5-M18-Y1X-H1141 | |
| BI15-CP40-FZ3X2 | Proximity Sensor 10 → 300 V dc, 20 → 250 V ac / 300 mA, 400 mA, Cubic mm, IP67 |
| SNNE-0404D-0001 SNNE-0404D-0001 | 6824188 |
| NI20-CP40-FZ3X2 | 20 → 250 V ac/dc / 500 mA, Kubisch 20 mm, IP67 |

| | |
|--|--|
| FCS-G1/4A4-AP8X-H1141 | 2411544 sensor immersion sensor 6870101 |
| LX3EQ | Opto-sensor, one-way light barrier (transmitter), transmitter |
| LX3RQ | Opto-sensor, one-way light barrier (receiver), receiver |
| NI14-G18-Y1X | SENSOR, INDUCTIVE, ATEX II 2G |
| KLI 1 | Accessory, clamping piece, for tie rod cylinder |
| BIM-IKT-AP6X-H1141 | Magnetic field sensor, for pneumatic cylinders |
| BIM-IKT-AP6X-V1131 | Magnetic field sensor, for pneumatic cylinders |
| HT-SKP3-2/S2430 | High-temperature resistant actuator and sensor cable, connection cable |
| KLF2 | Accessory, clamp, for profile cylinder (IMI Norgren) |
| KLN3 | Accessory, clamping piece, for dovetail or T-slot cylinders |
| WKC4T-2/TXL | Actuator and sensor cable / PUR, connecting cable |
| BIM-NST-AP6X-H1141 | Magnetic field sensor, for pneumatic cylinders |
| Sensor Inductive proximity | cylindrical Threaded barrel, M18 x 1 DC 2-wire, nom. 8.2 VDC (NAMUR) 2 wire Sn=5mm Flush mounting type: BI5-G18-Y1 |
| BI8U-M18-RP6X-H1141 | Sensor aprox+ threaded tube M18x1 1644750 |
| RKC4.4T-2/TEL PVC | 4p 2.0m straight 6625013 |
| 03434382701 | |
| MP-10D-Y1 | |
| FCS-G1/2A4P-VRX/230VAC | Flow sensor immersion sensor 6870094 Article no.: 6870094 |
| 24/11 - 11.530/19 | 10+24VDC + |
| 16/21 - R2 - 1662112 | 10+28 VDC |
| 100825181-11.511/04 | 30/11 - M627/22 - 99.93- EVO-TRA-C PT100-4+20Ma |
| BIM IKE AP6X H1141 | |
| BI15-CK40-Y1X-H1141 | Induktiver Sensor |
| SMBLTFU | 3094757 |
| NI5-G12-Y1X | |
| RI360P1-QR14-ELIU5X2-0,3-RS5 (include RI360P0- | |
| BIM-UNT-AP6X-0,6-PSG3M | |
| TBEN-L5-16DIP | |
| BIM-UNT-AP6X-0,1-PSG3M | |

| | |
|--|---|
| RKC4.221T-10/TXB | and sensor cable / PUR 6626962 |
| BI5-M18-AP6X | TURCK inductive sensor 46110 |
| TL70GYRAQ | LED indicator Modular signal light Pre-assembled |
| 6625016 | Actuator/sensor cable, PVC connection cable |
| IM-UNT-AP7X-0,3-PSG3S | Magnetic proximity switch 4685742 |
| 0038599 | TURCK BI6-EGT12FE-AP6X-H1141 |
| 5429983 | Turck actuator and sensor cable / PP-EPDM, connection cable 6933714 Article number: 6933714 |
| BI1,5-EG08K-Y1 | |
| 0038599 | TURCK BI6-EGT12FE-AP6X-H1141 |
| 5429983 | urck actuator and sensor cable / PP-EPDM, connection cable 6933714 6933714 |
| RECEPTACLE,F-F3PIN,RKFV30-0,3M,M20 | |
| RECEPTACLE,M-M3PIN,RSFV30-0,3M,M20 | |
| RECEPTACLE,F-M3PIN,RSFV30-0,3M,M20 | |
| RECEPTACLE,F-F5PIN,RKFV50-0,3M,M20 | |
| RECEPTACLE,M-M5PIN,RSFV50-0,3M,M20 | |
| RECEPTACLE,F-M5PIN,RSFV50-0,3M,M20 | |
| BIM-G18-Y1/S926 | Proximity Switch Sensor, M18 x 1 x 70 mm, Chrome-Plated, High Quality |
| BI10-P30SR-Y1X/S85 | |
| Wka44t-1xorws44t | |
| Ms96-11exo-R | |
| Cable5x0.34-Xx-Pur-Bk-100m/Txl | |
| Ni20-Cp40-Ap6x2 | |
| Ni 65r-S32sr-Vp44x Bar Sensor | |
| 1625829 Bi30u-Ck40-Ap6x2-H1141 | |
| 46704 Bi5-G18k-Ap6x | |
| Iat2.512s | |
| Bi2-M12-Ap6x | |
| Bi10-P30sr-An6x | |
| Bi 2-Crs705-Adz30x2-B1131/S34 | |

| |
|---|
| Inductive Proximity Sensor |
| Bim-Ikt-Y1x |
| Bi8u-M18-Rp6x-H1141 |
| 1634878 Ni15u-M18m-Vp44x Induktiver Sensor |
| 7505650 Im21-14-Cdtri |
| Bi2-S12-Ap6x-H1141 |
| Ni50u-Qv40-Ap6x2-H1141 Induktiver Sensor |
| ??96-11-R/24vdc |
| Directional Positioning Element (Magnet) For Li-Q25I P1-Li-Q25I |
| Bim-Ikt-Ap6x-H1141 Sensor |
| 1341015 |
| Bi25-G47sr-Vp4x2 40mm Proximity Turck Bi25-G47sr-Vp4x2 |
| Bim-Nst-Ap6x |
| S18uuarq Ultraschall-Sensor |
| 1634851 Sensor B14u-Em12wd-Ap6x-H1141/3gd Induktive 10-30 V Bis 200 Ma |
| 4611230 Ni8-M18-Ap6x/S120 |
| 6625516 Anschlusskabel, Abgewinkelt, M12, 5 M, Wkc4.4t-5/Txl |
| 6833088 Drucksensor Ps001r-607-Li2upn8x-H1141 |
| 1644731 Sensor |
| 1662006 Sensor Turck Bi8u-Q08-Ap6x2 |
| 4669450 4669450 |
| Li800p0-Q25Im0-Liu5x3-H1151 |
| 1634897 Sensor Bi8u-Em18mwd-Vp44x-H1141 1634897 |
| Mqdec2-515ra |
| 451ex-T Sensor |
| Fcx-Mc25-Ch Oxygen Gas Analysis Module |

[52521 Smb30sc Halterung Zur Befestigung Des Sensors Auf Der Linie 875](#)

[Bi5-G18k-Ap6x Sensor](#)

[Pt60psig-13-Lu2-H1131](#)

[Bl67-2rfid-A](#)

[Ni4-Dsu35tc-2y1x2](#)

[E-Rkc8t-930-5](#)

[6625920 Wkc4.4t-P7x3-2/Tel](#)

[7541210](#)

[1056801 Magnetfeld-Sensor Bim-Int-Y1x-H1141](#)

[Ni20nf-Cp40-Vp4x2](#)

[Ni3-Eg08k-Y1-H1341 Induktiver Sensor](#)

[T186eq Sensor](#)

[M1-Q25I M1-Q25I](#)

[7525104 Interfacemodul Fm-Im-2upli63x](#)

[3033400 Photovoltaik-Boxer-Sensor Q40sp6rq](#)

[6625505 Kabelaufwicklung/Sensor, Pur Rkc4.4t-10/Txl](#)

[7506447](#)

[Vas04-K-Fs5](#)

[16023 Induktiver Sensor Bi15-Cp40-Ap6x2](#)

[1623600 Sensor Ni40u-Cp40-Ap6x2](#)

[3033398 Photovoltaik-Boxer-Sensor Q406eq](#)

[6870204 Flow-Sensor Fcs-Gl1/2a4-Ap8x-H1141](#)

[1440008](#)

[Bi8u-P18-Ap6/S139-S1261 7m Inductive Proximity Sensor](#)

[100002283 Rundstecker M12 X 1fw-Erkpm0416-Sa-S-0408](#)

| |
|--|
| Fcs-?18-Ap8x |
| Im35-22ex-Hi/24vdc Sicherheitsbarriere |
| 6611449 Verteilermodul Jrbs-40-6c/Ex |
| 46070 Bi4-M12-Ap6x-H1141 |
| 1582233 |
| Biu-M18e-Ap6x-Hi141 |
| 7505651 Monitor Drehzahl Im21-14ex-Cdtri |
| Pvd100-72066 |
| 6625514 Anschlusskabel, Gerade, M8, 10 M,Wkc4t-10/Txl |
| 1580601 Bi3u-Eg12sk-Vp4x |
| Aih40-N |
| Rj45s-Rj45s-841-1m Ethernet Rj45 To Rj45 1 Meters Long(Stock) Turck Rj45s-Rj45s-841-1m |
| Ni12u-Eg18sk-Vn4x Sensor |
| Ni 25-Ck40-Liu-H1141 Sensor 15-30 Vdc |
| S18uuag |
| 1539946 |
| Bi20-G47-Ap4x |
| Ni60-K90sr-Vp4x |
| 46524 Induktiver Sensor |
| Rk44/S90 |
| Ni50u-Ck40-Vp4x2-H1141 |
| Bi10-P30sr-Ap6x Induktiver Sensor |
| Ni8u-M12-Ap6x-H1141 |
| Run70-M18k-Rp8x-H1141 |
| 387010g7010 Turck Sensor Bi30u-Cp40-Ap6x2 |
| 4635800 |
| 6626333 |
| 6625552 Anschlusskabel, Gerade, M8,10 |

| |
|--|
| M,Pkg3m-10/Txl |
| Bi2u-Eg08-Ap6x-H1341 |
| Bi15-M30-Ap6x-H1141 |
| 7506320 Im31-11ex-I |
| Fcs-G1/2a4-Apx-H11 |
| 4653023 Bi2-S12-Ap6x/S100 |
| 1535561 Induktiver Sensor Bi8-M18e-Liu-H1141 |
| Bi40-Cp80-Vp4x2 Sensor |
| Su-Q19-8x2-H1141 |
| Fsc-G1/2a4-Naex-H1141/AI065 |
| 1644735 Sensor Bi8u-M18e-Ap6x-H1141 |
| Ni8-S18-Ap6x-H1141 |
| 3092824 |
| Ni5-Em12-Y1x-H1141 |
| Bi5-G18-Y1 |
| 4685701 Sensor + Bim-Unt-An6x 7m |
| Bi8u-M18-Ap6x-H1141 Sensor |
| 6827329 |
| K181464 |
| Bi15-Cp40-F23x2 |
| Intusb485-1 |
| 4670402 |
| 16116 Bi10-P30sr-Ap6x |
| 1644810 |
| 3042167 Sensor Lichtschanke S18-2vpdl-Q8 |
| 13400 |
| Bi5u-Mt18-Ap6x-H1141 |
| Ni40u-Cp40-Ap6x2 Sensor |
| 46170 Level Sensor Bi10-M30-Ap6x |
| |

| |
|--|
| Rep-Dn-W |
| P1-Li-Q25I P1-Li-Q25I |
| 1039601 Bi15-Cp40-Y0x/S267 15m |
| Bi10-S30-Rz3x/S100 |
| Ni30-K40sr-Vp4x2 |
| 6824188 |
| Bi8u-Mt18-Ap6x-H1141 |
| Bi8u-Em18wd-Ap6x-H1141 |
| Ni10-G118-Y1x |
| 6930145 Sensor Cmb8151-0 |
| BI20-E-8di-24vdc-P |
| Ni40-G47sr-Fz3x2-W/M16x1.5 |
| 0912101 |
| 6625462 |
| 46702 Induktiver Sensor Bi2-G12k-Ap6x |
| Ab-M5 Hinge For The Positioning Element Of The Sensor Liq25I Ab-M5 |
| Cable8x0.25-Xx-Pur-Og-100m/Txo |
| 3033415 T18sp6ff100q |
| 6870363 Fcs-GI1/2a2p-Vrx/24vdc/A |
| 1610026 |
| 1634804 Induktiver Sensor Bi4u-M12- Ap6x-H1141 |
| 7506446 Trennbarriere Turck Im33-12ex- Hi/24vdc |
| 2mbm12/S2257 |
| 46200 |
| 3033422 T18sp6rq |
| 1662006 Sensor Bi8u-Q08-Ap6x2 |
| 40160 Bi5-G18sk-Y1x |
| 1645240 |
| Bi5-M18-Az3x |
| |

| |
|---|
| Bi4u-M12-Ap6x-H1141 |
| 14038 Induktiver Sensor Bi10r-W30-Dap6x-H1141 |
| M18-Az3x |
| B8251-0 Sockel |
| Ni25-Ck40-Liu-H1141 |
| 7541239 Sensor Im1-231ex-R 7541239 |
| Bi10-G30-Y0sp90 |
| 2601200 Kapazitiver Sensor Bc3-S12-Ap6x |
| 3033417 Sensor T18sp6lpg |
| Bim-Unt-Ap6x-0.3-Psg3s |
| 387010f2430 Sensor Turck Ni30u-M30-Ap6x-H1141 |
| 7506564 Im33-22-Hi/24vdc |
| 8019162 |
| 7541232 Im1-22ex-Tmodul |
| 1022704 Endplatte Schalter Ni15-P30-Y1x/S97 |
| 4636025 Bi2-G12sk-Rp6x |
| 11-Bgx77-048 |
| Bi3u-Em08-Ap6x-H1341 |
| Ni5-K11-Ap6x |
| 7506605 Im34-12ex-Cri/K63 |
| Bi10-G30-Y0sp90 Czujnik Indukcyjny |
| Li600p1-Q25lm4-Liu5x3-H1151 |
| 4685722 |
| 15356 Sensorbi15-Cp40-Liu |
| 014379 Wwaks5.102-15/S3028/S3033 |
| 6870404 Fcs-Gl1/2a2-Na-H1141/A Sensor |
| 44822 Sensor Bim-Ikt-Ad4x-H1141 |
| Fcs-N1/2a4-Ap8x-H1141 Sensor |

| |
|--|
| 3028550 Sensor Sm31eqdp |
| 4417241 Induktiver Sensor Ni14-M18-Ad4x-H1141 |
| 46070 Sensor Bi4-M12-Ap6x-H1141 |
| Fmx-Im-3ur38x |
| 4602034 Sensor Bi2u-Eg08-Ap6x-H1341 |
| Bi5u-Em30wd-Vp44x-H1141 |
| 7030244 Tw-R50-B128-Ex |
| Vb2x40/Cs16 |
| 6914507 Sensor Bs4151-0/11 |
| Ni75u-Cp80-Vp4x2 |
| 1534068 |
| Sensor Sfol-0,2 M |
| 7540040 Modul Interface Im43-13-R |
| 8fkbs3/S1138 |
| Ni12u-Em18m-Vp4x-H1141 |
| 7506440 Messumformer-Speisetrennerim33-11ex-Hi/24vdc |
| 46185.Turck |
| 25030 Sensor Bc5-S18-Ap4x |
| Ni20u-Em30-An6x-H11 |
| M18sp6d Sensor |
| 20060 |
| Smbqs30l |
| Ni25u-Cp40-Ap6x2 |
| 33422 t18sp6dq |
| Li500p1-Q25lm1-Liu5x3-H1151 |
| 1634818 Induktive Sensoren Ni15u Em18wd Ap6x-H1141 |
| Fgen-Im16-4001 |
| Bi5-G18sk-Ap6x |
| Bi8u Em18mwd Vp44xh1141 |

| | |
|--|----------------|
| Bi1,5u-Egt08-Ap6x-H1341 Induktiver Sensor | |
| 6625013 Connector Rkc4.4t-2/Tel | |
| 10018226 6870098 | |
| Ni4u-Q8se-Ap6x-V1131 Sensor | |
| 1003600 | BI1.5-EG08K-Y1 |
| 6625515 | |
| 7560015 Interfacemodul Im33-14ex-Cdri | |
| 8011661 T-Splitter M12x1fkm5-Fkm5-Fsm5 | |
| 46420 Induktiver Sensor Bi5-G18sk-Ap6x | |
| Bi15-Cp40-Ap6x2 Induktiver Sensor | |
| Bl20-Gw-Pbdp-12mb | |
| 6900475 Terminal Im-Cc-3x2bu/2bk | |
| 7505640 Trennbarriere Turck Im12-22ex-R/24vdc 7505640 | |
| Li100p0-Q25lm0-Esg25x3-H1181 | |
| Bi8-M18-Ap6x | |
| 1051004 | |
| Eigensichere Barriere Turck Im33-11-Hi/24vdc 7506447 Tu Werk Restauriert | |
| 1634100 | |
| 6870004 | |
| 1544521 Drehgeber Rm-46s8s-3c24b-Ct1m | |
| Rsv-Rkv-Fby49og-100m/5d | |
| Ni8-M18-Ap6x | |
| Rssw-D9s-Rksw455-1m-1m | |
| 6625503 Rkc4.4t-2/Txlaktuator- Und Sensorleitung / Puranschlussleitung | |
| 6625017 Rkc4.5t-5/Tel Steckverbinder Mit Kabel 5 Meter 1 249 | |
| W kc44t-2m-Rsc44t/S90 | |

| |
|--|
| Bi3u-M12-Ap6x-H1141 |
| 8033668.Escha-Fb-Wwak4-10/S2300 |
| 6824194 |
| Bim-Qst-Ap6x |
| 4669500 Bi2-Eg08k-An6x Sensor; Inductive Proximity |
| 7506320 Eigensichere Barriere Turck Im31-11ex-I 7506320 |
| 0508412 Ms27-R |
| 1590008 Li1000p0-Q25lm0-Liu5x3- H1151 |
| Bi4-M12-Liu-H1141 |
| 7506630 Im34-11ex-I |
| Bc10-Qf5,5-Ap6x2 |
| 1634816 Bi8u-Em18wd-Ap6x-H1141 |
| Bi5-M18-Ap6x |
| Rkm40-1m |
| Sg-Q20I60 |
| 3034631 T18sp6dq |
| Ms13-22ex0-T |
| Fmx-Im-3ur38x Fluid Flow Assessment Module |
| 1634877 Induktiver Sensor Bi8u-M18m- Vp44x-H1141 |
| 8007156 |
| Bl20-Gw-En-Ip |
| 387010s6210 Reflektierende Folie Brt- Thg-1-100 |
| 3071882 Qs18vp6ff100q8 |
| Rks-Rj45s-841-5m |
| 13420 Bi10-P30sr-Fz3x2 Induktiver Sensorm30x1.5, No/Nc, 2-Prov., 10mm, 20hz |
| 7520702 Im72-22ex/Lventil- Steuerbaustein, 2-Kanalig,24vdc Loop- Powered, Atex |

| |
|---|
| Imx12-A?01-2i-2i-H0/24vdc |
| 7580505 Imx12-Ti02-1tcurtdr-1i1r-C0/24vdc |
| Wls28-2xw850dxb |
| 34631 Sensor Photovoltaik-(T18sp6dq) |
| 1582231 Dbi10u-M30-Ap4x2 |
| Ms24-112-R Rotational Speed Monitor |
| Rkc4.4t-2/Tel Kabel |
| 13427 Induktiver Sensor Bi25-G47sr-Fz3x2 |
| 50000495 |
| 7506325.Turck Modul Trennung Von Analogen Signalen |
| 1608900 Schalter Kontaktloser Induktiver Bi5u-Q08-Ap6x2-V1131 |
| Type Bi6u-M12-Vp6x-H1141 |
| Ni12u-M18m-Vp4x |
| 6602216 Anschluss Flansch Fk57 |
| 1590001 Linearwegsensor Li100p0-Q25lm0-Liu5x3-H1151 |
| 18302 Ru100-M30-Ap8x-H1141 Ultrasonic Sensor M30x15 |
| Fcs-G1/2a4-Na/D100 6870412 |
| 6625514 6625514 |
| Bi8u-M18m-Vp6x-H1141 |
| Bi2-Em12-Y1x-H1141 |
| 1644100 Induktiver Sensorni8u-M12-Ap6x |
| 6870096 Flow-Sensor Fcs-G1/2a4p-Vrx/24vdc |
| T30uxdaqpma |
| Im1987eb1501 |
| Bi4m12ap6xh1141 |
| Pies46ut |

| |
|---|
| 7506454 |
| Ruc600-M3065-Liap8x-H1151 |
| 6871032 Fcs-N1/2a4p-Ap8x-H1141 |
| I12u-Em18m-Vp4x-H1141 |
| Sdnb-0800d-1007 Modul /6824459 |
| Bi8m18kap6xh1141 |
| B14-M12-Ap6x-H1141 Sensor |
| Turck Bc 10-P30sr-Vp4x2kapazitiver Sensor |
| 2924168 Temperaturmessumformer Macx Mcr-Ex-SI-Rtd-I-Sp-Nc 2924168 |
| 7541239 Modul Interface Im1-231ex-R |
| Ni8-M18-Az3x |
| Bi5-G18-Az3 |
| Sensor Bim-Ikt-Ap6x-H1141 |
| Ni75u-Cp80-Ap6x2 Induktiver Sensor |
| TI50blgbyraq |
| 6871004 Sensor Fcs-N1/2a4-Ap8x-H1141 |
| 1534012 B2n10h-Q20I60-2Ii2-H1151 |
| 7541232 Im1-22ex-T |
| Bi15u-Em30wd-Ap6x-H1141 |
| 1634150 Induktiver Sensor Bi3u-M12- An6x-H1141 |
| 6901041 |
| 6870303 |
| 3047104 Mqdc-406ra |
| Ni12u-Em18m-Vp4x-H1141 Sensor |
| Bss-Cp40 |
| 4635808 Induktiver Sensor Bi2-Q8se- Ap6x-V1131id |
| 1634897 Bi8u-Em18mwd-Vp44x-H1141 |
| Bts-Dsu35-Z01 |

| |
|--|
| Sdpl-0404d-1003 Modul |
| 6904702 |
| 7525004 |
| 1537802 |
| Bi10-S30-Ap6x |
| R060m-Bt30-Vdz38x3 |
| Ni8-M18-Vp4x-H1141 |
| Bi15-Cp40-Vp4x2 |
| 7541229 |
| Sensor Bi20-Cp40-Vp4x2 |
| Ni25u-Ck40-Ap6x2-H1141 Induktiver Sensor |
| Im31-11-I |
| Dw2000-110-7e-H1141 |
| 180574 T5.2400.1020.0250.5027 Ident- Nr.: 180574 5-24 Vdc 50ma |
| Wk44tp7x3-10xor-Wk44t-P7x3 |
| 1662001 Induktiver Datca |
| Imx12-Di01-2s-2t-0/24vdc |
| 7541231 Trennbarriere Im1-22ex-R |
| 7525000 Modul Interface Mk96-11- R/24vdc |
| 4602060 Sensor Bi2-Eg08-Ap6x-H1341 |
| Ti-BI67-Dpv1-2 |
| 6628479 |
| Si3.5-K10-Ap6x/S258 |
| 7541188 |
| Vb60-P7x7-Cs12 |
| Bid2-H12f-Ap6/S312 Sensor |
| 6901048 M4-Q25I |
| Bim-M12e-Ap4x-H1141 Induktiver Sensor /1579913 |
| Trennbarriereim12-22ex-R7541233 |

| |
|---|
| Vb40-P7x5-5 |
| 100meter Ring-Datenleitung 2x0,2+0,35mm |
| Ni4-Ds20-2ap6x2 |
| 3067280 Lichtschrankelt3pilvq |
| Trennbarriere Turck Mk33-Li-Ex0/24vdc 7506400 Tu Werk Restauriert |
| Trennbarriereim1-22ex-R7541231 |
| 6871412 Fcs-N1/2a4-Na/D100sensor Duct |
| Bi30u-Cp40-Ap6x2 Induktiver Sensor |
| 6832842 Drucksensor Ps016v-504- Li2upn8x-H1141 |
| Bi15-Cp40-Vp4x2/S100 Induktiver Sensor |
| Fm-Im-3ur38x |
| Cable8x0.25-Xx-Pur-Ye-100m/Txy |
| 3037294 Sensor Miad9lvagq |
| Si-Ls42dsj |
| Ni20-K40sr-Ap6x Induktiver Sensor Ni20-K40sr-Ap6x |
| Bi5g18skap6x |
| 1627240 Induktiver Sensor Bi20u-Cp40- Vp4x2 |
| Bi2-Eg08-Ag41x-H1341 |
| Slm10b6 Lichtschrankeschlitz- Reflexionslichtschranke |
| Fmx-Im-3ur38x Bewertungs-Modul Fluidstrom. |
| 4685724 |
| N18-M18-Vp4x |
| Iat2.58sm900 |
| 6870046 |
| 3065502.Turck Der Optische Sensor Qs18vp6af100 |

[4635801 Induktiver Sensorni6u-Eg08-Ap6x-V1131](#)

[Ni75u-Cb80-Ap6x2](#)

[Fdnq-S0404g-Mm](#)

[7506441.Turck Im33-22ex-Hi/24vdc , Analogsignaltrenner](#)

[1620100 Sensorbi3-Q06-Ap6x2](#)

[Bi15u-Cp40-Vp4x2](#)

[Bi15-Cp40 Fz3x2/S97 Kontaktloser Sensor](#)

[Imf12-02bnovc0s](#)

[Cable8x0.25-Xx-Pur-Gy-100m/Txg](#)

[Cable3x0.34-Xx-Pur-Bk-500m/Txl](#)

[Wkc4t-P7x2-2/Txl](#)

[6372](#)

[Wls28-2xw850xpbq](#)

[11-Bgx10-40](#)

[1634821](#)

[1634853 Sensor Bi8u-Em18wd-Ap6x-H1141/3gd](#)

[4607006](#)

[1623600.Turck](#)

[Bi5-S18-Ap6x-H1141](#)

[6870101 Inhaltssensor Fcs-G1/4a4-Ap8x-H1141](#)

[1645100 Induktiver Sensor Ni12u-M18-Ap6x](#)

[6626900 Kabel](#)

[6900497 Ein Reparatur-Kit](#)

[Bi15-Ck40-Ap6x2-H1141](#)

[Wim200-Q25I-Liu5x2-H1141](#)

[Bc20-K40sr-Fz3x2](#)

[9910624 Der Temperatursensor Ttm-206a-Cf-Liupn-H1140-L100](#)

| |
|---|
| Rkm52-2-Rsm52 |
| Bi2umt12ap4xh1141 |
| 4602036 Bi2u-Eg08-An6x-V1131 |
| Ni30k40srvn4x2 |
| 1623600 |
| Schalter Induktiv Ni15-P30-Y1x/S97 |
| 1634897 Sensor Bi8u-Em18mwd-Vp44x-H1141 |
| Wim160-Q25I-Li-Exi-H1141 |
| BI20-Gw-Dpv1 |
| 69497 |
| 30159693 |
| 6930560 Sensor Y-Scan-L Ohne Kabel, Stecker M12x1-2x Steckdose M12x1 Vb2-Fkm4 |
| Li400p0-Q25Im0-Liu5x3-H1151 |
| Ri360p0-Qr24m0-Incrx2-H1181 <p>Incremental contactless encoder: 1 ... 5000 ppr Compact and robust housing Versatile mounting options Status display via LED 10 ... 30 VDC Plug connector, M12 x 1, 8-pin Push-pull A, B, Z, A (inverse), B (inverse) Insensitivity to electromagnetic interference fields 1024 pulses per revolution (factory setting) 360, 512, 1000, 1024, 2048, 2500, 3600, 4096, 5000 Can be parameterized via Easy Teach Free parameterization of the number of pulses in the range from 1 to 5000 via PACTware Position of the Z track via Easy Teach adjustable Burst function, incremental output of the absolute angular position via Easy-Teach pulse Incremental / Resolution: 1024 Tariff no .: 90318020 Country of origin: DE EAN: 4047101304015 Material group: G1 Weight: 0.335 KG</p> |
| 387000y7580 Stecker Turck Wwax3p2-10/S90 N8009243 |
| 300p0-Q25Im0-Liu5x3-H1151 Inductive Linear Encoder (Connector, M12*1,5-Pin) |
| Trennbarriere Turck Im34-12ex-Cri/K63 7506605 Tu Werk Restauriert |
| 4590715 Sensor Bi15-M30-Vp6x 7m |
| Bi10-M30-Ap6x |
| 4685723 Bim-Unt-Ap6x-0,3-Psg3m |
| Bs8141-0 |

| |
|---|
| 15046 Ni20-Cp40-Vp4x2/S100 |
| 4685701 Sensor Bim-Unt-An6x 7m |
| Ni20-Cp40-Fz3x2/S100 |
| Bimpstap6xv1131 |
| S18uua |
| 7504011 Das Modul Ims-Ai-Dli-22-Dli/L |
| Isolierte Wandlermk33-11ex0-Li/24vdc [eexia]iic |
| 1650002 10...30 Vdc150ma |
| Eoir60m-Bt30-38x |
| 6625013 Rkc4.4t-2/Tel |
| Sensor |
| 1623805 Induktiver Sensor Ni75u-Cp80- Ap6x2-H1141 |
| Vb2-Fsm4.4-2fkm4 |
| 1627216 Sensor Bi20u-Ck40-Vp4x2- H1141 |
| Wkb 3t-6 |
| Ru70-M18k-Lfx-H1141 |
| 3071791 Brt-51x51bm |
| Fdnq-S0400-T |
| 4602034 |
| 4611310 Ni8-M12-Ap6x-H1141 |
| 4685832 |
| 3070093 Optischer Sensor Q60bb6afv1000q |
| 11-G318-48 |
| Bl20-Gwbr-Pbdp |
| Ni25-Ck40-Liu2-H1141 |
| Bi8u-M18-An6x-H1141 |
| Bim-Em12e-Y1x-H1141/S100 Sensor |
| 1582230 Dtbi10u-M30-Ap4x2 |

| |
|---|
| 7541211 Sensor Im1-22ex-R/230vac |
| T18sp6rq |
| Blcdp-4m12mt-4do-2a-P |
| Bi15-Cp40-Vn4x2 |
| T30scp6ff200q Sensor |
| 6625022 Wkc4t-2/Tel |
| Ni12ueg18sk-Ap6x |
| Usb-2-Iol-0002 |
| Ni50-Q80-Liu-H1141 |
| Bts-Ds20-Tp1 |
| Bim-Unt-Rp6x-1-Rs4t Sensor Limit Pn: 4685898 |
| 3002667 |
| 34631 t18sp6rq |
| 6872025 Sensor Duct Fcs-50a4-Ap8x- H1141/D014 |
| Ri360p1-Dsu35-Cnx4-2h1650/S1251 |
| 6832842 Ps016v-504-Li2upn8x-H1141 |
| 3066452 Sensor Qs18vp6lpq8 |
| M1602411 |
| Bi5-S18-Ap6x-H1141 Sensor |
| 6824454 |
| 1645400 Ni12u-Eg18sk-Ap6x 18mm Sensor |
| 387000j8050 Induktiver Sensor Ni40u- Cp40-Ap6x2 |
| Sensor Sfol-1m |
| 3044998 Brt-100x18a |
| Bi4-G12-Adz32x-B3131 |
| Ni20-M30-Vp6x |
| Ps250r-401-Liup8x-H1141 |
| Bi3u-Eg12sk-Vp4x |
| Pkw3p7x22/S90 |

| | |
|---|--|
| Bi25-G47sr-Vp4x2 | |
| Bi10u-G30-Adz30x2-B3131 | |
| 2503052 Kapazitiver Sensor Bcc10-S30wd-Ap4x-H1141 | |
| 6871035 | |
| Rm-29s10c-9a28b-Rc | |
| 387010d1890 Induktiver Sensor Bi4u-M12-Ap6x-H1141 | |
| Bi3u-Eg12sk-Ap6x Uprox Induktiver Sensor | |
| 4618530 | |
| 6870015 Fcs-G1/2a4-Ap8x-H1141/D090 | |
| 7506402 Trennbarriere Turck Mk33-11ex0-Li/24vdc 7506402 | |
| Bi15-Cp40-Fz3x2/S97 Sensor | |
| Fcs-G1/2a4-Naexo-H1141/A | |
| Ni15u-M18m-Vp44x Induktiver Sensor Mit Einem Relais-Kontakt | |
| 1645300 Turck Induktiver Sensor Ni12u-Em18-Ap6x | |
| 4035001 Sensor Bi5-P18-Y1x/S97 | |
| Bi5-S18-Az3x/S97 | |
| 6827240 BI67-Pg-Dp | |
| Im21-14-Cdtri | Speed monitor 1-channel TR CU Monitoring limit values and ranges for overshoots and undershoots Working range 0.06 ... 600000 rpm Connection of sensors according to EN 60947-5-6 (NAMUR) as well as 3-wire sensors and external voltage sources Advancing output Parameterization via PC (FDT / DTM), front-side buttons and HART® ring buffer for 8000 measured values Display All-round galvanic isolation Tariff no .: 85369095 Country of origin: DE EAN: 4047101116410 |
| 46070 Sensor Induktiv Bi4-M12-Ap6x-H1141 | |
| 7541233 Lichtbarriereim12-22ex-R | |
| 4614515 Kontaktloser Positionsschalter Bi2-Em12wd-Ap6/S929 | |
| Fcs-G1/2a4-Na-H1141 | |

| |
|---|
| 4685767 Sensor Bim-Unt-Ag41x/S1139/S1160 7m |
| 7506445 |
| Bi4u-Mt12-Ap6x-H1141 Sensor |
| WIs28-2xw850xpb |
| 13403 |
| Bi4u-Em12wd-Ap6x-H1141 |
| 3079166 Sensor Qs30exh2oq5 |
| 4602047 Bi2-Eg08-Ap6x/S100 |
| 7525111 Fdt/Dtm Hart-Programmieradapter Im-Prog Iii |
| Bc5q08ap6x2v1131 |
| 3080486 Ultraschall-Sensort30uxibq8 |
| Ni50u-Ck40-Ap6x2-H114 |
| 387000d3560 Induktiver Sensor Ni8u-M12-Ap6x-H1141 (Turck) |
| Ni5-Q18-An6x 10...30 Vdc 200ma Sensor |
| 1625831 Induktiver Sensor Ni50u-Cp40-Ap6x2 |
| Rbva-M5 |
| Bi5u-Em18-Ap6x-H1141 |
| 6901319 |
| 16116 Induktiver Sensor |
| 1633200 Sensor Induktiv Bi4-M12-Vp6x-H1141 |
| 1535533 Sensor Bi2-M12-Liu-H1141 |
| Bi4-M12e-Vp6x-H1141 |
| 46185 Induktiver Sensor Bi15-M30-Ap6x-H1141 |
| 6870001 Sensor Fcs-G1/2a4p-Ap8x/D086 6m |
| FdnP-S0808h-W |
| 1004620 Bi1,5-Eh6,5-Y1 |
| Mk96-Vp01 |

| |
|---|
| 11335 Psg-4m-4005- Usb |
| Bc20cp40vp4x2 |
| 1579913 Sensor Bim-M12e-Ap4x-H1141 |
| Bi15u-Q20-Ap6x2 |
| 387000y7750 Stecker Turck Swkp4-10/S90 Nr 8007384 |
| Turck Drucksensor Pc010-504-Li24pn8x-H1141- |
| Ni12umt18ap4xh1141 |
| 40151 Induktiver Sensor Ni10-G18-Y1x |
| Fgen-Iom88-5001 |
| Turck Ni20nf-Cp40-Vp4x2induktiver Sensor |
| Induktiver Sensor Bi5-M18-Az3x |
| 46250 |
| 7506441 Eigensichere Barriere Im33-22ex-Hi/24vdc |
| Li100p0-Q25lm0-Liu5x3-H1151 |
| Ni15u-M18m-Vp44x |
| 75742 Sensor Lichtschranke Qs18vp6laf250q5 |
| 19/18awg-Yellow-Tpe-Fl-20-30m |
| 3033420 |
| Li300p0-Q25lm0-Liu5x3-H1151 |
| Ni10u-M12-Ap6x |
| 4617035 Bi10-Em30d-Vp6x/S120sensor |
| TI50blgry2b1aq |
| Ni10u-M12-Ap6x Induktiver Sensor |
| Ps250r-401-2up8x-H1141 |
| Kabel Mit Stecker 5 M |
| Ni8u-S12-Ap6x-H1141 Sensor |
| Fkm-Fs57-M12 |
| Mkm52-6-Wsm52 |

| |
|---|
| A9684 |
| Ni15-M30-Az3x/S 90 Endschalter |
| 1634400 |
| Flow-Sensor Turck Fcs-G1/2a4p-2ap8x-H1140 |
| 3056494 Der Optische Sensor Vs1ap5cv10 |
| 7541231 |
| Dol-0803-W05m |
| Lt1000m-Q21-L10x3-H1141 |
| 1634822 Sensor Ni30u-Em30wd-Ap6x-H1141 |
| Bi4u-M12-Vp44x-H1141 L100 Sensor |
| Bi8u-M18e-Ap6x-H1141 Induktiver Sensor |
| Pt100psig-13-Lu2-H1131 |
| 1623700 |
| Bi8-M18-An6x-H1141 |
| Bi1,5u-Eg08-An6x-V1131 Sensor |
| 6625551 Anschlusskabel, Gerade, M8, 5 M,Pkg3m-5/Txl |
| Ir2.53sm3 |
| 14/22awg-Blk-Pur-Foil-30m |
| 6625552 Anschlusskabel, Gerade, M8, 10 M,Pkg3m-10/Txl |
| Fgen-Im16-5001 |
| 1050001 |
| 9910403 Sensor Tp-203a-Cf-H1141-L150 |
| 69048 |
| 46185 Induktiver Sensorbi15-M30-Ap6x-H1141 |
| ??96-11, Mk96-11-R/24vdc Modul Auswertung Eines Signals |
| 4310410 Bi5-M18-Az3x/S120 |

| |
|--|
| Bi2-Eq08-Ap6x-H1341 |
| Bi8u-Mt18-Ap6x-H1141 Induktiver Sensor |
| B18u-Em18wd-Ap6x-H1141 |
| Pt003r-14-L13-H1131 |
| 6625025 Wkc4.4t-2/Tel |
| Bi2-M12-An6x |
| Ni15-M30-Az3x |
| 6601590 Rss4.5-Pdp-Tr |
| Bi15-Cp40-Liu |
| Ni40u-Cp40-Vp4x2 |
| 4685800 Induktiver Sensor Bim-Nst-Ap6x-V1131m8 |
| 7506515 Im35-22ex-Hi/24vdc |
| Vas22-S-Fs5.31/Ts3553 Adapter For Valve Connection |
| 4605156 Induktiver Sensorbi8-M18-Vp6x-H1141 |
| 6628014 Buchse Gewinkelt M12 Wkc 4q-5txl |
| Ni15-M30-Od6l |
| Pt016-14-Li3-H1131 Drucksensor |
| 6870092 Sensor Fcs-G1/2a4p-Ap8x-H1141 |
| Ms91-12-R |
| 7506605 Modul Interface Im34-12ex-Cri/K63 |
| 1634905 Sensor Bi4u-Em12ewd-Vp44x-H1141 |
| 7506446 Im33-12ex-Hi/24vdc |
| 3067280 Reflexionslichtschrankelt3pilvq |
| Bi4u-M12-Ap6x |
| 1688003 Sensorbid2-G180-Ap6/S212 |
| Bi20r-W30-Dap6x-H1141 |
| Bl67-S6t-Sbcsbc |

| |
|---|
| 8036605 Anschlusskabel Ht Turck-Skp3-2/S2430 Bestellnummer 8036605 |
| 7506515 Wandler Mess-Turck-Im35-22ex-Hi/24vdc 7506515 |
| 6900475 |
| Ni4-Dsc26-2ap6x2-H1141 / S1124 |
| Imx12-Ps02-Ui-Uir-Pr |
| 4414540 |
| Bi50u-Q80-Ap6x2-H1141 |
| 6915313 Rsm-W km50-10m |
| 1634807 Sensor Bi4u-Em12-Ap6x-H1141 |
| Nv5-Q08-67034 |
| 4612000 |
| Rsm-Rkm56-30m/S3059 |
| Trennbarriere Turck Im34-12ex-Cri/K63 7506605 Im34-12ex-Cri/K63 7506605 |
| 1634950 Induktiver Sensor Bi4u-Em12wd-Ap6x 7m |
| Induktiver Sensorncb8-18gm40-N0-V1 |
| 44822 Bimiktad4xh1144 |
| B8151-0 Stecker |
| 1536000 Sensor Bi5-M18-Liu |
| 33420 t186eq Lichtschranke Boxer-Sensor (Emitter) |
| Bi15u-M30e-Ap6x-H1141 Sensor |
| Msi-22ex0-R |
| 630049 |
| 5231007 Ms96-12r/24vdc Flow Monitor, 2 Wechsler |
| TI50blr1y2g1b2aq |
| 1623805 Sensor Ni75u-Cp80-Ap6x2-H1141 |
| Bcf10-Q20I60-Ap4x |
| Bimikmap6x2h1141/S34w/Kli3 |

| |
|---|
| B14-M12-Ap6x-H1141 |
| Bi1-Eg05-Ap6x-V1331 |
| T30uxdcq8 |
| Snne-0800d-0007 |
| S18uiaq |
| 1625831 |
| Ni8-M18e-Ap6x-H1141 |
| Bi5-Em18-Ap6/S907 |
| Rt040-14-Li3-H1131 |
| Induktiver Sensor Turck Bim-G18- Y1/S926 |
| Bi15-M30-Ap6x |
| 2504001 Kapazitiver Sensor Bc5-M18- Ap4x |
| Bi5-G18-Az3x-B1331 |
| 1650002 Si 3.5-K10-Ap6x/S258 3m 10...30vdc 150ma |
| 1562000 Induktiver Sensor Bi50u-Q80- Vp4x2-H1141 |
| 7506441 |
| Dbi10u-Em30-Ap4x2/3gd Induktiver Sensor |
| Smb1stq26 |
| 10085 Ni40-Cp80-Y1 |
| Rk4412 Xorrk44 |
| 1582235 Sensor-Monitor Drehzahl Induktiver Dni12u-M18e-Ap4x3 |
| Ni8-Em18-Ap6/S907 12m |
| 6625459 |
| 46200 Dreh-Festplatten-Plattenschieber Dn150 Mit Pneumatischem Antriebtype Ba |
| Fcs-G1/2 A4-Ap8x-H1141 |
| |

| |
|--|
| 1645340 1645340 |
| Fcs-G1/2a4-Ap8x-H1 |
| Bi10-P30-Y1x |
| 3038667 Q45bb6fq5 |
| 1634879 |
| 1542331 |
| Tw-Q51wh-Ht-B128 |
| 7506516 Modul Interface-Im35-11ex-Hi/24vdc |
| 3074999 Sensor Banner R58ecrgb1 |
| Ni4-Em12wd-Ap6/S929 |
| 1634804 Bi4u-M12-Ap6x-H1141 |
| Induktiver Sensor |
| Bi15 |
| Ni20u-P30sk-Vp6x |
| 3015970 Brt-2a |
| 43104 Bi5-M18-Az3x |
| 1623800 Induktiver Sensor Ni75u-Cp80-Ap6x2 |
| Ru100-M18-Ap8x-H1141 |
| Bi5u-M18-??6x-H1141 Schalter |
| 7506102 Mk31-11-Li/24vdcanalogsigaltrenner |
| S18uia |
| Rb50603 |
| 7506320 Modul Interface-Im31-11ex-I |
| Ts-516-Li2upn8x-H1141-L016 |
| 7525111 |
| Kabel Verbindungskabel, M12, Gewinkelt, Wkc4.4t-2/Telurck6625025 |
| 1650130 Ni2-Isi-0,055-Bds-2ap6x3-H1141/S34 |
| Wandler Mess-Turck Im31-22-Ex-U |
| Rbva-M5 Corner Connection For |

| |
|--|
| Positioning Element, Stainless Steel |
| Mk32-11-Li/24vdc |
| 1646700 Ni20u-P30sk-Ap6x |
| 4612220 Induktiver Sensorbi2-Eh6,5-Ap6x-V1131 |
| Pt2.5a-1004-U1-H1143 Drucksensor |
| 4669650 Ni3-Eg08k-Ap6x-V1131sensor |
| Ni2-G08k-An6x |
| 46050 Naherungsschalter Bi2-M12-Ap6x |
| 4685835 Bim-Unr-Ap6x-0,6-Psg3m |
| 1542337 |
| Bid2-G180-Y1/S212 Sensor |
| Bi2-Q10s-Ap6x-0,2-Psg3m |
| 4470228 Induktiver Sensorbi10-Qn26-Ad4x-0,15xor-Rs4.23/ S100-S1589 |
| 4685400 |
| Ps250r-504-Li2upn8x-H1141 |
| 7506320 Isolierte Wandler 1-Kanal |
| 73089 Qs30ff400q |
| BI1-Eh04-Ap6x |
| Sensor Bi2u-Eg08-Ap6x-H1341 Turck |
| 4602034 |
| E2e2-X18my1 |
| 1645340 Schalter Kontaktloser |
| Induktiver Ni12u-Em18-Ap6x-H1141 |
| Relais Ms1-22 Exo-R |
| Wkc4.4t-2/Tel Kabel |
| 387010I9730 Optischen Sensor Mini-Beam Sm312Iv Pcs |
| 1634807 Sensor Induktiv Bi4u-Em12-Ap6x-H1141 |
| 1536100 Induktiver Sensor Mit Analogausgang Ni8-M18-Liu |
| Bi15-Cp40-Ap6x2 |

| |
|--|
| 1003240 Bi1-Eg05-Y1 |
| 4611030 Induktiver Sensor Bi5-M18-Ap6x/S120 |
| Im34-11ex-Ci |
| Ni8u-Mt12-Ap6x-H1141 |
| Bi15-M30-Vp6x-H1141 |
| 9100516 |
| BI20-S4t-Sbbs |
| 1634807 1634807 |
| Li50p0-Q17lm0-Liu5x2-0.3-Rs5 Induktiver Sensor Linear Position |
| Fcs-G1/2a4-Ap8x-H11 |
| 3068744 Der Optische Sensor Qs18ep6cv45 |
| Wkh4.4-5/Tfg (6933094) |
| 4685742 |
| Lt400m-Q21-Liox3-H1141 |
| Ru100-Cp40-Liux/S10 |
| Bim-Unr-Ap6x-0,3-Psg3m |
| Ni8-M18-Vp4x |
| 1634812 Sensor Bi4u-Em12wd-Ap6x-H1141 |
| 1644730 Induktiver Sensor |
| Miad9lvagq Sensor |
| Bi25-G47sr-Fz3x2 |
| 5231007 (7525102) |
| Flow-Sensor Fcs-G1/2a4ap8x-H1141 |
| 4mbm8-3p2 |
| 3082482 Hinterleuchtung Ledgb150x150pw2-Xq |
| 3083306 Sensor Qs30rrxsh2oq5 |
| 6602314 Anschluss Flansch Fs57 |
| Fcs-K20-Ap8x |

| |
|--|
| 1003620 Bi1,5-Eg08k-Y1-H1341 |
| 1645140 Sensor Ni12u-M18-Ap6x-H1141 |
| Anschlusskabel, Stecker M12, Gewinkelt, 4-Polig, Pur-Wsc4.4t-5/Txy Turck 6629764 |
| Ni75u-Cp80-Ap6x2 |
| Bi8u-Em18wd-Ap6x-H1141 Induktiver Sensor |
| 7506324 Modul-Und Interface-Im31-12-I |
| 3052285 Optischer Sensor R55cw1q |
| Fdn-Dn1 |
| 7525102 Fm-Im-3ur38x |
| 7541188 Im1-451ex-R |
| 1645400 |
| 1644600 Ni8u-S12-Ap6x-H1141 |
| 40102 Bi2-M12-Y1x-H1141 |
| 3048659 Optischer Sensor M18sp6lpq |
| Bi15u-Em30wd-Ap6x Sensor |
| Sensor Bi4u-Em12-Ap6x-H1141 Turck 1634807 |
| Ni10-G18-Y1x |
| Ni 3-Eg08k-Y1-H1341 |
| Ni30u-Em30wd-Ap6x-H1141 |
| Fci-D10a4p-Lix-H1141 |
| 7506630 |
| 1644140 Sensor Ni8u-M12-Ap6x-H1141 |
| Lt100m-Q21-Liox3-H1141 |
| Ni20-S30-Az3x |
| 3072544 Qs30lpopto Sensor |
| 1644140 Induktiver Sensor Ni8u-M12- Ap6x-H1141 |
| 1635331 |
| Iol-Prog/3m |

| | |
|---|---|
| Anschlusskabel, Gerade, M8, 10 M,Pkg3m-10/Txl Turck 6625552 | |
| Wakm-Wakm-Wasm57 | |
| 82546 Smbivural Kamera-Halter, Eckig, Links 3 125 | |
| Fcs-Gl1/2a4-Naex-H1141 | |
| 3066454 Optische Sensor Qs18vp6lvq8 | |
| Ni30k40srvp4x2 | |
| 8036518 | |
| 6625011 Kabel Patch Rkc4t-5/Tel | |
| BI20-Pf-24vdc | |
| Pt006r-14-Li3-H1131 | |
| 4611310 Sensor Ni8-M12-Ap6x-H1141 | |
| Bi10-Qn26-Ad4x-0,15xor-Rs4.23/S100-S1589 Sensor | |
| Bc5-M18-Ap4x | Capacitive sensor Threaded tube, M18 x 1 Chrome plated brass DC 3-wire, 10 ... 65 VDC NO, PNP output Cable connection Cable length 2 m Fine adjustment via potentiometer Rated switching distance: 5 mm, flush Goods tariff no .: 85365019 Country of origin: DE EAN: 4047101089288 Material group: E1 Weight: 0.141 KG |
| Ni35-Cp40-Ap6x2 | |
| Relais Drehzahl 1-Kanal Drehzahlwacher 1-Kanalig Im21-14-Cdtri | |
| 1644731 Bi8u-M18-Ap6x-H1141induktiver Sensor | |
| ?????? Im12-Di03-1s-2r-S/24vdc | |
| 1608900 1608900 | |
| Ni40u-Cp40-Fdz30x2 | |
| Sg40/2 Art 69497 | |
| Bi15-M30-Vp6x 7m Sensor | |
| Bi2-Eg08-Ap6x-V1131 | |
| T30scp6ff600q Sensor | |
| Li100p0-Q17lm0-Liu5x2-0.3-Rs5 Induktiver Sensor Linear Position | |

| |
|--|
| Bi15-Cp40-Vp4x2/S97 |
| Bi5-G18-Yox |
| 6832308 Ps250r-504-Li2upn8x-H1141 |
| 6625551 6625551 |
| Ni3-Eg08k-Y1 |
| 6602314 Anschluss Mit Flansch Fs57 |
| 9910400 Temperaturefassung Probe - Tp-103a-G1/8-H1141-L013 |
| Slm50p6q Sensor |
| 1625853.Turck Induktiver Sensor Ni50u- Qv40-Ap6x2-H1141 |
| Bi5-M18-Ap6x-H1141 |
| 7541210 Im1-22ex-R/24vdc |
| Smbdx80din |
| 1625853 Induktiver Sensor Ni50u-Qv40- Ap6x2-H1141 |
| 8011661 |
| N15-M12-Liu-H1141 |
| 7506515.Turck Im35-22ex-Hi/24vdc Analogsignaltrenner |
| Ps025v-504-2upn8x-H1141 |
| 1634837 Turck Ni10u-Em12wd-An6x- H1141, Ztn.:85365080, Herk.-L.:De |
| Ni5-M12-An6x |
| Ni35-Cp40-Fz3x2 |
| 11-G484-30 |
| Fldp-Om8-0001 |
| Bi2-Q21sr-Ap6x Sensor |
| Bca-25-M223 Rsv Rkv 254-2m Bca-25- M223 Rsv Rkv 254-2m |
| Trennbarriere Im12-22ex-R 7541233 |
| Ni30u-M30-Vp44x-H1141 Induktiver Sensor |
| Rb50721 |

| |
|---|
| Ni15u-M18-Ap6x-H1141 Sensor |
| Dbi10u-M30-Ap4x2 |
| Ni25-Ck40-Liu-H1141 Sensor |
| Adapter Turck Im-Prog Iii Mini Jack""usb-A 2.0 3m Im-Prog Iii Mini Jack |
| Aoh40-N |
| Ps400r-504-Li2upn8x-H1141 Drucksensor |
| 6871412 Fcs-N1/2a4-Na/D100 |
| Bi10-M30-Vp4x-S100 |
| Bim-Ikt-Ap6x-H1141 |
| Nbb2-8gm40-E2-V1 |
| Wksw458-20m |
| 387000I2020 Turck Sensor Bi-5u-Eg08-Ap6x-H1341 |
| 3033422 Sensor T18sp6rq |
| 6604218 Sensor Fw-M12st5d-G-Sb-Me-Sh-8 |
| 9910632 Ttm-100-Liupn-H1140 |
| 44826 Bimiktad4x0,8r/S424hc |
| Mk31-11-Li/24vdc |
| WIs28-2cw850I25xq |
| 7541231 Modul Interface-Im1-22ex-R |
| 3044336 |
| Im12-22ex-R |
| Lt1000m-Q21-Li0x3-H1141 |
| 3080486 Reflextastert30uxibq8 |
| Bi10u-M30-Ad4x |
| Ni10-P18-Y1x/S97 |
| Fldp-Im16-0001 |
| Bim-Unr-Ap6x-0,3-Ps63m |
| 7506326.Turck Sicherheitsbarriere Im31-22ex-U |

| |
|---|
| 7541239 Modul Im1-231ex-R |
| 3034631 Sensor T18sp6dq |
| 3044992 Brt-40x23b |
| 44825 Bimiktad4xhc |
| 6872003 Sensor Fcs-68a4-Ap8x-H1141/D003 |
| 6833458 Pressure Sensor Ps100r-304-2upn8x-H1141 |
| Fdnp-Xsg16-Tt |
| 6914520 Sensor B4151-0/16 |
| Fcs G1/2a4-Na/D100 |
| 1636100 Induktiver Sensor Bi10u-M30-Ap6x |
| 6625010 Aktuator- Und Sensorleitung / Pvc Rkc4t-2/Tel |
| Ni40u-Cp40-Vp4x2 Sensor 1540600 |
| 4602260 Bi1,5-Eg08-Ap6x-H1341 |
| 1646630 |
| Bi2u-M12e-Ad4x-H1144 |
| Ps040v-301-2upn8x-H1141 |
| Imx12-Do01-2u-2u-0/24vdc |
| 4602034 1634807 |
| Bim-Nst-Ap6x-H1141 Magnetsensor |
| 2814867.Phoenix |
| Im21-14ex-Cdtri |
| 3071995 Qs18ep6dq8 |
| 4685830 Sensor Bim-Unr-Ap6x |
| Bi15u-Ck40-Ap4x2-H1141 |
| 4602220 |
| Bi2-Eg08k-Ap6x-H1141 |
| Fcs-G1/2a4-Na-H1141 Sensor-Sensor-Flut-Wasser |
| 1580454 |

| |
|---|
| Im33-22ex-Hi/24vdc Wandler |
| 7541231 Turck Cod. Im12-22ex-R Voltaggiouniversale 20-250vac-Dc |
| 90742 Ivu2ptbr12 |
| P1-Li-Q25l |
| 912101 Wm1 Widerstandsmodul |
| Ru130u-M30m-2up8x2-H1151 |
| 1513420 Induktiver Sensor Bi5-S18- Vp4x/S97 |
| TI50blr1y2r1y2aqp |
| 6602216 Anschluss Mit Flansch Fk57 |
| 6870363 Flow-Sensor Turck, Fcs- Gl1/2a2p-Vrx/24vdc/A |
| 7506441 Eigensichere Barriereim33- 22ex-Hi/24vdcmodul Interface Im33- 22ex-Hi/24vdc |
| Ni20u-G30-Adz30x2-B3131 |
| 7520702 Modulim72-22ex/L |
| Rf50870-30m |
| Ttm150c-206a-Cf-Li6-H1140-L100 Sensor |
| Cable Fbh-Ye/Sd-100m |
| Bi5-G18-Ap6x |
| TI50blgybr1aq |
| 1635140 Induktiver Sensor Bi5u-M18- Apx-H1141 |
| 4280800 Ni40u-Cp40-Fdz30x2 |
| Ca2fn131b |
| BI20-Br-24vdc-D |
| Ni20u-M30-Adz30x2 |
| 6901045 |
| Ni20-Cp40-Fz3x2 |
| Ni10-Q25-Qd6l |

[7580016 Modul Interface Imx12-Di01-2s-2r-0/ 24vdc](#)

[6833458 Turck 6833458pressure Sensor Ps100r-304-2upn8x-H1141](#)

[1634818 Induktiver Sensor Ni15u-Em18wd-Ap6x-H1141](#)

[7506325 Im31-22-I](#)

[16026 Induktiver Sensor Ni20-K40sr-Ap6x](#)

[4608640 Sensor Bi1-Eg05-Ap6x-V1331](#)

[1515503 Ni100u-K90sr-Vn4x2](#)

[Ri-12h12e1-2b5000-12m23](#)

[Bim-Pst-Ap6x-V1131 Sensor](#)

[Bi3um12ap6xpnþ](#)

[Ni8u-M12ee-Ap6x-H1141 Sensor](#)

[6629744 Kabel Patch Wkc4t-10/Txy](#)

[43754 Ni15-P30-Az3x-B2131](#)

[11421 Mqdc2s-1215 Kabel \(Strom+ Signale I/O\), 5m 11 320](#)

[Fcs-G1/2a4p-Vrx/230vac](#)

[Ca2fn162b](#)

[Ni15-M30-Az3x/S90 Endschalter](#)

[6625522 Steckdose Wkc5t-5/Txl](#)

[2.3704/18induktiver Sensor](#)

[6604218](#)

[100000629 Ni15u-M18m-Vp6x-H1141](#)

[Bi 2-Crs603-Adz30x2-B1131/S34 Inductive Proximity Sensor](#)

[16095 Bi2-Q21sr-Ap6x](#)

[Ruc30-M30-Ap8x-H1141](#)

[3033437](#)

[4012007 Induktiver Sensor Mit Erweitertem Temperaturbereich Bi5-Eg18-Y1x/S100 7m](#)

| |
|---|
| Ri360p1-Qr14-Eliu5x2-0.3-Rs5 Cev115-Pb |
| Q45bb6fq5 Sensor |
| Si15-K30-Ap6 |
| 6833048 Drucksensor Ps016v-609- Li2upn8x-H1141 |
| 8011661 Fkm5-Fkm5-Fsm5 |
| Bt18-Bp-Vn6x-H1141 |
| Bi15-Cp40-Fz3x2 |
| Im33-22ex-Hi/24vdc Analogsignaltrenner |
| 20060 Sensor Bc5-S18-Y1x |
| Fw-M12ku5w-G-Zf-Me-Sh-9 |
| 4602033 4602033 |
| Rse57-Tr2 |
| 387000y7600 Stecker Turck Wwak3p2- 5/S90 No. 8009239 Pcs |
| 6870004 Sensor Turck Fcs-G1/2a4-Ap8x- H1141 6870004 |
| 1538302 Induktiver Sensor Ni50u-Ck40- Vp4x2-H1141 |
| Turck Bi3u-Eg12sk-Ap6x |
| Rep-Dn |
| Imx12-Ai01-2i-2iu-H0/24vdc |
| 15349 Ru100-Cp40-Liux |
| Qs18vp16llpq8 |
| 1371803 Sensor Ni8-S18-Az3x/S97 |
| Ni20u-Eg30sk-Vp4x |
| Bl20-B6t-Sbbsbb |
| 10110 |
| Bi10-M30-Az3x |
| 7506402 |
| Wkc4.4t-10/Txl |

| |
|---|
| Ps016v-504-Li2upn8x-H114 |
| Ni25-Ck40- Liu- H1141 Induktiver Sensor |
| 6870004 Sensorfcs-G1/2a4-Ap8x-H1141 |
| 7505650 |
| Bl20-2rfid-S |
| 1634816 Induktiver Sensor |
| Bl20-32di-24vdc-P |
| Bi40 Cp80 Vp4x2 |
| Bim-Unr-Ap6x-0,6-Ps63m |
| 7506441 Interface-Modulim33-22ex-Hi/24vdc |
| 0508010 / Ms22-Ri |
| 8036086 |
| Rkc44t6m/S90 |
| W km50-15m |
| 8007054 |
| Ni20-K40sr-Fz3x2 |
| Bs18-Bp-Cn6x |
| 3075425 Sensor - Licht-Schleier Ea5e450q |
| Modul Interface Turck Im1-231ex-R 7541239 Im1-231ex-R 7541239 |
| 1644140 |
| 6870702 |
| Tnlr-Q80-H1147 |
| 3070253 Photosensor Qs186leq8 10-30vdc |
| Aih41-N |
| Fkw-Fsw45-M12 |
| Ni8-M18-Ad4x-H1141 |
| Bi15u-Cp40-Ap6x2 |
| Bi5-M18-Az3x Induktiver Sensor |

| |
|--|
| Ni20-Cp40-Fz3x2/S1 |
| 10560 Bim-Ikt-Yix |
| 4635801 Schalter Kontaktloser Induktiver Ni6u-Eg08-Ap6x-V113 |
| P1-Ri-Qr14 |
| Im12-22ex-R/230vac |
| B8141-0 Stecker |
| Dol-1204-G10mc |
| Bi2ou-Ck40-Ap6x2-H1141 |
| Ni15u-M30-Ad4x-H1144 |
| 4685735 Induktive Sensoren Von Turck, Bim-Unt-Ap6x/S97/S1165ident. |
| 6870403 Fcs-Gl1/2a4-Na- H1141eintauchsensor Ohne Integrierte Auswerteelektronik, Stecker M12 4-Polig |
| Mk165-4dk.24.N |
| 7520702 Turck Cod. Im72- 22ex/Ltuk060230a00260 |
| 46210 Sensor Bim-Ikt-Ap6x-H1141 |
| 1627216 Bi20u-Ck40-Vp4x2-H1141 |
| Bi15-Cp40-Fz3x2/S100 |
| Ni8u-Eg12sk-Vp4x |
| Bi2-S12-Az31x/S100 Sensor |
| Eigensichere Barriereim33-22ex- Hi/24vdc 7506441 |
| Lt80e-R10-Lu0-H1151 |
| 6901041 P1-Li-Q25I |
| 7506441 Eigensichere Barriereim33- 22ex-Hi/24vdc |
| 7506441 Wandlerim33-22ex-Hi/24vdc |
| 1644240 |
| Wak4-5/S90 |
| Rk42t6 |

[Ni8u-S12-Ap6x-H1141 Induktiver Sensor](#)

[Fcs-G1/2-A4-Ap8x-H1141/L080](#)

[Bi8u-M18m-Vp44x-H1141 Sensor](#)

[Ni15-P30sk-Y1 Schalter Und Endplatte](#)

[Bi5-P12sk-Ap6x Induktiver Sensor](#)

[1535544](#)

[1634312 Induktiver Sensor Bi3u-Em12h-Ap6x-H1141](#)

[Ni4-Dsu26tc-2y1x2](#)

[7506638](#)

[Bi4u-M12-Rp6x-H1141 Induktiver Sensor](#)

[7541229 Trennbarriere Turck Im12-22ex-R/24vdc 7541229](#)

[6900226 Ein Reparatur-Kit](#)

[Im1-22ex-R/24vdc](#)

[1615000 Bi5nf-Em18he-Ap6x2-H1141](#)

[4604101](#)

[73000005347](#)

[1003640 Bi1,5-Eg08k-Y1x-H1341](#)

[7506441 Im33-22ex-Hi/24vdc](#)

[3092824 Anzeige Led-Leuchtfeuer K90lwbgyrpa](#)

[3070989 Lichtgitter Pvd100q](#)

[Ni30u-K40sr-Vn4x2 Sensor](#)

[Bi10-M30-Ap6x/S120 Sensor](#)

[Tw-R20-B128](#)

[16250 Sensor Bi15-Ck40-Ap6x2-H1141](#)

[4685767](#)

[6872025 Turck Fcs-50a4-Ap8x-H1141/D014, Ztn.:90261021, Herk.-L.:De](#)

[1538302](#)

[Bs5133-0](#)

| |
|--|
| 13893 Ivuc-E-415 Ethernet-Kabel, 5 M 3 125 |
| 6871013 |
| 6625505 6625505 |
| 25160 |
| 9910530 |
| Ni14-M18-Vp6x |
| 13420 |
| 387000y7810 Sensor Turck Bi5u-M18- Ap6x-H1141 N1635140 |
| 3027392 Turck No5-Q08-Ap7 |
| 1634897 Sensorbi8u-Em18mwd-Vp44x- H1141 |
| Bi3u-M12-Ap6x Induktiver Sensor |
| Bc5-S18-Ap4x |
| 7506605 Trennbarriere Turck Im34-12ex- Cri/K63 7506605 |
| 3065502 Sensorqs18vp6af100 |
| Ni20u-S30-Ap6x |
| Bi15-Cp40 Fz3x2/S97 |
| Pkg3m-2/Tel Kabel |
| 4611234 Sensor Induction Ni 4-M18- 2ap6x2-0,5-Rs4 4t / S90-S1123 (Pnp) |
| Sensor Ni20nfc40-Vp4x2h1141 |
| 6934137 Connector Cable Rsm6b6-1m (U-08162) |
| Bi15-Em30e-Ap6x-H1141 |
| 3042147 Sensor Lichtschrænke S18- 2vplp-Q8 |
| 1004620 |
| Li500p0-Q25lm0-Liu5x3-H1151 |
| Bi5-Q08-Ap6x-V1131 |
| Ni12u-Em18-Ap6x/3d Induktiver Sensor |
| 1535561 |

| |
|--|
| Endschalterbi15-Cp40-Fz3x2 |
| Im1-22ex-R |
| Bimiktap6xh1141 |
| Ni15-M30-Oa41l |
| Ni5-G12-An6x |
| Bi5u-M18m-Ad4x-H1141 |
| Bi 5- P18 Sk - Y1x Pt8 Nr Ex-86/2177x Din 19238 (?????) Uo :7-9 ? |
| Ni35-Cp40-An6x2 |
| ???-103?-G1/8-Liupn-?1140-L024 Umrichter Mit Sensor |
| Ni 12u-M 18-Ap 6x Induktiver Sensor |
| Ni 65r-S32sr-Vp44x Inhaltssensor Stangendurchlass |
| 4602060 Sensorbi2-Eg08-Ap6x-H1341 |
| Rf51318-200m Rf51318-200m 4x18 1x18 Plum Pvc Fl Stp Er |
| Imx12-Di01-2s-2r-Pr/24 |
| 387010r3820 Turck Induktiver Sensor Male Bi15u-M30-An6x-H1141 |
| Ni30u-M30-An6x |
| 1535531 Schalter |
| Bss-30 Halterung |
| 7541227 Imi-12ex-T Interface-Modul |
| TI50blr2r1y1g1aq |
| 1538303 Sensorni50u-Cp40-Vp4x2 |
| 7506605 Trennbarriere Turck Im12-22ex- R/24vdc |
| Ni8u-Em12-Ap6x- H1141 |
| 40103 Induktiver Sensor Ni5-M12-Y1x- H1141 |
| 40160 Bi5-G18sk-Y1xinduktiver Sensorstandardkema 02 Atex 1090x |
| 4608031 Sensor Induktiv Bi4-M12e- Vp6x-H1141 |

[387000i4620 Endplatte Schalter Bim-
Nst-Ap6x-H1141 Nr 64-03962](#)

[Ni20nf-Cp40-Vp4x2 Sensor](#)

[3002661 Lx3eq E](#)

[P/N: 15349 Type: Ru100-Cp40-Liux-
Obsolete, Replaced By Ru200-Cp40-
Liu2p8x2t](#)

[4470228 Sensorbi10-Qn26-Ad4x-
0,15xor-Rs4.23/ S100-S1589](#)

[Anschlusskabel, Buchse M12 Gewinkelt
3-X Mit Pur-Kabel Wkc4q-5/Txl Turck
6628014](#)

[Mw 47 40mm Mounting Bracket Turck
Mw 47](#)

[Bi4u-M12-Ap6x-H1141 Induktiver Sensor](#)

[8036605 Ht-Skp3-
2/S2430"hohtemperaturfeste Aktuator-
Und Sensorleitunganschlussleitung"](#)

[6628014 Anschlusskabel, Buchse M12
Gewinkelt 3-X Mit Pur-Kabel Wkc4q-
5/Txl](#)

[16250 Bi15-Ck40-Ap6x2-H1141](#)

[46070](#)

[46065.Turck](#)

[4611234 Induktiver Sensor Ni4-M18-
2ap6x2/S90-S1123](#)

[1534051 B1n360v-Q20I60-2up6x3-
H1151](#)

[1407500 Bi30r-Q20-Ap6x2-H1141](#)

[46110 Induktiver Sensor Bi5-M18-Ap6x](#)

[7504011 Ims-Ai-Dli-22-Dli/L](#)

[4685725](#)

[Dni30u-K40sr-Ap4x2](#)

[Ni5-S12-Yox-H1141](#)

[1582236 Dbi5u-M18e-Ap4x3](#)

[WIs28-2xw850dxbq](#)

[4669450 Schalter Kontaktloser](#)

[Induktiverbi2-Eg08k-Ap6x-V1131](#)

[4635801 4635801](#)

[1635340 Induktiver Sensorbi5u-Em18-Ap6x-H1141](#)

[Bi50-Q80-Adz30x2-B3131](#)

[8006572 Fsd4-0,5](#)

[6870242 Fcs-Gl1/2a4p-Ap8x-H1141](#)

[1011125 Induktiver Sensor Ni35-Cp40-Y1x/S100](#)

[3034343 Fotosensor Q40sp6ff600q](#)

[7541239 Im1-231ex-R](#)

[Bi4u-Em12wd-An6x](#)

[Ps016v-504-Li2upn8x-H1141](#)

[3058978 Brt-80x50c](#)

[1568801 Bi15u-Ck40-Vp4x2-H1141](#)

[1590003](#)

[13400 Endschalter Bi15-Cp40-Fz3x2](#)

[1590924](#)

[4282210 Bi5u-M18-Adz30x2](#)

[Ni8-M18-Ap6x Inductive Sensor](#)

[Fdp20-16xsg Bequeme Stationprofbus-Dp](#)

[Ps400r-304-Li2upn8x-H1141](#)

[3034626 Miad9fq](#)

[Sensor Ni3-Eg08k-Y1-H1341](#)

[M18sp6lpq Optischer Sensor](#)

[Eigensichere Barriere Turck Im33-22ex-Hi/24vdc 7506441 Im33-22ex-Hi/24vdc 7506441](#)

[1610070](#)

[1373410 Induktiver Sensor Bi5-S18-Az3x/S97](#)

[Bi5-Eg18 An6x7m Sensor](#)

| |
|---|
| 387000g2510 Sensor-Bi 2-Eg08-Vp6x-0.2 M-Rs4.4t (S1604680) |
| 100007417 |
| 1634898 Ni5u-Em18mwd-Vp44x-H1141 |
| 7506447 Im33-11-Hi/24vdc |
| 1582230 |
| FdnI-S1600-T |
| Ru40u-M30m-2up8x2-H1151 |
| 7506445 Eigensichere Barriere Im33-22ex-Hi |
| Ni20r-S32sr-Vp44x Sensor |
| Bimikmap6x2h1141/S34 |
| Bi10-S30-Az3x/S97 |
| Bs5133-0 Connector /6901012 |
| 4041001 |
| 1634805 Induktiver Sensor Ni10u-M12-Ap6x |
| Ps250v-504-2up8x-H1141 |
| 3061642 Qs18vp6cv15 |
| Bi3u-M12-Rp6x-1141 |
| 15648 Sensor Bi25-G47sr-Vp4x2 |
| 4609840 |
| Im1-22ex-R 7541231 |
| 44112 Induktiver Sensor Ni8-M18-Ad4x |
| 6840015 Temperatursensor Ts-500-Li2upn8x-H1141 |
| 16694 Bi10m30ap6xh1141/S34 |
| Mk35-11ex0-Lu |
| 7541239 Interface-Modul |
| Umrichterim33-12ex-Hi/24vdc |
| 3034260 Q85bb62dl-T9-B"opto Sensorreflexionslichttaster" |
| 15140 Sensor Bi10-S30-Vp4x/S100 |

| |
|--|
| 4675021 Bim-Akt-Ap6x/S235 |
| Ni20u-M30-Ap6x |
| Jbbs-49sc-T414/Ex |
| Ni30u-M30-Ap6x |
| Qm26epxlpcq5 |
| 387010d6880 Sensor Turck Bi2-Eg08-Vp6x-H1341 |
| Bi10-M30-Ad4x |
| Bi5-M18-Ap6x Induktiver Sensor |
| Rf50968-30m |
| Bl20-S4t-Sbcs |
| 15758 Ni30-K40sr-Vn4x2 |
| Ni3-Eg08-Ap6x-V1 |
| 89136 Schleier Lichtausbeute Silce14-1820p8 |
| 6625518 Wkc4.5t-2/Txl |
| Rt008-14-Li3-H1131 |
| M18sp6dlq Optischer Sensor |
| Ru300u-M30m-2up8x2-H1151 |
| 3018206 Wlaw105x180dq |
| Ni40u-Cp40-Ap6x2 |
| 1590010 Li200p0-Q25lm0-Esg25x3-H1181inductive Linear Position Sensor |
| Ms22-Ri |
| Ni8u-M12e-Vp4x-H1141 |
| 7525111 Im-Prog Iii |
| Bi5-Q08-Ap6x2/S34-0,6xor-Rs4 |
| Anschlusskabel, Gerade, M8, 10 M,Wkc4t-10/Txl Turck 6625514 |
| Pt100r-14-Li3-H1131 |
| 1634804 Induktiver Sensor |
| Induktiver Sensor Bi10-M30-Rz3x |
| Ni50u-Cp40-Vp4x2 Induktiver Sensor |

| |
|--|
| 1644340 Sensor Ni8u-Em12-Ap6x-H1141 |
| 3025618 Sm312lv |
| Bi15r-W30-Dan6x-H1141 |
| 6970627 Befestigung Klrc-Unt2 |
| Li300p0-Q25lm0-Liu5x3-H1151 Induktiver Sensor Linear Position |
| M1-Q25l |
| 4602060 Bi2-Eg08-Ap6x-H1341 |
| Fcs-G1/2a4-Ap8x-H1141 |
| Ni60-K90sr-Vp4x2 |
| Bim-Unr-Ap6x-0,6-Psg3m |
| Bi10-G30-Az3 |
| Bi5u-Q12-Ap6x2-H1141 |
| Ca2fn141b |
| Bi3u-Eg12sk-Ap6x |
| 3026167 Smw915dsrqd |
| 6814008 I/O-Modul Tben-L1-16d xp |
| Vb60-Cs12 |
| Fxdp-10m88-0001 |
| ?8241-0/Pg9 Stecker Zerlegbar M12x1,0 |
| Ni20-M30-Ap6x-H1141 Induktiver Sensor |
| 3017614 Sensor Wlaw190x180 |
| Bl20-Gw-Dnet |
| Fcs-G1/4a4-Na-H1141 |
| 4669450 Schalter Kontaktloser Induktiver Bi2-Eg08k-Ap6x-V1131 |
| Bi8u-M18-Ap6x-H1141 |
| Ls10r |
| 7506446 Interface-Modulim33-12ex- Hi/24vdc |
| Ni15u-Em18wd-Ap6x-H1141 |

| |
|---|
| Ni40-Cp40-Ap6x2 |
| 1340510.Turck Induktiver Sensor Ni40-Cp80-Fz3x2/S97 |
| 1634832 |
| 1590725 |
| Bi15-Cp40-Vp4x2 Induktanz-Sensor |
| 7541233 Trennbarriere Im12-22ex-R |
| 1634809 Sensorbi4u-Mt12-Ap6x-H1141 |
| Wk55tp7x3-5xor |
| Rkm35-4m |
| Bmel616a |
| Bi5-M18-Rz3x |
| Bi3u-Em12e-Vp4x-H1141 |
| 7506446 Trennbarriere |
| Bi15-Em30-Ap45xld |
| 10-30vdc Bi1-Hlm-Rp6 |
| Ni15u-M18-Ap6x-H1141 |
| BI20-2ao-I |
| TI50blbrgraq |
| Im33-12ex-Hi/24vdc |
| Ni100r-S32xl-2lu-H1141/S950 Induktiver Sensor |
| 69471 |
| Bi30u |
| 6626900 |
| 7542118 Mk13-P-Ex0/24vdc/K15 /7542118 |
| Ni20-G30k-Ad4x |
| BI20-S3t-Sbb |
| 1646140 Ni20u-M30-Ap6x-H1141 |
| Rss-Rj45s-841-4m |
| TI50blr2y1gb2aq |

| |
|---|
| Ru130u-M30m-2up8x2-H1151/S724 |
| Vb2x40-P7x8-10 |
| 6870304 |
| 14040.Turck |
| Bi5u-Eg18sk-Ap6x |
| 1634841 Induktiver Sensor Bi4u- Em12wd-An6x-H1141 |
| 3033417 Opto Sensorreflexionslichtschranke Mit Polarisationsfiltert18sp6lpq |
| Br2.53sm600 |
| Rksw451-6m |
| Ni15u-M18m-Vp44x-H1141 |
| Imx12-Ti01-2rtdr- 2i-C0/24vdc |
| 4614515 Bi2-Em12wd-Ap6/S929 |
| Anschlusskabel, Gerade, M8, 5 M,Pkg3m-5/Txl Turck 6625551 |
| Ni8u-M12-Ap6x Stellungsgeber Kontrollmechanismus Der Turbine (3 M) |
| 11-Bgx77-240 |
| T186eq Lichtschrankeboxer-Sensor (Emitter) |
| Ni75u-Cp80vp4x2-H1141 |
| 6870092 |
| Ruc300-M3047-Lia8x-H1151 |
| 3072509 Maqdc-815 |
| 3073086 Qs30ff200q |
| T30scp6ff400q Sensor |
| 7505640 |
| 387010n0420 Eigensicherer Barriere Turck Im1-22ex-R |
| Im33-22ex-Hi/24vdc 7506441 Mess- Wandler |
| 4614652 Bi2-M12-Ap6x/S120"induktiver Sensormit Erweitertem |

| |
|--|
| Temperaturbereichstandard" |
| Bi2-G08-Ap6x |
| 6828107 Programmierbares Bedienerpaneltx513-P3cv01 |
| 1580150 Sensor Bi3u-P12sk-Vp4x |
| Bi15u-M30e-Ap6x-H1141 |
| Bl67-B-2m12 |
| 7541233 |
| Bi4-M12-Ap6x-H1141 |
| Bim-Akt-Ad4x-H1141 |
| 15095 Ni40-Cp80-Vp4x2/S100 |
| Bi4u-Em12wd-Ap6 X-H1141 |
| Rkm52-1-Rsm52 |
| 6870646 |
| 7506440 Eigensichere Barriere Turck Im33-11ex-Hi/24vdc |
| Bl20-2rfid-A |
| Bl1-Eh04-Ap6x-0.5-P Sq3m/S90 Induktiver Sensor |
| Bi8u-M18-Apgx-H1141 Sensor |
| Mk13-P-Ex0/24vdc Sicherheitsbarriere |
| Rsfp-Vbrk-7vbwk-W kc5724-Dcl |
| 1634400 Bi3u-Eg12sk-Ap6xinduktiver Sensor |
| 4685400 Bim-Nst-Ap6x-H1141 |
| Tw-R50-K2 |
| Bt210sm8m900 |
| Ni50-Cp80-Fz3x2 |
| 1051002 Ni4-Dsu35-2y1x2 |
| Bes515-325-E5-T-S4 |
| 2pba |
| 6625026 Kabel Patch Wkc4.4t-5/Tel |
| Interface-Modulim1-231ex-R7541239 |

| |
|--|
| 6831555 Sensorpt016r-29-Li3-H1140 |
| 3072111 Q12ab6ff30q |
| Bi3u-M12-Ap6x |
| Bi4u-M12-Ap6x-H1141 Sensor |
| 7506605 Trennbarriere Turck Im34-12ex-Cri/K63 |
| WIs28-2cw850I25x |
| 40150 |
| Ru30-Q30-Lux-H1141 |
| 1644600 Induktiver Sensor Ni8u-S12-Ap6x-H1141 |
| 4685723 |
| Tben-L1-8dip-8dop |
| M1590600 |
| Bi10-P30sr-Ap6x Sensor |
| Bi10u-Em30-Ap6x |
| Imx12-Di01-2s-2r- Pr |
| Ms24-112r20-250v |
| 1056800 Magnetfeld-Sensor Bim-Int-Y1x |
| Tben-Lg-8dip-8sop |
| 1646631 Induktiver Sensor Ni30u-M30-Ap6x-H1141 |
| 7506320 Eigensicherheit-Wandler-Separation Im31-11ex-I |
| Slse30-1500q8 |
| Ni8-S18-An6x-H1141 - 46527 |
| Bl20-2ai-I |
| Bi4-M12-An6x-H1141 |
| 1003240 Induktiver Sensoren |
| Rsv Rkv 254-2m |
| 6832628 Ps010v-501-2upn8x-H1141 |
| 387000y7800 Sensor Turck Bi8u-Mt18-Ap6x-H1141 N1644730 |

| |
|--|
| 7525111 Fdt/Dtm Hart- Programmieradapterim-Prog Iii |
| 3033420 T186eq |
| 6625514 Anschlusskabel, Abgewinkelt, M12,10 M, Wkc4t-10/Txl |
| Im31-12-I |
| 61642 Sensor Lichtschanke Qs18vp6cv15 |
| 6967114 Sensor Tx1-Q20I60 |
| 1662001 Induktiver Sensorbi8u-Q10- Ap6x2 |
| Ni8u-Em12e-Vp4x-H1141 |
| 7580017 |
| 8018720 |
| Ni100u-K90sr-Vp4x2 |
| M12-FI01-1SF-1R-0/24VDC |
| 1645140 Induktiver Sensor Ni12u-M18- Ap6x-H1141 |
| Ni6u-Eg08-Apx-H1341 Sensor |
| 4685724 Induktiver Sensor Bim-Unt- Ap6x-0,6-Psg3m |
| Bi8-M18-Ap6x-H1141 |
| 7506440 Eigensichere Barriere Im33- 11ex-Hi/24vdc |
| 46250 Magnetfeld-Sensor (Reedkontakt) Turck, Typ Bim-Pst-Ap6x-V1131. |
| Flow-Sensor Fci-Tcd04a4p-Lix-H1141 |
| BI20-P4t-Sbbc |
| 1645100 Ni12u-M18-Ap6x |
| Ni8-M12-Ap6x-H1141 |
| M1590854 |
| 1039601 |
| 3074965 |
| Ruc600-M3065-2ap8x-H1151 |

| |
|--|
| Bi8u-M18-Ap6x-H114 |
| Ni40-G47sr-Fz3x2 |
| 1003720 Induktiver Sensor Ni3-Eg08k-Y1-H1341 |
| 7525111 Fdt/Dtm Hart-Programmieradapter |
| Mt18-R024 |
| Ms24-R |
| Rsm57-Tr2 |
| Ni20-Cp40-Vp4x2 |
| Bi5-S18-Az3x Sensor |
| K741-T01 |
| 3026835 Sensor Lichtschanke Sm31eqd |
| Ni60-K90sr-Fz3x2 |
| Wk44tp7x3-10xor |
| 4602033 Induktiver Sensor Bi2u-Eg08-Ap6x-V1131 |
| 1646340 Ni20u-Em30-Ap6x-H1141 |
| Im1-22ex-R/24 Vdc Trennbarriere |
| Rss-Rss-843-15m Ethernet Male To Male Eurofast 15 Meters Long To Stacker Turck Rss-Rss-843-15m |
| 44110 Induktiver Sensor Bi5-M18-Ad4x |
| Le250uq-Mq515smb |
| Ni8-M18e-H1141 24vdc Mit Kabel Wwak3-10/S90 (10m) |
| Wkh4.4-50-Wkh4.4/Tfe |
| Psd24ex |
| 6970627 Halterung Klrc-Unt2 |
| Gw-Dpv1 |
| 40103 |
| Kln3-6970504 |
| 5231407 Modul |
| |

[Trennbarriere Mk33-11ex0-Li/24vdc](#)

[7506402](#)

[P Rsv Rkv 562-494-20m P Rsv Rkv 562-494-20m](#)

[Bl3u-Em12e-Vp4x-H1141](#)

[Bi5-M18-Az3x/S120](#)

[Mqdc-415](#)

[6825482 Modul Usb-2-Iol-0002](#)

[3037294 Miad9lvagq](#)

[Bi8m18-Ap6xh1141](#)

[Bi10-Em30-Ap6/S907 10m](#)

[Qm26vpaf200q5](#)

[70991 Sensor Lichtschanke Pvd225q](#)

[387010r4780 Sensor Positionierung
Turck Bi20u-Cp40-Ap6x2 Pcs](#)

[4653023 Induktiver Sensor Bi2-S12-
Ap6x/S100](#)

[44661](#)

[7541231 Modul](#)

[Mk33-11ex0-Li/24vdc](#)

[B8241-0](#)

[3071882 Sensor
Lichtschankeqs18vp6ff100q8](#)

[3033422 T18sp6rq Alte Nr: 3464300](#)

[Induktiver Sensor Bi3u-Eg12sk-Vp4x](#)

[T18sp6rq Sensor](#)

[Ps250v-504-Li2upn8x-H1141](#)

[Bi20-Cp40-Vp4x2](#)

[7506320 Eigensicherheit Separation
Wandler Im31-11ex-I](#)

[Im1-12ex-T](#)

[Rf50916](#)

[Bl20-1rs232](#)

[4602221 Bi1,5-Eg08-Ap6x-V1131/S100](#)

| |
|--|
| Slm10b6 Sensor |
| Ru100-Cp40-Ap6x2 |
| 7506440 |
| Anschlusskabel, Abgewinkelt, M12, 5 M, Wkc4.4t-5/Txl Turck 6625516 |
| 25050 Bc10-P30sr-Vp4x2 |
| 8007168 |
| 1644600 |
| 1634804 Bi4u-M12-Ap6x-H1141 Induktiver Sensor, M12 X 1 |
| Bi15u-Cp40-Fdz30x2 |
| Bim-Nst-Ap6x-H1141/S34 |
| P-7k-Sc-261061-Msha |
| 0518003 Sensor Ms24-112-R |
| Bi4 |
| 1625853 Sensor Ni50u-Qv40-Ap6x2- H1141 |
| 1625600 Bi15u-Ck40-Ap6x2-H1141 |
| 3070253 Fotosensor Qs186leq8 10- 30vdc |
| 6625552 6625552 |
| 1623602.Turck Turck Ni40u-Cp40- Ap6x2/S10, Ztn.:85365080, Herk.-L.:De, |
| 72117 Sensor Lichtschranke Q12ab6ff50q |
| Ps010v-504-Li2upn8x-H1141 |
| BI20-2do-R-No Elektronisches Modul |
| Qs30exh2oq5 Hf-Sensor-Control Emitter |
| Ni8-M18-Liu |
| 3071203 Brt-42 |
| Ni30u-M30-?P6x |
| Im33-22-Hi/24vdc 7506564 Mess- Wandler |

| |
|--|
| Bi2-Crs524-Adz30x2-B1131/S34 |
| Induktiver Sensor Bi2-Crs524-Adz30x2/S34/S5416mprobe 2.063" (2,4 Mm) |
| 7505651 Im21-14ex-Cdtri |
| 3070231 Sensor Qs30ldq |
| Bi10 |
| 6625010 Kabel Rkc4t-2/Tel |
| Ni4u-Eg08-Ap6x-H1341 |
| Bim-M12e-An4x-H1141 |
| Fldp-Iom88-0001 |
| Tp-203a-Cf-H1141-L1000 |
| Turck Bc20-K40sr-Vp4x Sensor Kapazitiv |
| 4685723 Sensor Bim-Unt-Ap6x-0,3-Psq3m |
| 69710 |
| Ni35u-Ck40-Vp6x2-H1141 |
| 2mbm12/S3630 |
| 1634400 Bi3u-Eg12sk-Ap6x |
| Bi5q08ap6x2/S34-1xor-Rs4 |
| Bi 5-M18-Ad4x |
| Si-Ls42dsi |
| Sensor Ni8u-Em12-Ap6x-H1141 Turck 1644340 |
| Ni20-K34-Vp4x Induktiver Sensor |
| 3049771 Sm312lpqd |
| Fcs-G1/2a4-Ap8x-H1141/D036 |
| 7506446 Trennbarriere Im33-12ex-Hi/24vdc |
| Bi10-G30-Az3x |
| Turck Bc10-P30sr-Vp4x Sensor Kapazitiv |
| Bc10-P30sr-Vp4x2 |
| 6625022 Wkc4t-2/Telkabel |
| 7506005 Modul |

| |
|--|
| Dbi10u-M30-Ap4x2 Induktiver Sensor |
| 2620142 / Bc10-Qf5,5-Rn6x2-2-Psg3s/S250 |
| 7541239 |
| Cev115-S |
| Dw500-70-7e-H1441 Draw-Wire |
| 1662005 Induktiver Sensor Bi8u-Q08-Ap6x2-V1131 |
| Ni15-M30-Rz3x |
| Li200po-Q25lmo-Liu5x3-H1151 |
| Pt0.25r-1004-I2 -H1143 |
| 1644731 Bi8u-M18-Ap6x-H1141 Induktiver Sensor |
| 1623700 Sensor Ni25u-Cp40-Ap6x2 |
| Bi25-G47sr-Vp4x2 Sensor |
| Bi15-M30-Vp6x |
| 3077529 Sensor - Licht-Schleier Ea5r450pixmodq |
| Bim-Unt-Ap7x-0,3-Psg3s |
| 10397 Induktiver Sensor Bi15-Cp40-Y1x/S97 |
| Ni20u-Eg30sk-Ap6x |
| 3002661 Opto Sensor - Emitter Lx3eq |
| Ru300u-M30e-Liu2pn8x2t-H1151 |
| Ms96-12r/230vac |
| 7506605 |
| 6629764 Anschlusskabel, Stecker M12, Gewinkelt, 4-Polig, Pur-Wsc4.4t-5/Txy |
| Ni5-M12-Y1x-H1141 |
| 7506441 Eigensichere Barriere Turck Im33-22ex-Hi/24vdc 7506441 |
| 1590600 |
| Ni6u-Eg08-Ap6x-V1131 |