



## Tyco

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Tyco** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Tyco Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Butterfly Valve With 2 Dn50 Monitoring Switches</a>	
<a href="#">Tyco Deluge Valve Dv-5 Dn100</a>	Tyco deluge valve DV-5 DN100 flange according to PN16 drilled No. 530040040 without trim set and accessories
<a href="#">Membrane Typ Dv-5</a>	Tyco deluge valve type DV-5, DN 100; Cover / membrane seal No. 924771101
<a href="#">1608316</a>	
<a href="#">WFS150WCLLA1LOOO</a>	VALVE: COMPLETE 6IN F15L11R51 904827 (Tyco?)
<a href="#">USP-93°C &amp; K80 quick response pendent</a>	1/2" M10
<a href="#">59300W 100WS</a>	Intermediate flange butterfly valve BFV-300, FM / VdS approved, 10 "/ DN 250 openly monitored with handwheel and angular gear
<a href="#">Sidewall tip, Extended Covergae, K:80, 68°C UL/FM</a>	L.6 Main Dinning"
<a href="#">K:80, 68°C UL/FM</a>	VERSENKT TY3251
<a href="#">K:80, 79°C UL/FM</a>	HANGEND Gelb TY3151
<a href="#">K:80, 68°C UL/FM</a>	L.6 Main Dinning STEHEND
<a href="#">K:80, 68°C UL/FM (Trockener Typ)</a>	L: 40 cm "ist fr den Khllager
<a href="#">see List</a>	
<a href="#">OSY DN200</a>	
<a href="#">GASKET, POS NO:17, FOR</a>	B3TJN500QFDB TYCO/DEWRANCE VALVE
<a href="#">SLIDE FLANGE GASKET, POS NO:17A</a>	FOR B3TJN500QFDB TYCO/DEWRANCE VALVE

GLAND PACKING RING, POS NO:68	FOR B3TJN500QFDB TYCO/DEWRANCE VALVE
<a href="#">775711155</a>	
<a href="#">577MA01391</a>	
<a href="#">730MG53201</a>	
<a href="#">730MG53151</a>	
<a href="#">519SA01391</a>	
<a href="#">250M053421</a>	
<a href="#">250M042301</a>	
<a href="#">250M042201</a>	
<a href="#">250M030261</a>	
<a href="#">577MA00891</a>	
<a href="#">250M026201</a>	
<a href="#">730MG26201</a>	
<a href="#">730MG26151</a>	
<a href="#">577MA00761</a>	
<a href="#">519SA00761</a>	
<a href="#">510SA00761</a>	
<a href="#">577MA00601</a>	
<a href="#">577MA00341</a>	
<a href="#">210M000341</a>	
<a href="#">250M020151</a>	
<a href="#">577MA00481</a>	
<a href="#">577MA00421</a>	
<a href="#">250MA00421</a>	
<a href="#">250A015121</a>	
<a href="#">250M012101</a>	
<a href="#">522F20101</a>	
<a href="#">522F15101</a>	
<a href="#">522F12101</a>	
<a href="#">522F10101</a>	
<a href="#">522031125</a>	

<a href="#">90G21-0765</a>	
<a href="#">59300G056WS</a>	
<a href="#">59300G026WS</a>	
<a href="#">24.115</a>	
<a href="#">24.111</a>	
<a href="#">A61N0602</a>	
<a href="#">A61N0342</a>	
<a href="#">MODEL:T2009-E202</a>	
<a href="#">Avid Eazical IR kod EZ-0B201AD0B</a>	Electropneumatic positioner
<a href="#">TCON-CSD/20</a>	
<a href="#">SPRINKLER UPRIGHT MODEL EC-11 EXTENDED</a>	COVERAGE ORDINARY HAZARD 3/4" NPT ORIFICE 5/8"79°C BRONZE;K-160;SIN TY5137
<a href="#">SPRINKLER PENDEND MODEL EC-11 EXTENDED</a>	COVERAGE ORDINARY HAZARD 3/4" NPT ORIFICE 5/8"79°C BRONZE;K-160;SIN TY5237
<a href="#">ACTUATOR,AW-13S-HW 462</a>	
<a href="#">523531006</a>	Y-STRAINER 1/2 NPT 300PSI
<a href="#">V23134-J56-X408/24V</a>	
<a href="#">MM50/100C -54</a>	
<a href="#">32E/B</a>	
<a href="#">EX5330</a>	3 WAY VALVE FOR ¼ INCH BP PRESSURE GAUGE
<a href="#">Fire 850EMT (516.850.900)</a>	
<a href="#">DN300</a>	MONITORED BUTTERFLY VALVE
<a href="#">3/4" BSP Upright Sprinkler</a>	K:240
<a href="#">SPRINKLER UPRIGHT ULTRA K-17 SPECIFIC</a>	APPLICATION STORAGE 3/4" NPT 68C BRASS 5MM BULB K-FACTOR 242;SIN TY7153
<a href="#">794270-1</a>	
<a href="#">794272-1</a>	
<a href="#">794274-1</a>	
<a href="#">794276-1</a>	
<a href="#">794278-1</a>	
<a href="#">1586853</a>	

<a href="#">317337</a>	Groove butterfly valve Tyco BFV-300, VdS/ FM, 10"/273 mm
<a href="#">363998</a>	Holder for ÜWA switch Tyco BFV-300 butterfly valve DN250 to DN300 retaining plate + screw + flag
<a href="#">363950</a>	Limit switch wide, Bernstein type BI2-SU1Z, with 2 screws + washers
<a href="#">10" BFV-300 GR DN250 273 WITH SWITCH</a>	SUPVY OPEN PRESSURE PSI 175 (12,1 bar) SEGMENTED GEAR BOX APSAD/UL/FM/CE/VdS/PAVUS/Russian APPROVED
<a href="#">Wet Alarm Gonk</a>	
<a href="#">370681</a>	GEM/ Grinnell/ Tyco, quick opener, mod. F-311/ ACC-1, VdS approved
<a href="#">AVID EaziCal IR Positioner</a>	For I.G.G. Pressure Control Valve PCV-1.48
<a href="#">VALVE GROOVED BUTTERFLY DN80</a>	Couplings Flexible Grooved
<a href="#">VALVE GROOVED BUTTERFLY DN150</a>	Couplings Flexible Grooved
<a href="#">VALVE GROOVED BUTTERFLY DN50</a>	
<a href="#">VALVE GROOVED BUTTERFLY DN65</a>	
<a href="#">COUPLING FLEXIBLE GROOVED DN150</a>	
<a href="#">COUPLING FLEXIBLE GROOVED DN200</a>	
<a href="#">COUPLING FIXED GROOVE DN 50</a>	
<a href="#">COUPLING FLEXIBLE GROOVED DN80</a>	
<a href="#">COUPLING FLEXIBLE GROOVED DN125</a>	
<a href="#">VALVE GROOVED BUTTERFLY DN100</a>	
<a href="#">BFV-300 6"</a>	317335 Grooved butterfly valve Tyco BFV-300, VdS/ FM, 6"/ 168.3 mm with handwheel and angle gear BL=148 mm
<a href="#">BFV-300 3"</a>	317332 Nut-Absperrklappe Tyco BFV-300 , VdS/ FM, 3"/ 88,9 mm mit Handrad und Winkelgetriebe BL = 96,4 mm
<a href="#">MX4000</a>	loop card Product Code : 125.685.068
<a href="#">317256</a>	Intermediate flange butterfly valve BFV-300, FM/ VdS-approved, 6"/ DN 150 with handwheel and angle gear BL = 59 mm
<a href="#">317253</a>	Intermediate flange butterfly valve BFV-300, FM/ VdS-approved, 3"/ DN 80 with handwheel and angle gear
<a href="#">TFP ASV-1</a>	AUTOMATIC SHUT-OFF VALV
<a href="#">TFP AD-1 250 PSI</a>	AUTOMATIC DRAIN VALVE
<a href="#">1/2" Y TYPE STRAINER</a>	
<a href="#">MC-1</a>	MANUEL CONTROL STATION

<a href="#">1/2" / PN30 / BALL VALVE LONG TYPE</a>	
<a href="#">MCP820 Callpoint Isolator In Nr. 514.800.611</a>	
<a href="#">R3C10-E101</a>	
<a href="#">353998</a>	TYCO 1/2" Drain Valve Mod. AD-1, with plunger
<a href="#">382A023-25</a>	Grommet
<a href="#">14.005.0211</a>	R102 Vent Plug Assembly (74274-old) 68800
<a href="#">14.005.0210</a>	R102 Cartridge Receiver Gasket 181
<a href="#">BFV-300GR TAP BOSS INT SWITCH SUPVY OPEN GROOVED BFV-300 219,1 mm</a>	
<a href="#">AV-1-300 PN-16</a>	
<a href="#">TRIMI FM AV-1-300 8"</a>	
<a href="#">RC-1</a>	
<a href="#">WMA-1 CE WITH RED FINISHED(PAINT) GONG PRESSURE RANG 0,5-16 BAR</a>	
<a href="#">TPS10X1 SINGL CNTCT; 1/2"NPT; RANGE 0.27-1.03BAR MAX. DIFF 0.07BAR; MAX. PRESS 20.7BAR OPER. @ 0.41BAR INC. / 0.35 DECR</a>	
<a href="#">Pressure Gauge</a>	Diameter: 10 cm, Connection: ¼"
<a href="#">Esfr-17 With Spare Key</a>	
<a href="#">90225-2</a>	
<a href="#">E244-16a-G-Ls-Rx</a>	
<a href="#">V23154z-1002</a>	
<a href="#">350720-1</a>	
<a href="#">91503-1 Amp 20-28 Awg Tool Crimp Certified</a>	
<a href="#">F791aht</a>	
<a href="#">Ev200hdana</a>	
<a href="#">523242002 Amd-1</a>	
<a href="#">516.850.053.Pm</a>	
<a href="#">201092-4</a>	
<a href="#">Ty325, P/N: 77-571-1- 135</a>	
<a href="#">91515-1</a>	

<a href="#">At-Ts-13</a>
<a href="#">577ma00761</a>
<a href="#">V23086c1002a303</a>
<a href="#">Dsc Ws4945</a>
<a href="#">V23049b1007a122</a>
<a href="#">Fiberguide /Yellow/</a>
<a href="#">Ty325, P/N: 77-571-1- 200</a>
<a href="#">Psv-9538</a>
<a href="#">Dsc Lc-104</a>
<a href="#">201571-1</a>
<a href="#">1-66504-0</a>
<a href="#">Ad5000 Tinel-Assy</a>
<a href="#">592.001.018</a>
<a href="#">Sbxtc12h0v35z00</a>
<a href="#">53240-1</a>
<a href="#">Ec-25</a>
<a href="#">V23086c2002a303</a>
<a href="#">775701155</a>
<a href="#">14/677 - Dn 200</a>
<a href="#">Sbxte12h0v38z00</a>
<a href="#">926301021</a>
<a href="#">350782-1</a>
<a href="#">V23054-D29-X1</a>
<a href="#">E90100k01y40l00</a>
<a href="#">58495-1</a>
<a href="#">516.300.411</a>
<a href="#">790- 036 Article No. 000220041008</a>
<a href="#">517.300.001</a>
<a href="#">91523-1</a>
<a href="#">1-201357-1</a>

<a href="#">V23009</a>	
<a href="#">Dpv-1</a>	
<a href="#">5101q</a>	
<a href="#">791b</a>	
<a href="#">517.051.002</a>	
<a href="#">Up-2a/L</a>	
<a href="#">202434-4</a>	
<a href="#">F791a17m</a>	
<a href="#">516.038.003 , By 516.300.411, 517.300.001 And 400.002.007</a>	
<a href="#">1-66103-8</a>	
<a href="#">Lh150d0003</a>	
<a href="#">V23401u1016b110</a>	
<a href="#">0 4930037</a>	SWITCHES 5A/115VAC 8" (DN200) SIEHE ANHANG
<a href="#">7000044436 1/2</a>	
<a href="#">1-200833-1</a>	
<a href="#">66103-3</a>	
<a href="#">1-200835-1</a>	
<a href="#">Ty325, P/N: 77-571-1- 175</a>	
<a href="#">Up-2a/L Mod Sc/V 520/100</a>	
<a href="#">1-66399-0</a>	
<a href="#">F 190 Dn 100 Pn 25</a>	
<a href="#">Ce20-01</a>	
<a href="#">5-1479185-3</a>	
<a href="#">Xa-047d00 ( - By 001-02076)</a>	
<a href="#">Ty325, P/N: 77-571-1 -286</a>	
<a href="#">5-1393302-1</a>	
<a href="#">980049</a>	
<a href="#">400.002.007</a>	
<a href="#">217201</a>	
<a href="#">927845-2</a>	

<a href="#">601 F-M Conventional Flame</a>
<a href="#">926539-1</a>
<a href="#">9300 3x3x1 1/2</a>
<a href="#">5194052801000</a>
<a href="#">Spring For Psv-9538</a>
<a href="#">Kcb250n01w10b00</a>
<a href="#">35346/0</a>
<a href="#">Up-2a/L Mod Sc/V 420/100</a>
<a href="#">66400-3</a>
<a href="#">E90080k07fa1I00</a>
<a href="#">Bfv-N Wfr Ts 250 Psimfd</a>
<a href="#">201786-4</a>
<a href="#">66399-3</a>
<a href="#">Esfr-17</a>
<a href="#">Dsc Pc5108</a>
<a href="#">Pr3935039yu57 (Ex.39yu57)</a>
<a href="#">66105-3</a>
<a href="#">801ap 516.800.918</a>
<a href="#">350550-1</a>
<a href="#">201846-1</a>
<a href="#">E90032k01x40I00</a>
<a href="#">30000qtwdn100pn25</a>
<a href="#">601fm Ir</a>
<a href="#">Fastflex 100sm</a>
<a href="#">557 200 600</a>
<a href="#">1-66400-0</a>
<a href="#">Ty325, P/N: 77-571-1 -360</a>
<a href="#">201089-4</a>
<a href="#">0-1703013-1</a>
<a href="#">91503-1</a>
<a href="#">68nv29 For Pra07001xx0pm00</a>

<a href="#">75285</a>
<a href="#">96497-1</a>
<a href="#">Up-2a/L Mod Sc/V 150/40</a>
<a href="#">Ry610012</a>
<a href="#">Pcf-112d2m</a>
<a href="#">Tv61rw-13-969</a>
<a href="#">Up-2a/L Mod Sc/V 200/67</a>
<a href="#">601fex-M C/W Bases (517.050.610)</a>
<a href="#">828962-1</a>
<a href="#">57-570-1-175</a>
<a href="#">200838-2</a>
<a href="#">Dv-1deluge Valve</a>
<a href="#">Dsc Pc1864</a>
<a href="#">350783-1</a>
<a href="#">516.021.003 , By 516.054.011.Y And 517.050.610</a>
<a href="#">201413-4</a>
<a href="#">Bs 970 080m40</a>
<a href="#">8btv2-Cr</a>
<a href="#">Ad-1319-78</a>
<a href="#">205839-3</a>
<a href="#">Tmcxp 2198</a>
<a href="#">201414-4</a>
<a href="#">B16-34600</a>
<a href="#">Sbxte 12hov 38z00</a>
<a href="#">516.800.509 , By 516.850.053.Pm</a>
<a href="#">42437-5</a>
<a href="#">791n110awd1mn00</a>
<a href="#">1-66105-9</a>
<a href="#">V23086c1001a303</a>

<a href="#">Kit_For_E79e-024</a>	
<a href="#">V23086c2001a303</a>	
<a href="#">2105004-1</a>	
<a href="#">Tvc-Er60-4</a>	
<a href="#">H7hps-4qb4-Xp</a>	
<a href="#">517.050.610</a>	
<a href="#">4-1617063-6</a>	RP16144G2 = 0381-R SEALED RELA
<a href="#">201756</a>	
<a href="#">189721-1</a>	
<a href="#">Ez0b201ad0b Order No:1449508 4-20ma</a> <a href="#">Range:0-90? Item:105</a>	
<a href="#">R111240395</a>	
<a href="#">611h-F</a>	
<a href="#">3-1393292-8(Ex. 4-1393294-6)</a>	
<a href="#">4100-9211</a>	
<a href="#">Ty325, P/N: 77-571-1- 155</a>	
<a href="#">53240-2</a>	
<a href="#">2p3710a100</a>	
<a href="#">B16-34600 6\</a>	
<a href="#">519a000761</a>	
<a href="#">Dsc Pk5501chi</a>	
<a href="#">526301021</a>	
<a href="#">Amp 1/24526/87</a>	