Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ultrafilter

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Ultrafilter Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ultrafilter Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Mf 30/30 Ht/Cr	Filterelement 1100gr
Ff 15/30 Ht/Cr	Filterelement 625 gr
Sb 30/30 - 05 Mic.	Filterelement Porenweite: 5µm 3700g/Stk
Ff 30/30 Ht/Cr	Filterelement 1100gr
P-EG 0012 BSP 1.4301/304	Filter housing Filter housing 1.4301 / 304 Flow rate at 7 bar g nominal: 120 m^3 / h Maximum flow rate at 7 bar g: 180 m^3 / h Connection R / DN: R 1/2 " Housing P-EG made of stainless steel with Threaded connection Built and tested for one Design temperature up to 200 ° C PN 16 (0288: PN 12) Design, manufacture and conformity assessment to Pressure Equipment Directive 2014/68 / EU for fluids from Group 2
P-GS 04/20 - 01 Mic.	Filterelement
UAD S012 230V/50-60Hz	ultra.drain level controlled condensate drain incl. potential-free alarm contact Separation capacity 12 l / h Connection: inlet G 1/2; exit Hose connection Ø 8 mm electr. Connection: 230 V / 50-60 Hz, 10W PS: 0.8-16 bar TS: +1/65 ° C Protection type IP54
061053	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
120632-05	
121504	
125464	
125756	
125864	
220656-05-VE	
220664-01-VE	
224220	
224240	
224264	
224864	
421520	
421632	
CKL 200 SS	
MF 0009	
MF 04/10	
MF 05/20	
MF 05/25	
Model: UAD S012	
P-BE 0144	
P-GS 30/30	
P-SRF 05/25	
P-SRF 10/30	
P-SRF 15/30	
421256 Filter FF 0048 Standard BSP	Filter complete consists of: - Filter housing AG 0048 BSP - Filter element FF 07/30

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	- Energy monitor - Float condensate drain Flow rate at 7 bar g nominal: 480 m³/h Flow rate at 7 bar g maximum: 720 m³/h Connection R/DN: R 1 1/2" blue polyester resin coating Built and tested for one operating temperature up to 65°C (design temperature: 120°C) at PN 16 Design, manufacture and conformity assessment to Pressure Equipment Directive 2014/68/EU for fluids group 2
593040 Adsorption dryer ALD 0225 Standard	ultra.pure ALD - High performance adsorption dryer incl. ultra.drain, pre- and post-filter Flow rate at 7 bar: ü m3/h nominal: 225 Connection R/DN: 11/2" in closed construction, including front and post filter.
120080-01	Filter element PE 20/30 - 1 Mic
120080-05	Filter element PE 20/30 - 5 Mic
120080-25	Filter element PE 20/30 - 25 Mic
Adsorptionstrockner UDC 0076	ultra.dry compact closed construction, with pre- and integrated post-filter complete with electrical control Threaded connection R 3/4" Minimum operating pressure 4 bar (g) Maximum operating pressure 16 bar (g) electrical Connection: 24 V DC / 110 V AC / 230 V AC, 50/60 Hz
Servicekit A UDC 0076	Service kit after 12,000 hours (approx. 1 year) Desiccant cartridge Pre-filter element MF O-rings and seals reset disc Instructions
Servicekit B UDC 0076	Service Kit B after 24,000 hours (approx. 2-3 years) Desiccant cartridge Pre-filter element MF O-rings and seals reset disc Membrane outlet valve

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Solenoid exhaust valve Exit shuttle O-rings and seals Instructions Exhaust valve electromagnets
421506	Filter MF 0004 Standard BSP Filter complete consists of: - Filter housing AG 0004 BSP - Filter element MF 03/05 - Energy monitor - Float steam trap Flow rate at 7 bar g nominal: 40 m^3/h Flow rate at 7 bar g maximum: 60m^3/h Connection R/DN: R 3/8" blue polyester resin coating Built and tested for an operating temperature up to 65°C (design temperature: 120°C) at PN 16
420006	Filter PE 0004 Standard BSP Filter complete consists of: - Filter housing AG 0004 BSP - Filter element PE 03/05 - 25 Mic. - Energy monitor - Float steam trap Flow rate at 7 bar g nominal: 40 m^3/h Flow rate at 7 bar g maximum: 60 m^3/h Connection R/DN: R 3/8" blue polyester resin coating Built and tested for an operating temperature up to 65°C (design temperature: 120 °C) at PN 16 Design, manufacture and conformity assessment according to Pressure Equipment Directive 2014/68/EU for fluids of group 2
320008	Adsorption dryer UDC 0010 Adsorption dryer ultra. dry compact
M0120	
Filterelement P-Gs 30/30 - 01	
M0035	
S0035	
125756 Filterelement Smfp 07/30	
P0035	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
07pp02020nna	
Mf8/3-020404	
Mfp-10/30	
10/30	
05/25	
Uad S012 230v/50-60hz	ultra.drain level-controlled steam trap incl. potential-free alarm contact Separation capacity 12 l / h Connection: entrance G 1/2; Outlet hose connection Ø 8 mm elec. Connection: 230 V / 50-60 Hz, 10W PS: 0.8-16 bar TS: +1/65 ° C Protection type IP54
1.4404/316l	
P-Srf 05/25 Filterelement	
S0120	
Ag0012	
P0120	
Mf-05/25	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.