

Vaf Instruments

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Vaf Instruments Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Vaf Instruments T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Flowmeter, Type J 5040-E	(replacement for B 5040) Serial-No.: please advise !!!
Flowmeter, Type J 5040 PT	Temperature: max. 120 ¼C Flow direction: left to right Flow range: 25 - 250 liters/min. Pulser: Reed Pulse output: please advise! Connection: DN 40 Flange rating: PN 16 (DIN)
0279-0112	(replacement for P/N 0379-0148)
Housing, Dn 65	
Control Valve, Dn 40	
0279-0096	Sensor, compl. mounted with Cable, O-Ring, Screws and Flowtube
0442-0062	
0279-0112	
Vs 2	
605553	

[0379-0106 Obsolete, Replaced By P/N
0279-0112](#)

[070110 M](#)

[V52 Viscopak System Obsolete, No
Replacement](#)

[Vaf0279-0090 Obsolete, Replacement
0279-0096](#)

[P/N 0279-0112](#)

[7-Digit](#)

[Cm30](#)

[Vaf - Flow Meter Typ: J - 5100](#)

[Type J 5040-Pt](#)

[0379-0148 Replaced By P/N 0279-0112](#)

[P/N 0379-0148 Obsolete/Replacement
P/N 0279-0112](#)

[B5025](#)

[J 3040](#)

[Vaf 0379-0115 , By Vs3](#)

[J 5025-Pt](#)

[Viscosense Viscosity Control System](#)

[Flowtube Compl. With Srews](#)

[Obsolete V92 Replaced By Viscosity
Control System](#)

[Control Valve, Dn 25](#)

[Viscosity Control System](#)

[0442-0322 - Obsolete, Replaced By
Flowtube Compl. With Srews](#)

[J 5025](#)

[J3015n](#)

[P/N 0390-1219](#)

[Viscosense Unit, Type Vs3](#)

[P/N 0390-1220](#)

[J - 5025 E](#)

15040b130c12-1200000	
73267/Type Evt 20 Obsolete, Replaced By 0279-0096	
Type VS3	ViscoSense Unit, Type VS3 (replacement for VS2) cons. of: 1 Sensor, P/N 0279-0096 Range 0-25 cSt. 1 Interface-Box, P/N 0279-0112 1 Mounting Bracket.
Controller, (0-50 Mpa.S)	
E202	
J1010n	