Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Vaisala

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Vaisala Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Vaisala Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
WSP150	Vaisala Surge Protector no Connectors A compact transient over-voltage suppressor designed for outdoor use. It can provide over-voltage protection for 2 power supply lines and RS-422, RS-485, RS-232 serial communication or 2 mA loop lines. It can be used with WXT530 series, WXT520 and WXT510, WMT700 (non-heated), WA15 Wind Set, WM30 Wind Set, DSC211, and DST111. Also other instruments can be protected if the current consumption is less than 1.5A. Install WSP150 close to the protected instrument (maximum 3 m). Vaisala recommends using surge protectors if: • Your weather instruments are installed in areas with an elevated risk of lightning strike, such as on top of high buildings or masts, or in open areas • Your cable length exceeds 10 m • You have unshielded, open-wire lines
WXTPTUSP	WXTPTU-Module Spare Part PTU-Module Spare Part for the WXT530 series. Compatible with WXT520 and WXT510
WXT530	6U1B2A3D2B1B Weather Transmitter WXT530 Series Vaisala WXT530 Series is a unique series of all-in-one weather instruments that provides 6 of the most important weather parameters: barometric pressure, temperature, relative humidity, rainfall, wind speed and direction. With 6 models available, you can choose measurement parameter combinations to fit your application. Key features include: • Proven sensor technologies used by leading meteorological agencies. • Ultrasonic WINDCAP® wind sensor has no moving parts and provides accurate wind speed and direction measurement. • Acoustic RAINCAP® sensor operates without flooding, clogging, wetting, and evaporation losses and provide maintenancefree operation.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	• Combined PTU module (barometric pressure BAROCAP®, temperature, and humidity HUMICAP® measurements) uses capacitive measurement for each parameter. • Compliance with marine standard IEC60945 and DNV GL approved. • Very low power consumption (typical 3.5mA at 12 VDC) is ideal for battery and solar panel powered system. • Compact design, light-weight, single cabling for all measurements and secure one bolt mounting make installation and deployment easy and fast.
DMT143	G1G1A1A4A0ASX Miniature Dew Point Transmitter Structural Elements DMT143 1 EA Digital Output RS-485 1 EA Analog signal output 4...20mA,0 V error state 1 EA Analog output scaling -80...+20 C Td 1 EA Alarm LED setpoint off 1 EA Process gas air 1 EA 1 bar (abs) Pressure Setting for Optimized Accuracy 1 EA Cable 5.0 m (16.4 ft) with Open Leads 1 EA Standard sintered filter 1 EA No Accessories 1 EA Standard package for DMT143 1 EA Vaisala identity 1 EA Multilingual guide 1 EA
WXT530 4C1B1A2D1B1A	Weather Transmitter WXT530 Series WXT534 Measurement Parameters: Pressure, Temperature, Relative Humidity 1 EA RS-485 Standard ASCII Polled,19200 baud,8,N,1 1 EA 8-pin M12 Male Connector (Bushing and Grounding Accessories Included) 1 EA Standard User Profile 1 EA Shielded 2m Cable, 8-pin M12 Connector in One End 1 EA Mounting Kit and Bird Kit 1 EA WXT User Guide English WXT530 Series 1 EA WXT530 Series Standard Packing 1 EA
DMT340	8W0C1A1XEA1A001A1AAB0A0 Sensor for low dew point DMT348 for pressures up to 40 bar 1 EA HMP308 probe (max. Installation depth 149 mm) with 5 m FEP cable 1 EA Td / f, ppm, x, a, rF, T, Td, Td / f atm, Td atm, aNTP 1 EA

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Display cover 1 EA Standard (24 VDC) 1 EA Analog output output 4 ... 20 mA 1 IO Special scaling Define parameters and scale! 1 EA Channel 2 T (0 ... + 80 ° C) 1 EA Pressure setting 1 bar for max.accuracy 1 EA Metric units 1 EA General application sensor Vaisala DRYCAP®180M 1 EA Stainless steel sintered filter 1 EA Fit body R 1/2 "ISO with drain plug 1 EA Operating instructions DMT340 English 1 EA ISO9001 compliant factory calibration, traceable on NIST 1 EA
WXT530	6D1B2A3A1A1B Weather Transmitter WXT530 Series WXT536 Measurement Parameters: Wind, 1 EA Rain, Pressure, Temp., Relative Humidity RS-485 Standard ASCII Polled,9600 baud,8,N,1 1 EA 8-pin M12 Male Connector (Bushing and Grounding 1 EA Accessories Included) Sensor Heating 1 EA Standard User Profile 1 EA Shielded 10m Cable, 8-pin M12 Connector in One End 1 EA WXT530 Series Standard Packing 1 EA Factory Test Reports WXT530 1 EA
WSP150	Vaisala Surge Protector no Connectors
WXT530	
WXT530 Series Standard Packing	
No Analog Inputs/Outputs WXT530	8-pin M12 Male Connector (Bushing and Groundins Accessories Included) - 1 Each Sensor Heatins 1 Each Standard User Profile - 1 Each Shielded 10m Cable, 8-pin M12 Connector in One End - 1 Each
R73000350	DSP111 SURFACE PATROL WITH DISPLAY AND DIGITAL OPTION
HM46PROBE	Humidity and Temperature Probe

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	---- The HM46PROBE is a long stainless steel probe for the HM40 Humidity and Temperature Meter. It is an ideal tool for measurement requiring a robust probe structure or in elevated temperatures
M170	
CLB311-230SP	Measuring window fan, 230 VAC, spare part
QML201C	
WMT700	
HMP155	
PTB330	
CMP6	
RG13H	
WID511	
WID512	
DATA LOGGER AND ACCESSORIES PROTECTION PANEL	
MI70 Handheld Measurement Indicator	
R0140442	
Refractometer K-Patents:	sensor SAFE-DRIVE PR-23-SD, range 1,3200-1,5300 nD, indicator DTR-M-GP-AC 220 V (DIM-417)
MMT330	Moisture in Oil and Temperature Transmitter with Remote Probes 7T0F141QQQD113B32DKBDA1 COO: FI MMT337 with small probe for pressure up to 10 bar 1 Each HMP307 Probe with 5m Cable (+180°C) 1 Each aw+T+ppm for Mineral Transformer Oil 1 Each Display Cover 1 Each Power Supply Module with EUR-Power Cord 1 Each Analog Output 4...20mA 1 Each Channel 1 ppm 0..100 1 Each Channel 2 ppm 0..100 1 Each Channel 3 ppm 0..100 1 Each Temperature Range -40...+120C 1 Each Metric Units 1 Each

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Relay Module 1 Each Analog Output Module 1 Each Conduit fitting NPT1/2 1 Each Outdoor Installation kit (Weather shield) 1 Each HUMICAP180L2 Sensor, Chemically Resistant 1 Each Stainless Steel Filter HM47453 1 Each Swagelok for 12mm Probe 1/2" NPT Thread 1 Each User´s Guide MMT330 1 Each USB Service Cable, RJ45 1 Each ISO9001 Compliant Factory Calibration. No Calibration Contract 1 Each
MMT3307T0F141QQQD110B32DKBDA1	
HMD62	RH+T Duct Transmitter, ±1.5 %RH, 4...20 mA COO: FI
A1730098	PMT16C
4418-19	Relative humidity transmitter version without heated probe and without additional temperature probe type HMT337 scale 0 ÷ 100% RH mod. HMT330
WD30	VAISALA WD30 WIND DIGITAL METER FOR ULTRASONIC WIND SENSOR
PTU300	Pressure, Humidity and Temperature Transmitter 12A01C1CBPB1A0A1A1B0B0A Baro-1 module, class B, 500 ... 1100 hPa HMP301 wall mount probe screen cover Internal AC power supply (110...240 VAC) Analog output 4...20mA Channel 1 T (-40...+60°C) Channel 2: RH 0 ... 100% RH Channel 3 P (500...1100 hPa) Metric units Cable gland M20 x 1.5 Hose barb for 1/8" hose HUMICAP180, Universal Filter: PPS grid with stainless steel mesh Operating Instructions PTU300 ISO9001 factory calibration
RH+T Duct BACnet/Modbus Transmitte	±1.5 %RH HMD65
RH+T Duct Transmitter	±1.5 %RH, 4...20 mA HMD62
HMP110	Humidity and temperature sensor, ±1.5 %RH

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	C15B0C3B0 COO:FI Structural Elements 1.00 EA 0 ... 5 V Output 1.00 EA Channel 1 RH (0...100%) 1.00 EA Channel 2 T -40...+80 °C (-40...+176 °F) 1.00 EA Plastic Grid 1.00 EA No Accessories 1.00 EA Humicap180R Sensor 1.00 EA Shielded Cable, 3.0m, 4-pin M8 Female Straight 1.00 EA Multilingual Quick Guide HMP60 HMP110 1.00 EA No Converter 1.00 EA
HMT360 8 A 2 2 B C J 1 B 3 K L 5 A 1 E	
HMT120	Humidity and Temperature Transmitter, 4...20 mA Humidity and Temperature, HMP110 Stainless Steel Probe 5 m Cable for Remote Probe No Display Output 4...20mA, 2-wire loop-powered Channel 1 RH 0...100%RH Temperature Range T -40...+80 °C (- 40...+176°F) Metric Units Plastic Grid with PTFE filter for Steel Probe Rain Shield with Installation Kit (215109) Duct Installation Kit (215619) Cable Gland for 2...6 mm Diameter Cable Multilingual Manual
CONVERTISSEUR MESURE	
BRIXMETRE	PR23 AP-62- BSS GP AA
RH + T Wall mount Transmitter, Transmitter±3 %RH, 4...20 mA, IP65 HMW88	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
HMP110 V00B0C1A0	
DTR502B	Protective cover with mounting kit
HMT337	TEMPERATURE AND HUMUDITY SENSOR-M3820199
LiCl Salt (11 %RH) for One Chamber 19729HM	
PRESSURE SENSOR PMT 16C (P/N: PMT 16C)	LEVEL DATIC 100S CABINET (300996)
Moisture in Oil and Temperature Probe MMPX 8B1A1A0A0A0	
Transmitter INDIGO300 A0C14N1AFM2N0V1	
HPM155	
WA15	
HMW88	RH+T Wall mount transmitter, 4...20 mA, IP65
INDIGO80	handheld display Rechargeable with Euro power adapter Magnetic hanger for attaching of the Indigo80 handheld display unit Metal surfaces Weatherproof equipment case Case color: grey
HMP80	Portable humidity sensor N1A1S0 Probe (106 mm) with HUMICAP R2C Sensor M12-M12 Probe Connection Cable Sintered stainless steel filters Standard factory calibration
DMP80	Handheld dew point probe BG1A3AS0 Probe with range [-70 ... +60 °C Td], DRYCAP®180M sensor ISO G1/2" M12-M12 probe connection cable Sintered stainless steel filter (HM47280) Sampling cell with Swagelok Fittings for 1/4" pipes (DMT242SC2) Standard factory calibration

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
HUMICAPR2	Humicap180R2 Spare Part, 10pcs
HMT317	
INDIGO MMP8 PROBE	
INDIGO 300 TRANSMITTER	
Mil-C-26482 For Wav151	
Asm210719sp	
Waa151	
Hmk15b2220b11b	
Hmd110-2c1a1nn	
Wxt530 6c1b2a3d2b1b	
226068	
Hmp3605j5a1a2	
HMD62	RF and T sensors for Channel assembly Accuracy ±1.5% RH
Dmt143 G1c1a1b3a1asx	
Gmp222	
Mmt330 8w0f145qcal100a02dmbaa1	
Wxt530 6a1a1a1a1a1b	
Pdt102-P2v	
Hmt330 5m0b121xcax100a11aabaa1	
Barometer Cs106	
Humicap180l2	
Hmt360 4d22hhk1a2be5a3k	
Hm70f4a1a0db	
Hmp3605j5a3a2	
Clb311-230sp	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hm42	
Dmt340 8v0a0a1dxa1a001a1aab0a0 (Dmt348)	
Gmp222 Carbon Dioxide Probe Only (Ppm) For Gmt220 Series Transmitters	
Gmm222	
Mil-C-26482 10 Wire Cable	Für das Viasala Senor modell WAA151: Die angegebene buchse oder mit 20m mit kabel
Dmt 142c3 - (By Dmt143)	
Gmm222 E0n0a4b2a1b Co2 Module	
Hm70 B0b1a0ab	
3a5a1bcx14bbaa1b2	
Aqt420 (10 Pcs)	
Order No:Mmt330 8w0f145qcal100a02dmbaa1 S/ N:F0520209	
Wxt530 2c1b2a3d1b1b	
Gmp222 (B0n0 Co2 Probe)	
Dct52	
Mmt330 8v0f101cqae100a02dnbaa1	
Hm70 (B1b1a0aa)	
Hmt330 1a0a101bcab100a01cabaa1	
Dmt242sc	
1434wa	
Hmt 334	
Vl-1000	
Hmp233 A2e2a2ee 12b 1 A 3b	
Wxt520 Aad1be31b0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmp46	
Mil-C-26482 6 Wire Cable	Für das Viasala Senor modell WAA151: Die angegebene Buchse oder 20m mit kabel
Aws310	
Hmt331 180a131bcak161b5acabea1	
Hmt330 3e0a001bcab200a0caabaa1	
Rs92dl, No	
Wmt700ba1a0a3e3b1b2	
23028a/74	
Hmw82	
Wxt520	
Hmt360 1d22bce1a2ba5a10	
Hmt330 3e0a001bcac100a01aabaa1	
Hmw60y	
D2540119/D2540118	
Mmt330 2d0f121cqqc123a32dabaa1	
Hmp3608m1a3n2	
Fs11 (More Info Needed)	
Clt311 Obsolete/Replacement Clt321 (Clt321sp - Sp Spare Part)	
Wsp152	
Dmt143-G1g1a1a4a0asx	
Mmt338	
Aqt420	
Dmt142 , Dmt143	
Ptb210	
Hmp155a-L	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Ptb110	
Hmm22dcb	
Hmp-50c Temp Amp;Rh	
Dmt3405l0b1a111a1a001a2a0a0	
Hmt120 (Kc0a1f12a2a0z)	
Humicap 335	
Gmp222g0n0	
Hmt120 (Ka1a1b12a1a0z)	
Wxt530 6c4b1a2b2b1b	
Hmt315	
Hmp364	
Ptb330b	
Hmw93 Exproof 20 100 % Rh	
Hmt338	
Hmt130	
Hmp3604e5a3k	
Hmp110c15a0c3a0	
Hmt330	
Wxt1536	
Ptb330 B0achaaceb0a0b	
Dmt143 N1c1b1a3a0asx	
Hmw93 Exproof 0 - 50 ;C	
Hm70d0a1a0de	
Dmt340	
Wxt520-Aab1bc10b0	
Hmt330 3g0b001xcag100a0aaccaa1	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmw92d	
Mil-C-26482 For Waa151	
Dtr13	
Hmt120 Kc1a1b13a6d0z	
Hmp 363	
Hmt330 1a0a101bcab100a11aabaa1	
Hmt3307s1d121dcbx203a0daqbaa1	
Hmp360-Ex	
Hmt360	
Ctt21	
Ptb330	
8v0f021cpql110c12e3bba1	
Y4520066 // Pmt16c Obsolete/No Replacement	
Hmp360	
Dmt143 Housing Aw24 - 1/2 Quot; Thread	
Hmt330/ 8x0b101bcad100a0adngaa1	
Dmt143 G1c1b1a3a0asx	
Hmp228 Obsolete/Replacement Mmt330	
Wac155cb	
15778hm	
Hmp155a	
Dtr503a	
Hmp233-C2e7a2aa26x1c3b	
8-Pin Male M12 Connector For Hmp 155	
Rs92	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmt331 180a131bcak161b5acaaaa1	
Dmt344	
Hmt 120y-3m	
Hmt335 Replacement	
Wa15d7b	
Qml201c	
Dmt152a1cbb10a010a1a	
Hm70b4a1a1db	
8v0f121cpql143c12e3bba1	
Drd 11a Rain Detector	
Hmd70y	
222109	
Drd11l	
Hmt120 Ka1a1b12a1z0z Feuchte- Und Temperatur Mit Integrierter Sonde (Raumfuhler) Hmt120 Mit Lc-Displ	
Mmt310f5a5ctd10a52e1g2	
Hmt 360 (363) 0 -60;C - 1+1 Supply / Exhaust	
Ew-99790-02	
Hmp155 A4jc11a0a0a1a0a	
Gmt222	
Gmt222g0a1b0nxa0a	
Hmt337 Hmt330	
Hmt330 3g0a001bcax100a0acabaa1	
Dmt143-G1c1a1a4a0asx	
Rs41	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Dmt143	
Hmt120 Ka1a1b12a1z0z Feuchte- Und Temperatur Mit Integrierter Sonde (Raumfuhler) Hmt120 Keine Lc-Dis	
Cvim-Conni Pv11.11	
Hmt331	
Wxt530 Incomplete/Please Provide Complete Order Code	
21226b/74	
Dmt142	
Drw010281sp	
Hmt100 Code:A01c102a2a1ab00	
Power-1	
HMT310	5B5A1BCX14BJAA1A2 HMT315 for high temperatures up to 180 °C Code rF and T and Td and a and Tw and x and h and pws Standard mounting plate Standard (24 VDC) Analog output 4...20 mA Channel 1: rF 0 ... 100 % RH Channel 2: T (range see below) Special temperature range: 0...150 °C Metric units 8-pin connector with 5 m cable User manual, English Probe with 5 m cable, probe length (240 mm), max. 180 °C Multipurpose (recommended) PPS plastic grid and stainless steel mesh With calibration certificate (calibration at ambient temperature)
2000-20r	
3a5a1bcx14gbaa1b2	
Hmt330 1a0a121bcab100a0aaabaa1	
Mi70usadapter+26755	
Dmt152	
Gm45237sp (Schutzhulse Fur Gmp222)	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmt120kb1a1e12aoe	
Drd11a	
Hmp110 V00c2c1a0	
G1ga1a4a0asx	
212792	
Dmt3404joboc1dka2a002dia3boao	
Ct2614	
Hmt330 3e0b101xcax100a0aaacaa1	
Hmt3307s0c021xxaa200f0eaabaa1	
Wxt-520 Obsolete/Replacement Wxt-530	
Hmt330 5n0b001gcaf100a01cgbaa1	
219687	
Hmd60y 4...20 Ma Outputs, Duct Model Humicapã174; Humidity Amp; Temperature Transmitter	
Pdt101	
Hmp110	
Clt321sp	
Dmt3408w0b1b1bea1a111a1abb0a0	
Ptb330 A0achaaceb0a0b	
Wm30 C1ba	
Mm70 Hand-Held Moisture Meter For Transformer Oil	
Hmt120 Kb1a1b12a1z0z Feuchte- Und Temperatur 3 M Sondenkabel Hmt120 Mit Lc-Display 4...20 Ma, 2-Leit	
Hmt330 4h0b001bcak100a0acebaa1	
8v0f121cpql140c12e3bba1	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmt310 5a5a1bcx14bjaa1a2	
Dmt242a	
Hmt120 Td0axa11a2a0z	
Wxt520 Obsolete/Replaced By Wxt530	
Hmt120-Ka1a1b11a1a0z	
Hmi 36 Is	
220614	
Hmt 360 (363) 0 ? 100%rh	
Rws200	
Dmt340 8v0b0a1xxa4a001b1aab0a0	
Wxt536	
212793	
16923wa	
16644wa	
Ptu300	
Hmt330 3f0a001bcag120a01aabaa1	
Hmp155e1aa1a0b2a1b0a	
Dps52	
Hmw40y	
1433wa	
Hm70b4e1a0bb	
Hmp155 A2gb13a0a2a1a0a	
Hmp235 ? E2a1a1aa32a1a3b Obsolete!! Replaced By Hmt335	
Hmt310 3a5a 1bcx 14bbaa 1b2	
Hmt3301a0b131ecab200b0aaabaa1	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Hmt330 7s1d001gxcx103a0daabaa1	
Hmt3307t2d111xhaa100a2ecpbea1	
Dmt340 6r0k1a111a1a001e2d6k0c0	
Hmd60/70	
Wxtptusp	
DMT143G1C1A1A3A0ASX	
INDIGO520 A2N3A1AAAN	
HMPX 5D1B0A0A0F0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.