

## Vmeca



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Vmeca** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Vmeca T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">Vc202p</a>	vacuum injector Mini Cartridge "VC202 Series" with stopper Max. Vacuum (-kPa): 90 Max. Suction power (NI / m): 41 Compressed air consumption (NI / m): 17 ~ 32 Working temperature: -20 ° C ~ 80 ° C
<a href="#">VBF25PU-14F</a>	Flat bellows suction cups with 1 1/2 folds Ø 25 mm Material = polyurethane (PU) Color = orange Fitting = 1/4 "female
<a href="#">L1815 Compensators</a>	
<a href="#">VBU55 Vakum Ped</a>	
<a href="#">01.T.03.001</a>	
<a href="#">01.T.03.001.164919</a>	
<a href="#">129227</a>	
<a href="#">FCF70-BJ03-PU-L30S-18F</a>	
<a href="#">FCF70-BJ-PUL30S- 18F</a>	
<a href="#">GM130X600-L4</a>	
<a href="#">L515T</a>	
<a href="#">MC20BX-N2B40FP48W 3D( FDA)</a>	
<a href="#">MC20BX-N2B40F-P48W 5D</a>	

<a href="#">MC25CP- N1B40F</a>	
<a href="#">P48-WS5</a>	
<a href="#">VB17</a>	
<a href="#">VC202</a>	
<a href="#">VD50N-18F</a>	
<a href="#">VDF100-PU-18F</a>	
<a href="#">VF20N</a>	
<a href="#">Vmeca 3032</a>	
<a href="#">Vou 15x45</a>	
<a href="#">VTC3031-2</a>	
<a href="#">VTC3032-2</a>	
<a href="#">VTC3134-2</a>	
<a href="#">VTFE341</a>	
<a href="#">VTFE40</a>	
<a href="#">VTM10-B</a>	
<a href="#">VTM30-B</a>	
<a href="#">VU20-S</a>	
<a href="#">VU50S-14M</a>	
<a href="#">VTX30-B</a>	Mini Pump "X-series" Max Vacuum (-kPa): 92 Max. suction power (NI/m): 185 Compressed air consumption (NI/m): 129.6 ~ 144 Noise Level (dBA): 60~68 Working Temperature: -20°C~80°C Air connection: A G 1/8" Vacuum connection: V 3/8" Country of origin: Korea Customs Tariff No.: 84141089
<a href="#">G80X150-MC2-ES</a>	V-GRIP System Dimensions = 80mm X 150mm foam (EPDM), round suction openings Max. Vacuum (-kPa): 75 Max. suction power (NI/m): 724 Air consumption (NI/m): 208 MC2 = 2X two-stage ejector ES = standard, fixed check valve close distance
<a href="#">VTF38-IN</a>	In line vacuum filter G 3/8" connection
<a href="#">VFC75PU-1 838MF</a>	Flat suction cups curved Ø 75 mm Material = Polyurethane (PU) Color = orange Fitting = 1/8" male Fitting = 3/8" female
<a href="#">VFC60PU-1 838MF</a>	Flat suction cups curved diameter 60 mm Material = Polyurethane (PU) Color = orange Fitting = 1/8" male Fitting = 3/8" female Country of origin: Korea Customs Tariff No.: 401699
	Turtle Pump "Midi VTC Series" 1X three-stage ejector with suction valve, blow-off valve integrated filter(PE) and double

<a href="#">VTC3031-2</a>	silencer Max Vacuum (-kPa): 92 Max. suction power (NI/m): 341 Compressed air consumption (NI/m): 97 ~ 152 Noise Level (dBA): 50~60 Working Temperature: -20°C~80°C
<a href="#">VF110N-12F</a>	flat suction cup Ø 110 mm Material = Nitrile (NBR) Color = Black Aluminum fitting = 1/2" female without a mesh filter
<a href="#">vbf25p(0)</a>	
<a href="#">GMT VAKUM VALF ; VMS14M-3-3 ; V-MEGA</a>	
<a href="#">VALF ; GMT VAKUM VALF ; MS18M-3-3 ; V-MEGA</a>	
<a href="#">GMT VAKUM FİLTR VTFE502 V-MEGA</a>	
<a href="#">VC202 X3 mini vacuum cartridge</a>	
<a href="#">Vmeca kps-6</a>	
<a href="#">VTF38-1</a>	Turtle Vacuum Filter, G 3/8" connection, 35 cm <sup>3</sup> with paper filter element, volume 35 cm <sup>3</sup>
<a href="#">VF30N</a>	Flat suction cups Ø 30 mm Material = Nitrile (NBR) Color = Black
<a href="#">20 414803</a>	
<a href="#">Vms 18d-3 Vacuum Release Valve (Electrovalve)</a>	
<a href="#">Vq203s-38f-S-A3</a>	
<a href="#">Vf110n Flachsauger</a>	
<a href="#">L1230</a>	
<a href="#">G130x220-L4-BI15s</a>	
<a href="#">20 600901</a>	
<a href="#">Vs100-E-12f</a>	
<a href="#">Vtfe342</a>	
<a href="#">Vdf40xx</a>	
<a href="#">G16x60-C202-B</a>	
<a href="#">Vms 38-3 Vms 38 Control Valves</a>	
<a href="#">G80x150-Mc2-Es</a>	V-GRIP System V-Grip System, 2-Cartridge, 80 x 150 mm Standard, Fixed Check valve, Narrow Spacing customs tarif: 84141089 country of origin: Korea
<a href="#">Vtfe501</a>	
<a href="#">G130x600-L8-Es</a>	

<a href="#">L1250T</a>	Spring plunger/level compensator Suspension travel = 50 mm Fitting = 1/2"
<a href="#">U45-S3</a>	
<a href="#">Vb 10 Vacuum Pump</a>	
<a href="#">Vtf38-1</a>	
<a href="#">Vkm74-S1-W33-G</a>	
<a href="#">Vkx74-S1-A33-8</a>	
<a href="#">Vms14-M-As</a>	
<a href="#">20 600901 Smart Cup</a>	
<a href="#">Vms 18d-3</a>	
<a href="#">Vtc3134-2-Asv-A3r3-DI-Sg3-V</a>	
<a href="#">Kps-2s Sauger Grosse Å216;28 Material = Sil</a>	
<a href="#">Vms14d-3-1</a>	
<a href="#">G80x200-Mc2-Es</a>	
<a href="#">Vc303s-N</a>	
<a href="#">Vtm25-1434-A</a>	
<a href="#">Vtrf 15-3-Al</a>	
<a href="#">Vtfx-96 Filter Cover / 13c301</a>	
<a href="#">Vtfe27.5-39096</a>	
<a href="#">Stopper A For B2.5/20 Series And X Type Sealing Lip</a>	
<a href="#">B2.5/20-U25-S-B-18m</a>	
<a href="#">Vc303p</a>	
<a href="#">Vbl20n</a>	
<a href="#">Vtf01-118</a>	
<a href="#">Art. Nr. Vtf12-96</a>	
<a href="#">Stopper B 40</a>	
<a href="#">20 104810</a>	
<a href="#">Vbf25pu-18f Flach-Balgsauger Mit 1 1/2 Falten</a>	
<a href="#">Vbl40n</a>	

<a href="#">Nf 40-12-9p-18f</a>
<a href="#">Vs100e</a>
<a href="#">Vb 10</a>
<a href="#">U25</a>
<a href="#">Vf110n</a>
<a href="#">Vtf38-In</a>
<a href="#">Vts10</a>
<a href="#">Vtf34-1</a>
<a href="#">Kps-3s</a>
<a href="#">Vtc3134-2-A3r3-Sg2p</a>
<a href="#">Ms 20 B</a>
<a href="#">Vb40n</a>
<a href="#">Kps-2s Sauger Grosse Ø28 Material = Sil</a>
<a href="#">U30-S</a>
<a href="#">Vtfe 502</a>
<a href="#">Vtm50l-1434-A</a>
<a href="#">B1.5/20</a>
<a href="#">Bs 245 01.T.03.004.152426</a>
<a href="#">Vtg ? 18</a>
<a href="#">Vtc3032-2-A3r3-CI-Sg2</a>
<a href="#">Vbx55-Pu-14m</a>
<a href="#">01.T.03.002. 108707</a>
<a href="#">3500031103</a>
<a href="#">Wf12a</a>
<a href="#">Vms18-3-1</a>
<a href="#">Vsmr203-F</a>
<a href="#">U45-S5</a>
<a href="#">Vb50-Pu-14m-Ev</a>
<a href="#">Vms18d-3-1</a>
<a href="#">L1250t Ausgleichhalter</a>

<a href="#">Vbf25pu-18f</a> <a href="#">20 102000</a>	
<a href="#">Vtx5-C-V</a>	
<a href="#">Stopper D 20series</a>	
<a href="#">Vms 38-3</a>	
<a href="#">Vtc 3031-2-As</a>	
<a href="#">VTFE47.4-6 2118</a>	Polyester filter element (20 micron) for VTF01-118 and VTF02-118
<a href="#">20 104820</a>	
<a href="#">Vtf12-96</a>	