Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Vogelsang

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Vogelsang Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Vogelsang Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Vogelsang Vx186q Getriebekörper Poser 1	VX186Q/QD-ALL PGP.A019.T3
Vx186 Qd Pos 23 Lagerrollenlager	POS.23 PGP.A018.T1 VX186Q/QD-ALL
Vx186qd Pos41 Wear Plate 5.7	POS.41 PFL.A017.T2 VX186Q/QD-ALL
Vx186qd Gehäuse Pos.81	PRS0789 VX186QD-ALL
Vx186 / 136qd Vordere Lagerabdeckung Pos.86	PGP.A037 VX186Q/QD-184/260/368/520
Vx186qd Pos92 Innenring	POS.92 NIR.021 VX186Q/QD-184/260/368/520
Vx186qd Pos91 Lob Detection Cover	PRS0766 VX186Q/QD-184/260/368/520
Vx136q-105 Motorwelle-Kurz	POS.30 PWQ.106.N1
Vx136q-105 Motorwelle Lang	POS.31 PWQ.102.N1
Vx136q-105 Motorwelle Lang Vx186qd Pos. 87	DICHTUNG 72X4,1X0,8 NSR.037 VX186Q/QD-184/260/368/520
0223.5470-Stator Painted Cc77-M1 Nbr	
0223-5483 Rotor Machined Part Cc77-M1	1.2436 VACCUM-HARDENED SOLİD ROTOR

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

0220.0642 Cartridge Mechanical	SEAL SİNGLE VX136 CC-PUMP STEEL DURONİT HNBR-
0221.0269- Lobe Replacement Kit,	, 4-Wings HiFlo, EPDM-AL - Lobe
A500274- Stator Painted Cc66-M1 Nbr	
0220.1919- Rotor Machined Part Cc66-M1 1.2436	Vacuum-Hardened Solid Rotor
0220.0633- Cartridge Mechanical Seal Single Vx136	1.4571 SiC HNBR HNBR
0220.0251	
0220.0479	
0221.0051 VX136-70Q	
0221.0318	
136-210/LOB 4W.H.N	
18001146 VX136-70Q	
A-VX210Q	
A-VX230-452QD	
A-VX368Q	
CC55-M1 1.2436	
DAD.D003	
DFD.353.P	
DOR.055	
DOR.057	
MODEL VX136-140Q/SS.N.M	
NPF.013	
NSI.039	
NSI0070	
NSK0006	
NST.030	
P/N: 54 for VX136-210O MO H2 SERI NO: BJD31180063	
P/N:5 for VX136-210O MO H2 SERI NO: BJD31180063	
P/N:79 for VX136-210O MO H2 SERI NO: BJD31180063	

PBT0168	
PFL.D004.E	
PFL.D005.E	
PGP.D023.E.TF	
PKD.D112.TL	
PKD.D112.TR	
Q136	
SET.VGS . 001	
VOGELSANG VX186QD LOB 130L	
VOGELSANG VX186QD LOB 184R	
VOGELSANGVX105 QD LOB 105R	
VX136-210O	
VX136-70Q/MNT.KIT	
VX136QD-210 POS41	
VX186	
VX186/130Q	
VX186Q/QD POS.11	
VX186Q/QD-260	
VX186QD POS41	
VX186QD POS63	
WX 186 MIL BRAS	
VXK0001795	VX136-105Q Pump connection left: Pump connection Swan neck DN 150 EN 1092-1/11 PN 16 Pump connection on the right: Pump connection Swan neck DN 150 EN 1092-1/11 PN 16 PVX0003039 Rotary lobe pump VX136-105Q Shaft end at top: ML motor shaft long Pump installation position: Upright (Hanging possible) Material of housing halves: 0.6025 EN-GJL-250 toilet-coated Protective plate material: HVSS WC-coated Rotary piston material: EPDM-AL/ HiFlo®/ 4K45 Mechanical seal Quality cartridge/ single 1.4301 WC-coated/ SiSiC Material of wetted elastomers: EPDM Sealing chamber system: Locks / Containers AGM2458.TF Spur gear motor, painted Gearbox size: SK 33 Motor size: 132MP Number of poles: 4 Thermal motor protection: TF, Temperature sensor, PTC thermistor, PTC thermistor temperature sensor Manufacturer: Getriebebau Nord Power: 7.5 kW Speed: 498 min-1 Voltage: 400/690 V Standard frequency: 50 Hz Protection rating: IP55 ISO class: F Design: B3 Housing

	design: Foot Installation position: M1 Energy efficiency class: IE3 Terminal box location/cable entry: 1/I Temperature range: -10 °C ... +40 °C Lubricant: Mineral oil PPA0000052 Pump connection set VX 136-105 Swan neck DN 150 EN 1092-1/11 PN 16 Pump connection material: Steel Surface: Hot-dip galvanized Maximum permissible pressure: +8 bar Threaded fitting at the top: Rp 2 inch plug Threaded fitting at the bottom: R 1 1/4 inch blind cap Flat gasket material: Aramid fibers Pump connection set VX 136-105 Swan neck DN 150 EN 1092-1/11 PN 16 Pump connection material: Steel
X136-210q/Mnt.Kit	
Vx136/Mse.1.M-Dur	
Vx136-105qmo	
Lob Set 136-70 Lob 2w Sn	
Pbt.B010	
P/N:51 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
186-130/Lob4whn	
Vx-136-140qd S.N 10	
Pkb.B101.Tl.Vi	
Wx 186 Orings Carrier	
Gsm.007.T1.E4	
Gfl0029	
Zdfd.390.0190	
Gfm0037-Zsh	
Pkb.B102.Tl.Nb	Order No: 12277135 Rotary Lobe 136-105 4K45L
Wx 186 Arm Shaft	
Vx186-130q-Vx186-130qmoh2	
0.220.1750	
0220.1631	
P/N:79 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
0221.0234	
Vx136-70/Mnt.Kit	
Vx186qd Pos56	
0220.0109	

Vx186-260q Nbr	
0220.1159	
Vx-136-105qd	
Vx136-105q Moh2	
X136-105q/Mnt.Kit	
Seal Kit For Pump Vx186-260q	
Vx186qd Pos88	
0220.1626	
0220.0743	
Pfl.A017	
Type: Vx186-368 Qd Moh2 Seri No: Bke.3118.2012	
Vx136q/Mse.1.M-Wcs	
0220.0740	
Vx186q 184 Nbr Lob 1160	VX186Q/QD-184:PKD.A025.TL
Typ: V100-90 Q Hd Mo F2	
Vx186qd Pos87	
Rc10000 Sieve Set	
0220.1320	
Grs.202.Ee	
9090.0092	
0220.0728	
Qhd Mof2	
0220.1697	
Dfd.033.P	
Vx186-184q Code:0221.0318	
Npf.010	
0.220.1551	
Vx136 Spin Sleeve-88	
Fx 116-120	
Vx186-130q Code:0221.0112	

0221.0020	
Q136 Mechanical Seal-79	
Lobes	
Rc3k/Mnt.Kit-Sc	
Zdfd.390.0110	
0.220.1746	
Vx136-140q	
R 136 -210sg2	
36-210/Lob.4w.H.N	
Vx136 Rotary Shaft Seals-6	
Vx136 Disc Spring-44	
Dor.051.Vi	
Pkb.B102.Tr.Nb	
Dor.079	
0.220.1751	
Pbt.A130.N1_Set	
0220.1633	
Nsp.030.E	
Pfl.B002	
Rc3000 Inline	
Wear Plate Set For Pump Vx186-260q	
Wx 186	
Vx186-736qd 50hp	
Gfl.427.N3.M9	
1905556 3-7 M3/H 2 Bar 3kw	
0220.1983	
0220.0622	
Vx136q-105	POS.41 VX136Q-105 POS41 KÖRPER / MLZ: 0,6025
Wx 186-520	
0.220.1724	

Wx 186 Spring Pins	
Bjd.3118.2838	
Nsp.031.E	
Vx136q/Mse.1.M-Dur	
Vx186q	
Dor.043.Vi	
Wx 186 Bearing Housing Seal	
V100- 90qhd/Cn8413608090 Old Code- New Vx100-90q	
Z101.02	
V100-90q	
Vx186qd Pos92	
Vx136qd 210 Nbr Lob 1089	
Seal Kit For Shredder Rc10000	
0220.1627	
Prs.102	
Dwd.054	
Vx136-140q 12aa132m4 Tf	
Pkb.B102.Tl.Vi	
Vx136 Kama Switch-34	
Pkb.B101.Tr.Vi	
186-368/Lob.4w.H.N	
Ibs5860-Zsh	
Rc3k/Mnt.Kit-B	
P/N:6 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
Aem031	
Vx186q/Qd-260/520	POS.44 VX186Q / QD-260 POS44 KÖRPER / MLZ: 0,6025
Dor.021	
0.220.1747	
Pbt.B019	

Maintance Book Or Spare Part List For Vx186-260q ? 277m3/H @ 15m	
Vx136qd 210 Nbr Lob 1099	
A-Rccon	
Z101.03	
Fx 116-120 S	S/N: BDB.3124.2023 lobe repair kit
P/N: 54 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
Vx186q-Qd	VOGELSANG VX186Q-QD Gleitringdichtung POS.79
Wx 186 Inner Ring	
136-70/Lob.4w.H.V	
136-105/Lob.4w.H.N	
Vx136-70q/Mnt.Kit	
Dor.046	
Vx136 Pivot Arm-87	
Wx 186 Pim With Spring	
Vx100-128q/Gs.V.M	
Vx-136-140qd	
Gsm.006.T1.E4	
Vx-136-70qd	
P/N:5 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
0.220.1749	
0220.0902	
0220.1160	
136-140/Lob.4w.H.N	
Wx 186 Spring Washer-55	
0.220.1530	
Vx136q-Qd	VOGELSANG VX136Q-QD Gleitringdichtung POS.79
0.220.1748	
0220.0172	
Part No 54 For Vx136-210ã216; Mo H2	

Vx186qd520-Nbrlob-1167	VX186Q/QD-130:PKD.A031.TR
Fx 116-120 / Gs.N.M.3a	
Wx 186 Mechanical Seal-79	
V100-90q, 572 Rpm	
Bearing Set For Pump Vx186-260q	
0220.1432	
Dor.072	
Pfl.B002, Pfl.B009	
0220.0154	
Vx186qd	
Pfl.A002	
Dor.045	
Dor.021.Vi	
Vx100-90	
Vx186qd Pos38	
Nst.017	
Rcq-33g	
Discharge And Suction Vacuum Switch For Pump Vx186-260q	
Vx186q/Mse.1.M-Dur	
0.220.0872	
0220.0474	
Wx 186 Disc Pressure	
Vx100-90q	
Vpm 82	
Vx136-70/Mse.1.M-Dur	
Vx 136-210	
Vx186q/Qd-184/368	POS.44 VX186QD-184 POS44 KÖRPER / MLZ: 0,6025
0.220.0489	
Dfd.107	
Wx 186 Spring Washer-88	

Vx186qd520-Nbrlob-1168	VX186Q/QD-130:PKD.A031.TL
P/N:55 For Vx136-210ã216; Mo H2 Seri No: Bjd31180063	
Vx186qd Pos94	
Vx186-184q	
0.220.1524	
Nsi.075	
Vx186-130q	
Vx136-70q/Gs.N.M	
0220.0642	
Grs.203.Ee	
Vx186q-130	POS.44 VX186Q-130 POS44 KÖRPER / MLZ: 0,6025
Nsi.097	
Vx136 Orings Carrier-83	
Nbr, Hiflo,	
Dor.052	
0220.1984	
Dor.024.Hnb	
Model: 116-120	
Dgl.D003.N1	
Vx186qd Pos91	
Vx-136-210qd	
Steel Oil Pot For Pump Vx186-260q	
Vx186q/Qd-184/260/368/520	POS.92 VX186QD POS92 INNERRING
Vx186-184q Code:0221.0113	
0220.0410	
Vx186q-Qd Mechanical Seal Pos.79	VOGELSANG VX186Q-QD type pump Ø85 Mechanical Seal procurement. POS:79, Product code: PBT.A021, Define: CRO/DURONITHNBR-HNBR.
Vx136qd-210	POS.41 VX136QD-210 POS41 KÖRPER / MLZ: 0,6025
Vx186q/Qd-All	POS.23 VX186QD POS23 ROLLEN
Vx186q-130/184	POS.92 VX186Q DRUCKSCHEIBE

Pkb.B102.Tr.Vi	
0.220.1733	
186q184-Nbr Lob 1159	VX186Q/QD-184:PKD.A025.TR
Sk132sh / 4 Tf 5,5 Kw	
Rc10000	
0220.1835	
Vx136-140q/Mnt	
Gear Set For Pump Vx186-260q	
136-105/Lob.4w.H.E	
Vx186qd Pos55	
Vx186-260q	
Iq112-114	
Vx136 Disc Spring-89	