



Vuototecnica

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Vuototecnica Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Vuototecnica T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Vrs40b	Bellows suction cups MaxiGrip Benz / Bellow cup MaxiGrip Benz Weight: 56 g / each
Vrs50b	Bellows suction cups MaxiGrip Benz / Bellow cup MaxiGrip Benz Weight: 78g / each
Vep3060b	Ovalsauger MaxiGrip IG G1/4", Benz Gewicht: 43 g / pro St¼ck
011812s	Flat suction cup Ø 18 mm, silicone Weight: 1 g / piece
070331	Pneumatic 3/2-way Vacuum valve (servo-controlled) IG 1/2 "max. 20m ³ / h, anodized aluminum. Weight: 480g / pc Customs tariff number 84149000 Country of origin Italy
150110	Single-stage ejector, max. Suction capacity 2.9 m ³ / h, 150 mbar abs. Weight 140g / per piece 84149000 IT
070611	Customs tariff number 84149000 Country of origin Italy 1 1.00 piece 070611 Vacuum solenoid valve 3/2-way (servo-controlled) IG 1 "1/2, max. 180m ³ / h, anodized aluminum. Weight: 4.79 kg
VEP3060B	Oval vacuum cups MaxiGrip IG G1 / 4 ", Benz The ending "B" stands for that Material Benz. The color of the teat is red
000704N	OPTIONAL: Elektrospule 24V DC
000763	Connector for solenoid, default
CX10	Conveyor ejector (fix), max. Suction power 28.0 m ³ / h, 780mbar abs., Alu Weight: 104g / pc
SOLENOID VALVE KIT \ 0007293 \ DIAPHRAGM	
070611	Vacuum solenoid valve 3/2-way (servo-controlled) IG 1 "1/2, max. 180m ³ / h, anodized aluminum. Weight: 4.79 kg / piece

000704N	Electric coil 24V DC Weight: 100g / pc
000704N	Electric coil 24V DC with 1.00 piece 000763 plug for magnetic coil, standart
00VTS35FG10	Slide set (6 pieces) for VTS35 / FG 125x30x4 mm
PVP7SX	Single stage ejector, max. Suction capacity 9.3 m ³ / h, 150 mbar abs., incl. 090315 u. SSX3 / 4R Weight: 505 g PVP7 is no longer available
070511	Vacuum solenoid valve 3/2-way (servo-controlled) IG 1", max. 90m ³ /h, anodized aluminum. Weight: 1.049 kg
00 07 186	
00 07 267	
00 FB52	
000512	
0007213	
0007304	
0008142	
0015175	
0015437	
00FB22	
00FC08	
00FC22	
00FCL03	
00FO19	
00KITPVP35MDX	
00KITPVP750MDV	
00KITVTS06	
00KITVTS10	
00LPVTL40	
00MV20030	
00MV20050	
00MV4050	
00MV6050	

00VTS0610
00VTS1002
00VTS1004
00VTS1010
00VTS1011
00VTS1016
00VTS1020
01 18 50 A
01 18 50 N
01 18 50 S
01 25 10 NBR
01.260.60 A
010810NBR
0111010A
011210NBR
011210NR
011250S
011510A
011823NBR
012210A
012510A
012510NR
012724NBR
012724S
013010A
013010S
013024A
013024NBR
013024SB
013024Str
014328NBR

[014328NR](#)

[014510A](#)

[014510SB](#)

[014515S](#)

[015335](#)

[016010](#)

[016010S](#)

[016515NBR](#)

[016515NR](#)

[018515-NR](#)

[0511010MA](#)

[07 01 16](#)

[07 03 16 A](#)

[07 03 20](#)

[07 04 11](#)

[070111](#)

[070131](#)

[070211](#)

[070216](#)

[070251](#)

[070311+000704N+000763](#)

[070351](#)

[08 50 30](#)

[08 50 40](#)

[0815015NBR](#)

[0820010FKMG](#)

[082219A](#)

[08-250-10](#)

[083038B](#)

[083240S](#)

084060S	
086010S	
087540NR	
088530NBR	
1.012012A	
1.015020A	
1.TPR1/2	
100115	
100610	
10580	
110510	
110610	
11065	
110650	
11089	
11350-11410	
122010P	
124-800	
15 05 10 SX	
150210	Single-stage ejector with Blow-off pulse, max. Suction power 2.9 m ³ /h, 150 mbar abs.
CX 10	
CX010	
CX19	
FB 30	
FB05 1/4	
FB10	
FB20	
FB20 1/2	
FB20A	
FB28	

FB5
FC60
FC80
FCL1
FCL2
for MV200-200A
FS5
GVMM 7 NO
GVMM7NCAL
ISO32
ISO68
L01285
LGS200F
LGS200F1/2
M14
M3
MINI ART 1202
PVP 1 L06325
PVP 12 MX
PVP 300M
PVP 450 MDV
PVP 50 MDX
PVP003
PVP007
PVP1
PVP18SX
PVP2
PVP750MDV
RVP100
SS X2 (50pcs.)
SSX11/2

SSX2	
TPR 1 1/4	
TPR 1.1/2"	
VEP3060B (Ovalsauger MaxiGrip IG)	
VT OIL	
VTL 20/F	
VTL2	
VTL65G1	
VTS10	
VTS30FG	
VU 00KITPVP450MDV	
VU 016528A	
VU 016528N	
VU 016528S	
VU 090325	
VU 120510P	
VU PVP450MD	
110400100 5/2 WAY BHS	
110610	Vacuum regulator (manual) IG 1"1/2, max. 160 m ³ /h, aluminium anod. Weight: 5.490kg/pc
PVP1	Inline single stage ejector, IG 1/4, max. suction power 1.0 m ³ /h, 150 mbar abs. Weight: 44g
PVP1	Inline single stage ejector, IG 1/4, max. suction power 1.0 m ³ /h, 150 mbar abs. Weight: 44g/piece
070316	Vacuum solenoid valve 3/2 ways, IT 1/2, max. 10m ³ /h, aluminum anod. Weight: 377g/piece
0007273	Spare parts kit for vacuum valve 070411, 070511, 070413, 070513
PVP2	Single-stage ejector, max. suction power 3.0 m ³ /h, 150 mbar abs.
080810NBR	Flat suction cup Ø 8 mm, AG M5 plugged, NBR
L08515	
VEP 60 120	

NC micro solenoid valve	0015175
SSX2'	Muffler AG 2", free flow Weight: 372g/pc
070651LP	vacuum solenoid valve 3/2 way (servo controlled), IG 1"1/2, max. 180 m ³ /h, aluminium anod.
Vacuum Generator - 150410	
Vacuum Generator - 150210	
Silencer SSX 1/4 - L21288	
070120	Vakuum-Magnetventil 2/2 Wege, IG 1/4, max. 4m ³ /h, Alu elox
000704N	Electric coil 24V DC
000763	Connector for solenoid coil, standard
070611	Vacuum solenoid valve 3/2-way (servo-controlled) IG 1"1/2, max. 180m ³ /h, aluminum anodized.
07 05 11	
AB-0614	
00 07 04N	
121010	Digital vacuum switch with Display Weight: 20 g/piece
014328NBR	Bellows suction cup Ø 43 mm, 1.5 Folds, NBR Weight: 9 g/piece A=NBR
014328S	Bellows suction cup Ø 43 mm, 1.5 Wrinkles, silicone
013426NBR	Bellows suction cup Ø 34 mm, 1.5 Folds, NBR
013426S	Bellows suction cup Ø 34 mm, 1.5 Wrinkles, silicone
012219NBR	Bellows suction cup Ø 22 mm, 1.5 Folds, NBR
012219S	Bellows suction cup Ø 22 mm, 1.5 Wrinkles, silicone
RTPR3/4	Hose connection, male thread 3/4, Clip-on Ø 20.8 mm, PP
RMTPR11/2	Hose connection, AG 1 1/2", mounting diameter 41.8 mm, Anodized aluminum. Weight: 390 g/piece
TPR11/2	Vacuum hose, inner diameter 40.6 mm, outer diameter 47.8 mm Packaging unit: 30 m Weight: 630 g/meter
TPR3/4	Vacuum hose, inner diameter 21.3 mm, outer diameter 26.4 mm Packaging unit: 30 m Weight: 263 g/meter
150110	Single-stage ejector, max. Suction capacity 2.9 m ³ /h, 150 mbar abs. Weight: 145 g/piece
0007295	Replacement parts kit for vacuum valve 070651 LP and 070653 LP Weight: approx. 20 g/piece

110110	Vacuum regulator (manual) IG 1/4, max. 6m ³ /h, anodized aluminum. Weight: 609 g/piece Discount valid at Complete inspection!
014515SB	Flat suction cup Ø 45 mm, white silicone
Vrs 50 Vacuum Gripper	
070540 Nc	
00 07 63 Stecker/Connection	
Pvp750mdv Generatore Di Vuoto Mult.	
Pvp 25 Mx	
0007304 Zubehor Fur Vakuumventil	
Tpr1	Vacuum hose, Ø inside 27.0 mm, outer Ø 33.1 mm Weight: 0.37 kg / meter
Art.07 02 10	
Gvmm 7 No Vakuum-Generator	
01 110 10 Nbr	
Ssx 3/4 R	
Ddn25	
07 02 20	
Vp1201010	
013024nbr Flachsauger 30mm Mit Abstutzrippen, Nbr Schwartz Zolltarifnummer 84149000	
012023s	
Pvp7sx	
Vacuum Valve	
000763 (Stecker / Connection)	
Vakuum-Generator Gvmm7	
Fc 30 1quot;	
07 02 20 Vakuum - Elektroventile	
Ddn25 Vakuum-Elektroventile 2/2 - Wege/Direct-Acting 2-Way Vacuum Solenoid Valves	
Fb20 Vakuumfilter Filter Mit Inoxkartusche G1/2	

Vu 070120
070451
Vt1p 40/G1
00fc22 Air Filter Cartridge Fc40
00 Fb52 Filterelement
070311 Valve
00fc15 Vacuum Pump Filter
Fb 30 Vakuumfilter Mit Inokartsche
Vtl 20/F Vakuumpumpe Vtl 20/F
V0105020s
Fcl2 Inlinevakuumfilter Mit Papierkartusche G 3/8
121010 12. 10. 10 Pressure Sensors
0007273 Ersatzteilkıit F[r
Pvp50mdx (Ex Pvp50md)
00 Vtl50q1 06
110350
00 07 04 N Standard Electric Coil
14 01 11
082219s
00mv300r07 Filtro Oilo
Ssx3/4r
00 07 276
Vu Tpr 2ã39;ã39;
Gsl 1/2quot;
083240s Vulcanised Bellows Cup In Silicone
013010s Vacuum Cupsflachsauger 30mm Mit Abstutzrippen,Silicone,Transparent
Pvp450mdrv
012006s Vacuum Suction Cup
08100 50

M14 Vacuum Generator	
07 02 20 Valve	
Fb 30 Vakuumfilter Mit Innoxkartusche	
Fc80 Luftfilter	
011510s	
00fc29 Nrfi Lter Cartridge For Fc 60 - Fc 80, Ext. Diam. 152 Mm, Hole 89 Mm, Height 215 Mm	
Fb30 Filter With Connection G 1"	
070311 3-Way Solenoid Valve G 1/2	
07 04 11	
Fb28 Vakuumfilter Mitinoxkartusche, G3/4	
Vu 0111010a	
Pvp7sx Einstufen-Ejektor, Max.Saugleistung 8,9 M3/H,150mbar Abs., Inkl. 090315 U.Ssx3/4r	
2011042	
Repair Kit For 110350	
01 53 35 S	
Fb20 Vakuum-Filterfilter G 1/2"	
01 18 12 S Vakuum-Sauggreifer (Oder 08 18 12)	
011812s Vacuum Grip	
Fo60	FO60 oil bath vacuum filter, G2 Customs tariff number: 84149000 / Country of origin: Italy
Fb20 Vakuumventil	
120210 Mini - Vakuumschalter(Mechanisch)	
Vu 080510a	
12 02 10 Ventil Vacuostato	
01 45 10 Nbr	
01 53 35 Nr	
00fc 33 Filter Element	

Coll-0107	
012219s	
000763	Plug for solenoid, default Weight: 0.024Kg piece
08 35 12a	
Gvmm 14	
Pvp18sx Generator	
Fc 50	
07 03 11 Valve With Coil	
24vdc	
Repair Kit For 110410	
Vu 070320	
00 07 63	
08 100 40 Nbr	
01 12 20 S	
Vt S10 Vakuum-Pumpe	
Mini Art 1202	
Rvp40	
Vu 178510a	
07 02 11	
Fb20 Filter G 1/2"	
016528nbr SpeziaSauger Oelbestanendig (Nbr)/ Special Cups Oil- Resistant Rubber	
00mv300r07	
07 02 16	
016010s Sauger Silikon	
Pvp750mdv-Co Generator	
Pvp 300 Md	
011917	
015020s Vacuum Cup	
Fb30 Fi Lter With Connection G 1"	

Vtl65g1 Vacuum Pump Mod. Vtl 65/G1
Vtlp 65/G1
00fcl03 Ersatzkartusche Fur Vakuumfilter Fcl1, Fcl 2, Fcl 3/Auch Serie M Und Mf
07 01 16 Vakuum-Magnetventil 3/2 Wege, Ig 1/4, Max. 4m/H, Alu Elox.
07 03 16
0825010s
? 00 ?V200 42 Cover Gasket For Pump
01 110 24 Nbr
00mv20030 Entola Di Raffreddamentocooling Fan
0635012sr110
Pvp 25 Mdx
01 12 10 Nr
016528a
Rtpr 2
01 110 24 S
00 Kit Mv 60
110610 Vakuumregler (Manuell) Ig1"1/2, Max. 160 M3/H, Alu Elox.
08100 50 S
0008142 Anschlusssteil Ag 1/4,Aluminium
082219s 08.22.19s Ventosa Silicone C/Suppora Soffiet.Rinf.22
013024? Vacuum Cup
M7 80x47x15mm
082219nr
087540 Vacuum Cups
014510sb Saugnapf
070220
Vu 000704n

01.45.15s Vacuum Cups (Silicone)
1.Tpr1/2 Tpr 1/2" Flexible Hose For Vacuum Packaging Of 30 Meters
Vtl25fg
082219s 08.22.19s Ventosa Silicone C/Suppor A Soffiet.Rinf.22
V0103024?
01 45 15 Nbr
Spherical Articulated Joints With Axial Vacuum Connection Gsl
Pvp 12 Mx
015020s
08.22.19n
00fc29
070120
00vts0610 Graphite Vanes For Vts6 Sizes 30 X 23 X 4 Mm
Repair Kit For The Solenoid Valve
300 Mc/H 6 Bsr
070220 Ventil 070220
0835010m3a
150210 Einstufen-Ejektor Mit Abblasimpuls
Pvp50mdx
00fc33
Suction Valve For Pvp 25 Md
00 Mv200 30 Cooling Fan
015020
01 35 10 Nbr
01 18 12 S Vacuum Gripping
070650 / By 070651
01 12 10 Sauger Standard, Ohne Schmiernippel

Vakuumgenerator
090310 Vacuum gauge Ø 63 mm, AG 1/4 rear
05 110 10 Vacuum Suction Cup With Integrated Ball
Pvp 450 Md
Fb5 Vakuumfilter Filter Mit Inoxkartusche G1/4
00 Mv200 50 Oil Separator Cartridge
00fo19 Filterelement
070363nov24dc G 1/2
Gsl 3/8quot;
Fb5 Filter With G1/4" Connection
Tpr 2
Ssx3/4
08.30.38s Vacuum Cups (Silicone)
02 100 40 C95
M 18 Ssx
Vu 178510n
11 04 10
070116 3-Way Vacuum Solenoid Valve G1/4"
Fb5 Filter 1/4" 61x74.5mmd 59mm
Pvp 450 Mdv - Not Available, - Vu Pvp450md
Fb20 1/2 Vakuumfilter
00fb22 Ersatzkartusche Fuer Fb 20 Inox
016010s Flachsauger Silikon (S) / Cupssilicone
2010000
00fc08 Ca Rtridge For Filter Fc 20 - 25
Vu 080510s
08 18 50 S

Art.01 300 80 Nbr
0511010ma Cup With Support 05.110.10aoil-Resistant Suction
Vrs 40 Benz Silikon
07 02 16 Valve V24-50 Hz100% Ed-P 5417 Va
011432s
Fs25
Bec30
00 Mv 60 50
08 200 10 A
Art Pvp 3
016010s Silikon-Sauger
014510s
Iso68 Oil Iso68 For Pump
Rrff 1\"
01 300 80 Nbr
110410
011823s
Fc30
00.Kit.Pvp750.Md.V Sealer
Cx 7 Inox/Edelstahl
00fb17
000763 Connector 182.09 N
016010s Flachsauger Silikon (S)/Cups Silikon
00mv6050 Deoiling Cartridge For Pump Art. Mv60, Sizes 240 Mm, Hole Diam. 36 Mm, Ext.Diam. 70 Mm
00 07 04 N
00mv20030 Ventola Di Raffredamneto Mv200 Cooling Fan Mv200
082219nbr
V015020s Suction Cups

0007273 Repair Kit For Vacuum Valves 07 04 11 And 07
070551
02 100 40 C65
Vt S10 Pump
01 45 10 Nr
013024nr
0820010
08 100 40 S
08 25 040 Nbr
012006s
0007174
Pistons With Spring For 07 03 16 A
00 08 97
013024 Sauger Schwarz
Lgs20of Orange Foam Rubber Sheet Thickness 20 Mm
07051104n63
Coll-0103
00 Mv 60 10
110580
016528nr
00 15 175
Vpm18
070220 2-Way Vacuum Solenoid Valve G3/8"
070511 3way Servo-Controlled Solenoid Valve G1
Vtlp15f
00 07 256 N
2014002
12 10 10 Drucksensoren

016010s Flauchsauger Silikon	
Cx 10 Inox/Edelstahl	
00 Kit Fo 60	
070311	
PVP1	Inline single stage ejector, IG 1/4, max. suction power 1.0 m ³ /h, 150 mbar abs. Weight: 44g/piece
070311 3-Way Solenoid Valve G 1/2" Nb: Without Electric Coil And Connector	
Rs50b Vacuum Suction Cup	
0008273	
01 12 10 Nbr	
011210s	
070510 , By 070510	
Fb 5	FILTRO DASPIRAZIONE SUCTION FILTER ART.FB 5 18F3
Cx 7, Material: Alu Eloxiert	
0015157 Micro Stecker	
000763 Standard-Stecker/Connection	
1.121010.	
Mod Cx10á;Á;	
Vakuum-Vakuumfilter Filter Filter Mit Inoxkartusche G1/2 Fb20	
00 08 03	
Vrs 40 Benz (Rot)	
120210	
Fb5 Vacuum Filter Filter With Inox Cartridge G1/4	
Fb20 Vakuumfilter Mit Inoxkartusche / Suction Filters With Stainless Steel Cartridge	
01 35 10 Nr	
012012nr	
100115 Membrane Check Valve 1/4"	
03 100 41	

00 Ec 15	
08 35 12n	
07 03 10	
121010 Vakuum- U. Druckschalter	
Ddn 25 2-Way Solenoid Valve G 1"	
0007259n	
01 110 24 Nr	
08 40 60 S Suction Cup	
Vu 080510n	
070550, By 070550	
Vrs 40 Benz Naturgummi	
00 11 116	
08 40 30ma	
Rtpr 1 1/2	
Gv3	
14 02 10	
01 25 10 Nbr Standard-Vakuumsauger 01 25 10 A 25 Mm, B=6mm, H=8mm	
Pompa Per Vuoto Modvtl 25/F	
Fo 60	
Suction Cup. 01 12 10 Nr	
Atp 02	
08 35 12s	
Generator Vakuum (Ejektör) Pvp 7sx	
0007258n	
0007273	Replacement parts kit for vacuum valve 070411, 070511, 070413, 070513 Weight: approx. 12 g/piece
0007172	
Fb05 1/4 Vakuumfilter	
Gv3 Linear Single-Stage Vacuum Generator	
00kitvts06 Set Of Seals For Vts 6	

Vu 178510s	
00 Fc 15 Ersatzkartusche Für Vakuumfilter	
Vu 150110	
Vrp 60 B	
Vu 086050a	
VtIp 50/G1	
000704n Electrical Coil V24 Dc 16w Ed 100%	
02 100 40 C28	
082219a 08.22.19a Ventosa A Soffiet.Rinforz	
000763 Stecker/Connection Gewicht:24g/Stuck Zolltarifnummer:84149000 Ursprungsland: Italien	
090310 Vacuum Gauge	
Vp1500210	
00fc29 Cartuccia Filtro Fc60 In Carta	
Fb20 Vacuum Filter Filter With Inox Cartridge G1/2	
08 75 40 S	
Cx 38	
Vrs 100 B	
03 75 41	
Pvp007 Pvp 7sxgeneratore Di Vuoto	
PVP3	Single-stage ejector, max. suction power 3.7 m ³ /h, 150mbar abs. Weight: 92 g/piece
M 18	
011812s 01.18.12 Ssauggreifer	
00mv20050 Cartuccia Disoleatrice X Mv200lungh.355mm Foro D.98 Est.140mm	
00fc15	
00vts0613	
07 03 11	

015250	
Repair Kite For 11350-11410	
00vts0608	
011432s 01.14.32 Sventosa Spec. Silicone	
150410	
07061104n63	
01 60 10 Nr	
084510s	Flat suction cups with silicone connector (S) / cups with support silicones
083240s Saugnapf-Vakuum-Silikon-Vulcanised Bellows Cup In Silicone	
Vrp 125 B	
07 05 11	Vacuum solenoid valve 3/2-way (servo-controlled) IG 1 ", max 90m ³ / h, aluminum elox. Weight: 1.16Kg piece
00.Kit.Pvp750.Md.V Kit Di Guarnizioni E Valvole Aa Disco	
Vt Oil	
00 07 96 Magnetkern Mit Feder	
0815015 Suction Cups	
Vt013015a	
070511	Vacuum solenoid valve 3/2-way (servo-controlled) IG 1 ", max. 90m ³ / h, anodized aluminum. Weight: 104g / pc
0111010a 01.110.10 A Sucker Oil Resistant	
01 110 10 Sucker Replaceable Article	
Vakuum-Vakuumfilter Filter Filter Mit Inoxkartusche G1/4 Fb5	
070363nov	
01 53 35 Nbr	
086010s Fachsauger Mit Anschlusssteil Silikon (S)	
11 01 10	
000704n	Electric coil 24V DC Weight: 0,10Kg piece
Lqs20of1/2 Half Orange Foam Rubber	

Sheet, Thickness 20 Mm
00 08 103
01 60 10 Nbr
015335s
1.120210
08 60 30 Nbr
Fc60 Luftfilter
Pvp 7x , Pvp 7 Sx!!!!
013024str Vacuum Cupsflachsauger 30mm Mit Abstutzrippen,Silicone,Transparent
12 02 10
V0103024a
121010
Cx 10, Material: Alu Eloxiert
070531lp
? 00 Mv200 30 Fan For Pump
Vtl 25/F Pumpe Vuo Totecnica Pompa Per Vuoto
00 11 121
Pvp 25 Md Pvp 25 Mdx
000704n (Elektrospule / Coil)
07 03 51
00 Fo 19
Repair Kit For 10580 L06285
0007273
000704n Elektrospule 24v Dc
016528nbr
000512 Rollerball (Italy) F14,3mm, Nylon (Zip Glass Shelf Mould)
070316
00 07 259 N

[15 02 10](#)

[Vrs 50 Vakuum-Sauggreifer](#)

[082522s](#)

[110650 Vacuum Regulator](#)

[Fc30 Filter 1"g Connection](#)

[00 07 96](#)