

Walther Praezision

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Walther Praezision Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Walther Praezision Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
HP-010-0-S1624-12-1	WALTHER self sealing coupling, type HP-010, DN 10, with connection M 24x1,5 AG according to DIN EN ISO 8434-1 series S, material: steel black oxide finish (partially hardened), seals: NBR
HP-020-0-S2536-12-1	WALTHER self sealing coupling, type HP-020, DN 20, with connection M 36x2 AG, according to DIN EN ISO 8434-1 series S, material: black oxidised steel (partially hardened), seals: NBR
LP-012, DN 12	WALTHER plug-in nipple, type LP-012, DN 12, with pipe thread Connection G 1/2 A, material: galvanized steel Order number: LP-012-1-WR021-11
LP-019, DN 19	WALTHER locking nipple, type LP-019, DN 19, with pipe thread Connection G 3/4, material: galvanized steel, seals: NBR Order number: LP-019-2-WR526-11-1

Type LP-012, DN 12	WALTHER locking nipple, type LP-012, DN 12, with pipe thread Connection G 1/2, material: galvanized steel, seals: NBR Order no .: LP-012-2-WR521-11-1
110866	
115053	
115460	
115541	
115613	
115625	
126794	
126795	
126802	
126803	
126813	
126814	
14651	
15063	
31604	
31754	
31966	
31991	
31994	
31997	
35004	
37854	
38215	
38218	
41000	
41001	
41155	
42001	
46001	

46687
500183
500371
500662
502535
65807
69011
69202
69204
69354
69358
74170
7613
8057
8223
91489-B-00075-AAAA-Y10-MA
92004
95285-B-10019-46-2-T05-MB-FL
95285-B-10037-AAAA-Z21-MA-E00047
95285-B-40019-46-2-Z05-MA
95285-B-40037-AAAA-Z21-MA-E00047
LP-004-0-WR510-11-1
LP-004-2-WR510-11-1
LP-007-0-SL013-21-4
LP-019-1-WR026-21
MD-006-0-WR017-01-1-GL
MD-006-2-WR017-01-1-GL
Z035113000
1/2" LP-012-0-WR021-21-1
1/2" LP-012-2-WR021-21-1
3/8" LP-006-0-WR017-21-1

3/8" LP-006-2-WR017-21-1	
LP-019-2-WR033-11-1	WALTHER sealing nipple, type LP-019, DN 19, with pipe thread connection G 1 A, Material: Galvanized steel, seals: NBR
57-G06-0-XX001-07-2	WALTHER Clean-Break self-locking coupling, Type 57-G06, DN 6, Connection M14x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
57-G06-2-XX002-07-2	WALTHER Clean-Break sealing nipple, Type 57-G06, DN 6, Connection M 12x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
57-G08-0-XX001-07-2	WALTHER Clean-Break self-locking coupling, Type 57-G08, DN 8, Connection M18x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
57-G08-2-XX002-07-2	WALTHER Clean-Break sealing nipple, Type 57-G08, DN 8, Connection M14x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
57-G12-0-XX001-07-2	WALTHER Clean-Break self-locking coupling, Type 57-G12, DN 12, Connection M22x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
57-G12-2-XX002-07-2	WALTHER Clean-Break sealing nipple, Type 57-G12, DN 12, Connection M20x1.5 AG with axial O-ring groove, Material: stainless steel 1.4104, Seals: FKM
SP-006-2-SL006-11-1	WALTHER sealing nipple, type SP-006, DN 6, with hose connection 6 mm, material: galvanized steel, seals: NBR
LP-007-0-WR017-22-1	Sealing coupling, type LP-007, DN 7, with pipe thread connection G 3/8 A, Material: Chrome-plated brass, seals: NBR
LP-019-0-WR033-11-1	WALTHER self-locking coupling, type LP-019, DN 19, with pipe thread connection G 1 A, Material: Galvanized steel, seals: NBR
LP-019-0-WR533-11-1	WALTHER self-locking coupling, type LP-019, DN 19, with pipe thread connection G 1, Material: Galvanized steel, seals: NBR
1" Quickcuplin LP-019-0-WR533-.-. BSPP 1"	
LP-019-0-WR533-11-1	WALTHER-Verschlusskupplung, Type LP-019, DN 19, mit Rohrgewindeanschluss G 1, Werkstoff: Stahl verzinkt, Dichtungen: NBR
EC-006-2-WR017-13-2-P020	WALTHER sealing nipple, type EC-006, DN 6, for multi-coupling installation, for Plate thickness 20 mm, with pipe thread connection G 3/8 A, Material: chemically nickel-plated steel, seals: FKM,
LP-019-2-WR533-21-1	WALTHER sealing nipple, type LP-019, DN 19, with pipe thread connection G 1, material: passivated brass, seals: NBR
11-012-2-WR526-AAAA	55954 WALTHER high-temperature sealing nipple for heat transfer oil, type 11-012, DN 12, with pipe thread connection G 3/4, Material and seal design: Steel burnished (partially

	hardened) with HTGRA seal combination (up to max. 310 °C)
LP-019-1-WR526-01	7851 WALTHER plug-in nipple, type LP-019, DN 19, with pipe thread connection G 3/4, Material: Stainless steel 1.4404/1.4571 or equivalent
HP-010-2-S1624-13-2	74172 WALTHER sealing nipple, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
HP-010-0-S1624-13-2	74171 WALTHER self-locking coupling, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
HP-016-0-S2030-13-2	88457 WALTHER self-locking coupling, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
HP-016-2-S2030-13-2	88456 WALTHER sealing nipple, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, Material: chemically nickel-plated steel, seals: FKM
Nippel-Schnellkupplung	M88X1-□4
MD-007-0-DV010-19-1	WALTHER coupling, type MD-007, DN 7, with bulkhead connection M 16x1.5, material: galvanized/blackened steel (partially hardened), seals: NBR
MD-007-2-L1016-19-1	WALTHER locking nipple, type MD-007, DN 7, with M 16x1.5 male connection according to DIN EN ISO 8434-1 series L, material: galvanized/blackened steel (partly. hardened), seals: NBR
HP-016-0-WR526-12-2	65163 Type HP-016, DN 16 with pipe thread connection G 3/4, material: burnished steel (partially hardened), seals: FKM
72-006-0-S1018-13-2-Z24	WALTHER locking coupling, type 72-006, DN 6, in special version: Z24, with connection M 18x1.5 AG according to DIN EN ISO 8434-1 series S, Material: Chemically nickel-plated steel, Seals: FKM
SP-006-0-LV008-11-1	WALTHER coupling, type SP-006, nominal width: DN 6, connection: Bulkhead connection M 14x1.5 Material: galvanized steel, seals: NBR
QUICK LP-019-0-WR33-11-2 Femal	
QUICK LP-019-2-WR33-11-2 Male	
7-113-147788	Connection cable T-coded 4-pin
LP-007-0-L1016-11-2-OV	501418 WALTHER coupling, type LP-007, DN 7, with connection M 16x1.5 AG according to DIN EN ISO 8434-1 series L, Material: galvanized steel, seals: FKM, Additional equipment: without valve
LP-007-2-L1016-11-2-OV	500699 WALTHER locking nipple, type LP-007, DN 7, with connection M 16x1.5 AG according to DIN EN ISO 8434-1 series L, Material: galvanized steel, seals: FKM, Additional equipment: without valve

LP-019-0-WR533-11-2	34204 WALTHER coupling, type LP-019, DN 19, with pipe thread connection G 1, Material: galvanized steel, seals: FKM
HP-006-0-S1220-01-2	39974 WALTHER coupling, type HP-006, DN 6, with connection M 20x1.5 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, seals: FKM
HP-006-2-S1220-01-2	62739 WALTHER locking nipple, type HP-006, DN 6, with connection M 20x1.5 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, seals: FKM
HP00600312S1220	
240594	Electrical plug (Bu) 19-polig, ODU Intercontec (St) 17-polig 95288-B-40102-AAAE-Y02-E00455
157559	Electrical connector (St) 19-pin PROFINET data with hand connector (cable 1500 mm long), ready assembled Order no.: 95288-B-10006-AAAE-Y24-L1500-E00121
156007	Electrical connector (Fe) 19-pin PN SWK Profinet data, Push-Pull data connector, cable length approx. 660 mm (supply side, robot side) Order no.: 95288-B-40007-AAAE-Y24-A-E00121
LP-004-0-WR510-21-1	WALTHER locking coupling, type LP-004, DN 4, pipe thread connection G 1/8, material: passivated brass, seals: NBR
LP-004-6-74-KU	Option for position 1 WALTHER dust plug, type LP-004, DN 4, Material: soft PVC gray, Additional equipment: plastic tab
LP-004-1-WR510-21	WALTHER plug nipple, type LP-004, DN 4, with pipe thread connection G 1/8, material: passivated brass
LP-004-5-74-KU	Option for position 3 WALTHER dust cap, type LP-004, DN 4, Material: soft PVC gray, Additional equipment: plastic tab
33001	WALTHER-lock coupling, type LP-012, DN 12, with pipe thread connection G 3/4 A, material: galvanized steel, seals: NBR Order No: LP-012-0-WR026-11-1
28716	option for position 1 WALTHER dust plug, type LP-012, DN 12, material: soft PVC grey, Additional equipment: plastic bottle Order No: LP-012-6-74-KU
33151	WALTHER locking nipple, type LP-012, DN 12, with pipe thread connection G 3/4 A, Material: galvanized steel, Seals: NBR Order No: LP-012-2-WR026-11-1
28718	option for position 3 WALTHER dust cap, type LP-012, DN 12, material: soft PVC grey, Additional equipment: plastic bottle Order No: LP-012-5-74-KU
103323	7-119-103323, Terminal Robot, and will stop the sound if /
LP-019-0-WR026-11-1-GG	WALTHER locking coupling, type LP-019, DN 19, with pipe thread connection G 3/4 A, Material: galvanized steel, Seals: NBR, Additional equipment: with ring handles (cast aluminum)

115485	WALTHER Clean Break low-pressure sealing nipple, type CT-005, DN 5 in a low-leakage and splash-free design, with pipe thread connection G 1/2 A, Material: Stainless steel 1.4305 or 1.4307, Seals: FKM Order No.: CT-005-2-WR021-02-2
115528	WALTHER Clean Break low-pressure locking coupling, Type CT-005, DN 5, with automatic locking mechanism in a low-leakage and splash-free design, with pipe thread connection G 1/2 A, Material: Stainless steel 1.4305 or 1.4307, Seals: FKM Order No.: CT-005-0-WR021-02-2
218594	WALTHER dust cap, long version Option for SL-014-9-17325-PU-T022
149840	WALTHER compressed air safety coupling, type LS-038, DN 38, with ball valve and piston lock, with pipe thread connection G 1 1/2, Special material and sealing design: nickel-plated brass, aluminum hard-coated and stainless steel 1.4301 with FKM/polyurethane seals Order number: LS-038-0-WR548-AAAF-Z03
56771	WALTHER push-in nipple, type LS-038, DN 38 with 53 mm hose connection Material: Galvanized steel Order No.: LS-038-1-SL053-11
-113-147788	T-coded 4-pin connection cable
LP-032-0-S3852-01-1	WALTHER locking coupling, type LP-032, DN 32, with connection M 52x2 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, Seals: NBR
LP-032-2-S3852-01-1	WALTHER sealing nipple, type LP-032, DN 32, with connection M 52x2 AG according to DIN EN ISO 8434-1 series S, Material: Stainless steel 1.4404/1.4571 or equivalent, Seals: NBR
Md-006-0-L1016-19-1	
57-G12-0	
Fitting Sp-006-2-Wr013-01-1 D22 L56	
Hp-006-0-S1220-12-2	
Order No. : Hp-010-2-S1624-13-2	WALTHER sealing nipple, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, material: steel chemically nickel-plated, seals: FKM Order No. : HP-010-2-S1624-13-2
Md-012-2-S1624-01-2	
KI-012-2-Wr526-40	
7-119-Wasi-St02-2ts	
Md-007-0-Wr021-19-2	
Hp-010-0-Wb021-12-2	
D5-266-S-00001	

16-006-2-Wr013-32-1
5266-X-Et015
P/N 10120322 Socket
Ca-170
Lp-019-2-Wr026
Lp-032-1-Wr048-11
Lp-019-2-Wr526-11-2
KI-006-1-SI009-50
Hp-010-2-S1624-13-2
Sp-006-0-Xx859-Aaam-Z79
95285-503-46-1-00000-Z05
Md-007-0-S1220-19-2
Md-006-0-Wr513-01-2
720364
Ct-012-0-S2030-02-2-Y99
Lp 16-006-0-Wr013-32-1 Fitting Walther Female Coupling
Md-012-0-S1624-01-2
Md-012-6-12
1-Cs-006-2-Wr017-1
Lp-019-2-Wr526
Hc-G12-2-S1624-Aaba-Y99
91489-B-00075-Aaaa-Y10-Ma Zonenschaltmodul Wasi-01
1-03-005-1-SI009-02-6-Z07
Fitting Sp-006-0-Wr013-01-1 D22 L58 Art.
KI-012-0-Wr526-40
39962
Hp-010-0-S1624-13-2
Hp006-2-Wb-017-12-2
Lp-007-2-SI013-21-4
Md-019-0-We026-01-4

Fitting Sp-006-0-Wr013-01-1 D22 L58	
Md-007-2-Wr517-19-2	
Lp-004	
Md-006-0-L1016-19-2	
Md-006-2-Wr513-19-1	
Pp-Ct0120-L1826-Aaaa-Y10	
Md-019-2-We026-01-4	
Fitting Ct-012-2-Wr026-02-2 D40 L78	
1-Cd-040-0-Xx002-02-2-Z05-P000	
31991 Schnellkupplungensp - 009 - 0 - Wr021 - 21-1 Cuzn	
Hp-006-0-Np517-12-2-Si	
Lp - 019 - 2 - SI019 - 21-1 Cuzn Schnellkupplungen	
Hp-016-0-S2030-13-2	
Cg-G16-2-Xx005-Aaaqz12	
Md007-0-L1016-19-2	
51-140-2-Xx008-13-2z07	
84019	
Md-007-0-Wr021	
Ct-019-0-L2230-02	
Lp-006-0-Wr513-01-2	
Lp-004-0-Wr510 Kupplung Mit Ventil	
Lp-012-1-Wr021-11	
KL-012-0-SL019-40-1	WALTHER self-locking coupling, type KL-012, DN 12, with hose connection 19 mm Material: Polyacetal grey (POM), Seals: NBR
Sms-20	
Lp-006-0-L1218-11-Ov	
Hp-006-2-Wb021-12-2	
Lp-019-2-Wr033-21-2	
Md-010-2-Wb021-12-2	
Lp-006-2-L1218-11-Ov	

Order No .: Hp-010-0-S1624-13-2	WALTHER coupling, type HP-010, DN 10, with connection M 24x1.5 AG according to DIN EN ISO 8434-1 series S, material: steel chemically nickel-plated, seals: FKM Order No .: HP-010-0-S1624-13-2
Lp-006-2-L1218-11-2	
Order No .: Hp-016-2-S2030-13-2	WALTHER sealing nipple, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, material: chemical steel Nickel plated, seals: FKM Order No .: HP-016-2-S2030-13-2
Hp-010-0-S1624-12-1	
Lp 16-006-2-Wr013-32-1 Fitting Walther Male Coupling	
Md-007-0-S1220-19-1	
Lp-032-0-Wr048-11-2	
85-006-0-00000-Aaaa-Z01	
V2036960103	
1-03-005-1-Wr017-02-0-Z07	
Sp-006-2-Xx858-Aaan-Z79	
Lp-006-0-L1218-11-2	
Lp-019-0-Wr033-11-2	
115541 Verbindung Ct-005-0-Wr513-02-2	
44326	
Sp-009-0-Wr021-21-1 G1/2	
Sp - 009 - 2 - Wr017 - 21-1 Cuzn Schnellkupplungen	
Fitting Lp-019-0-Wr533-01-1 D54 L98 Art.	
41000 Schnellkupplungenlp - 019 - 0 - Wr026 - 21-1 Cuzn	
Lp-006-2-Wr513-11-2	
Fitting Ct-012-2-Wr026-02-2 D40 L78 Art.	
Cn-025-0-Ws533 0a-4-Ex	
Md-007-0-Wr517-19-2	
97231317	
Cd-G80-0-Xx002-13-2-Y02-P036	

Fitting Lp-019-2-Vr033-01-1 D54 L99 Art.
Lp-012-0 Wr521-01-2
95285-B-40037-Aaaa-Z21-Ma-E00047 Doppelstecker (Bu) Sign./Mot.
Md-007-2-S1220-19-2
1-95273-B-40011-3n-2-Z03-2p
Fitting Lp-019-0-Wr533-01-1 D54 L98
Sg-006-0-L0814-19-1
P/N 10120319 Pin
Lp-012-0-L1522-11-1-Si
Fitting Ct-012-0-Wr526-02-2 D40 L81
91489-E-00112-Aaaa-Y10-Ma
Md-012-5-19
Sp-009-0-Wr021-12-2
Lp-012-0-Wr 026-11-2
Md-006-2-Wr013-19-1
Md-006-2-L1016
Lp-019-2-Wr533
Sp-009-1wr521-21
Hc-G16-0-S2030-Aaba-Y99
Md-007-2-Wr021
Hp-006-2-Wr517-12-2
Lp-019-2-Wr533-11-2
57-G12-0-Xx001-07-02 Muff
71173
Lp-006-0-S1220-11-2
Hp-006-0-S1220-13-2-Ov
Hc-G16-2-S2030-Aaba-Y99
Hp006-0-Wb-017-12-2
Lp-019-0-Wr 033-11-2-Ov
31994 Schnellkupplungensp - 009 - 2 - Wr017 - 21-1 Cuzn

41155 Schnellkupplungenlp - 019 - 2 - SI019 - 21-1 Cuzn
Md-032-0
Lp-019-0-Wr033
Lp-006-2-SI011-01-2
04624
1-95273-B-10011-3n-2-Z03-2p
Md-010-0-Wb021-12-2
Hp-006-2-Np017-12-1
Innesto Wr513 Z07
Pp-Ct0122-Lv018-Aaab-Y0-R2
Lp-012-2-Wr521-11-2
Md-006-2-Wr513-01-2
Md-007-2-Wr021-19-2
Lp-019-0-SI025-21-2
720464
Lp-012-2-Wr021-11-1-Ve
Hc-G12-0-S1624-Aaba-Y99
Hp-010-0-Wr521-12-2
95285-B-40019-46-2-Z05-Ma Elektrostecker (Bu) 3-Polig Einzeln
Hp-006-2-S1018-13-2
57-G12-2-Xx002-07-02 Nipple
Hp-006-0-D0614-12-2
115053 Verbindung Ct-005-2-Wr513-02-2
Sp-009-1-Wr021-12-2
Lp-032-2-Wr048-12-1-0
D5-266-S-00002
Md-007-2-L1016-19-2
Hp-006-0-Wr517-12-2
Lp-006-2-Wr521-01-2
Lp-012-1-Wr026-11

Pp-Ct0122-Lv018-Aaab-Y0-R1	
Md-032-0-Wr060-19-2	
Hp-010-2-S1624-01-2 Ident-Nr.: 36216	
Md-006-0-Wr513-19-1	
91489-0-Lt574-Aaac-Y10-Mp-Fl	
Hp-006-2-S1220-12-2	
Fitting Sp-006-2-Wr013-01-1 D22 L56 Art.	
86005	
Lp-004-0-Wr510 Nippel Mit Ventil	
Fitting Ct-012-0-Wr526-02-2 D40 L81 Art.	
95285-B-10019-46-2-T05-Mb-Fl Elektrostecker (St) 3-Polig Einzel	
91495-0-Wab18-Aaaa-Ar	
1-03-005-1-SI009-02-0-Z07	
Cg-G16-0- Xx005-Aaaqz12	
4554	
Lp-012-0-Wr021-11-1-Ve	
Md-007-0-L1016-19-2	
110863	
Sp - 009 - 0 - Wr021 - 21-1 Cuzn Schnellkupplungen	
95285-B-10037-Aaaa-Z21-Ma-E00047 Doppelstecker (St) Sig./Mot	
7-119-103323	WASI-2-V2 switch with mounting plate plastic blue, without cable (for the robot side)
Lp - 019 - 0 - Wr026 - 21-1 Cuzn Schnellkupplungen	
Md-007-0-Vr017	
1md0062	
72004	
Lp-019-2-Wr026-11-2	
Cn-080-2-Ws588-0a-4-Rg	

[Md-007-0-L1016-19-2-S](#)

[Lp-006-0-Wr021-01-2](#)

[Order No .: Hp-016-0-S2030-13-2](#)

WALTHER coupling, type HP-016, DN 16, with connection M 30x2 AG, according to DIN EN ISO 8434-1 series S, material: chemical steel Nickel plated, seals: FKM Order No .: HP-016-0-S2030-13-2

[Sp-006-2-Wr513-01-4](#)

[Hp-016-1-Wb026-01-2](#)