

Watson Marlow



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Watson Marlow Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Watson Marlow T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
505I	low-pulsation pump head for double Y elements
Laboratory Pump With 323 Rapid Load Flip-Top Pump	Multi channel cassette pumps - 205CA
8 Channel Cassette Pumps 205s, Watson Marlow	
Watson Marlow Tubing, 978.0102.000	Marprene Manifold Tubing
984.0013.000	WM 12 solvent resistant manifold pump tubing 0.13 mm
630U/R, IP31 peristaltic pump	
D03 GM05 025	TBM 409
Model 630UN/R, Watson-Marlow, IP6	
Model 530U, Watson-Marlow	
MARPREDE 902.0080.024#35	OUTER DIAMETER : 12.8 MM INSIDE DIAMETER : 8 MM
313B2	P/Head 3 Roller 2.4mm Wt Tubing
qdos30	MANUAL
053.1011.EH0	Watson Marlow 520REH Element Pumphead For 7Bar/100psi Element
050.9131.EHE	Watson Marlow 530S/REH IP31 pump EU plug 7 bar 100psi element
902.H032.PFQ	Watson Marlow 520 LoadSure Marprene TH 3.2mm quick release element

913.B032.R24	Watson Marlow Pumpsil Tubing 3.2mm Bore X 2.4mm Wall Thickness 500Ft Reel
0M0.223L.GLE	Watson Marlow Qdos 30 Manual Santoprene PFPE left-hand pump
0096.032 Sta-Pure Pcs Ptfе Reinforced Silicone Tubing	
050.7131.10u	PUMP METERING/TRANSFER 520S/R 220RPM 2400ML/MIN
050.9131.10u	
Qdox 120 Universal 0m0.424l.Gla	
913.A008.016: (1 Box Of 15m)	
902.0008.016 (1 Box Of 15m)	
933.P170.Pft	
073.0104.000 - 701re	
010.6141.Da0	120U/DV 200 min ⁻¹ • compact housing pump • Maintenance-free, brushless DC motor • incl. Mains adapter 230VAC / 50Hz to 24VDC • 114DV single-channel 4-roll pumphead for tubing of 1.6mm wall thickness • Remote control (Start / Stop / Reverse direction / Auto / Manual / Alarm) • Analog speed control 4- 20mA; 0-10V • Speed output via 0-5V signal • manual / analog speed control up to 20,000: 1 • ± 1% speed accuracy • Power consumption: 24W • Voltage: 24V • Degree of protection: IP 31 • 3 years warranty • Delivery rate 0.002 to 170ml / min at 2 bar with 114DV pump head Country of origin: Great Britain Customs tariff number: 84138100
050 8852 E10 521vi Relc	
902,0064.024 #24	
902.0120.I40	
913.Aj96.024	
520s Ip31	
902.0096.I32	
M0.224l.Gra	
501r12	
Locks For 16z.8952.At8	
030.3134.3du	
033 3531 A00	
Pnãmra0320a	

053.4001.000:505I	
504u	PUMP PERISTALTIC
630u/R	
033.4411.A00	
114fd/Dv	
520di/R	PERISTALTIC PUMP 300RPM 1.6MM WALL TUBING IP31
BredeI65	
0011013837	
A050713110	
Qdos 30 Universal 0m0.224I.GIa	
025075	
913.Ae32.K24	
0d0.6040.00a	
033.3411.00n	
530s/R2	
Qdos 60 Universal 0m0.324I.GIa	
720 S	
33-1069-000002	
33-1069-000003	
033.3411.00n / 313xn	
902.0064.024 (15 Meters In A Box)	
033.3431.A00	
033.4431.A00	
010.6131.Da0	PUMP 120S/DV 200RPM 24VDC 115VDC
913.Ae16.K24	
114dv	
0096.032 Sta-Pure Pfl Reinforced Fluoroelastomer Tubing	
913.A064.016	
033.3411.0rs	
060.916n.E2a	

902.0064.024: (1box Of 15meters)	
040.Dt22.210	
950312	
140.Dm1v.H06 400fdc/Vm3 For Bruker	
902.0096.024 (15 Meters In A Box)	
903143	
010 6141 Da0	
Pnã902.0064.024: (1box Of 15meters)	
010 5bu0 00a 114fd Dv 350rpm 24vdc	
050.7171.10a	PERISTALTIC PUMP 300RPM 1.6MM WALL TUBING IP31
033.3431.000	
720s	PUMP
060.4131.E2a	
323s/D	
33-1061-000001	
Mra0320a	ROTOR ASSEMBLY
300002075	
902,0064.024 Å24	
033.4431.000	314X EXT.PUMPHEAD 4 ROLLER 1.6MM WT TUBING
033.4411.000	
033.3411.000	
Roller For 16z.8952.At8	
040.Lt10.3d0	
060.9161.E2a	
073.0104.000	701RBE PUMPHEAD WITH DRIVEN ROLLERS FOR
Type: Pm44/38d-12	
2 902.P064.Pfq	
902.P170.Pcc	
053 4001 000	
902.0096.R32	

520 Un/D Ip66
106141010
010.5bu0.00a 114fd/Dv 350rpm 24vdc
902.0096.032
902.0190.I48
040 Fq1d N2c
013.60000.00a