

Waukesha

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Waukesha Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Waukesha Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Model C216.	Waukesha C Series Centrifugal Pump Model C216 Motor speed 1750 RPM - 50Hz Connection 51 mm To use it to pumping Chocolate with the specifications : INGREDIENTS : vegetable fats, sugar, skimmed milk powder, cocoa (10-12% of cocoa butter) , emulsifiers (lecithin) (PGPR) , flavors. CHEMICAL ANALYSIS Humidity 0.6% Total fats 52-62% particle size of approx. 16-30 microns Working temperature 35°C - 40°C We make the CIP for it by hot water with decontaminator at 85C?,after that flashing with vegetable oil at 55C?
169180K	
208349A	
BUSHING, BUTTERFLY VALVE HOUSING; Part Number: 168	
SEAL, OIL; Part Number: 153291B	
SEAL, OIL; Part Number: 153291B	
O-RING, 4.75" X 5.12" X .19"; Material:	

FSI; Part	
O-RING, 6.50" X 6.88 X .19"; Material: FSI; Part N	
ROD END; Part number: 208434D	
ROD END; Part number: 208434E	
Part Number: 207822G;	ELBOW, TURBOCHARGER INLET RB (RIGHT BANK) FOR WAUKESHA L7044GSI;
Part Number: 207823G	ELBOW, TURBOCHARGER INLET LB (LEFT BANK) FOR WAUKESHA L7044GSI;
SLEEVE, 3524 / 7044; KIT; PART NUMBER: G-932-282;	
L7044GSI	CYLINDER, HEAD, NBL, ASM, FOR WAUKESHA ENGINE
BEARING 101714+	
BEARING 0150035000+	
sealing equipment, mechanical seal, shim	for 820 U2
G-918-332	
G-927-43	
740407b/740407c	
C58003d()	
145029a	
A166990e	
304840a	
295844d	
A292683	
169994c	
000030013+	SEAL 1,250 SHAFT DIA X .250 WD
105061	
G-927-7	
73629a	
A204742f	
176450e	
960-149	

Abb-051377-306
A209617
A740121
A109427
Type: 261ap14x, Model: 1500a
85935
105170c Nut, Thermometer
493023
2378506
28324
2378504
Wauk-Aa-204065k
153289
153884d
B3204
G-900-1023
205504p
153807a
C168007k
47108f
Wauk-211887b
Wauk-T18k
U2-018 (Double Mechanical)
2378508
A29783b
105101 6 Gloves For The Test Engine
300030g
119397e
204109t
A740120

A27849a	
A280110t	
12cylt/Cmtg	
B6935a	
740111b	
Wauk-G-960-256	
G907230	
105102 Pens Specific For The Test Engine	
167480f	
Wauk-211887d	
2378507	
A740298	
493637	
101805+	NUT, ROTOR 030U2
A296310d	
499805	
205130p	
105108 Nut Specific To The Test Engine	
211670	
Aa740121	
G-900-1025	
499253	
78390	
155248f	
105181	
28276	
Strainer: Lube Oil Assembly For Waukesha Engine L-7044 Gsiu Serial Number: C15547/1	
204236k	
108410+	SHAFT SHORT 030U2 17-4 PH

[208974](#)[59023n](#)[G-932-172](#)[A200125f](#)[204035](#)[211887](#)[59023p](#)[A200122h](#)[168660b](#)[B3909](#)[B7707](#)[161339](#)[169616j](#)[305341](#)[208338b](#)[499222](#)[2378509](#)[G-977-49](#)[204135](#)[1699994b](#)[Aa740502b](#)[153288b](#)[A168007a](#)[A69831](#)[167480-G](#)[208842 Pn](#)[59023l](#)[78931](#)[G-932-182](#)[496812](#)

C296078g	
305723	
304025a	
Wauk-295645l	
G-907-147	
493026	
G-960-256	
S81b	
Wauk-G-900-1025	
153883a	
119397g	
C296351c	
A200022d	
204000r	
211887a	
204209n	
205130s	
28278	
207267a	
000030014+	SEAL 48mm SHAFT DIA X 7,8mm
28587d	
48766-B	
Proimp600	
10006	
A111388	
153032	
105170a Cover, Thermometer	
161345a	
2378510	
Spz1900	
204035a	

U2-018 (Single Mechanical)
2372657
205104d
A740746
493622
G6907-146
Wauk-69919d
105080
2308933
A296078g
105181b
489113
980-142
B9641
176352p
305351e
105107
G-918-328
B4367
Wauk-G-977-0049
105180. Thermometer
44999c
496884
A740112
208963
Wauk-G-977-68
166420b
A205210
0105180
304024a

Wauk-740260?	
137907+	SEAL KIT DM FKM/TC/SC/CAR 030/040U2
204436e	
691118-4 Altronic Inc	
151169f	
176883d	
207269a	
740011.	
155248h	
208964	
105099a	
Wauk-Ca204066k	
105181a	
A153754u	
169874d	
169180k	
48126	
000s06 Digital No-Flow Timer	
168335	
A205010y	
B367	
Wauk-161579b	
169994b	
C214311b	
28278a	
A205010u	
168290b	
169616b	
A105097	
030014002+ Seal Seat Solid Ceramic	

B10065	
168922l	
030306007+ Inner Seal 1 Piece Carbon	
28245	
740413b	
105100a	
211887e	
153111	
740608a	
030304000+ Wave Spring	
A153707k	
168922n/Wh	
161341	
300000d	
208973	
Wauk-208349a	
204135a	
78391	
153610	
490369	
102475+ Seal Rear Bearing 320u2	
169180k/Wh	
121680+	SEAL LIP 2.250X3.000 X.188
108409+	SHAFT DRIVE 030U2 17-4 PH
208611	
102153	ROTOR 2W #88 HOT STD 030U2
489596	
199221-A	
208349a	
176375d	
Aa46033b	

[740120a](#)

[Tes-168660b](#)