**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr




# Weh

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

**Weh** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Weh Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün | Açıklama |
|---|---|
| Weh -Adapter Typ 17-Patented | |
| TW17H M14x1.5 | |
| TW17H  M16x1.5 | |
| 300140510 | C1-14736<br>TW17H G1/2" ND<br>W9003-085<br>WEH®<br>C1-14736 TW17H-W9003-085-BB0-X, C1-14736,<br>INOX / INOX<br>CELL CONNECTION TW17H, C1-14736<br>FOR G1/2 INTERNAL THREAD<br>DEVICE NO. C1-14736<br>TW17H-W9003-085/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 4<br>SIDE CONNECTION G1/2 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| 300141710 | |
| 300144706 | |
| 300145616 | |
| 300146150 | |
| 300146465 | |
| 300156740 | |
| 300164613 | |

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| 300175960 | |
| B200B-142364 | |
| C1-109025 | |
| C1-111794 | |
| C1-111796 | |
| C1-112464 | |
| C1-114-144 | |
| C1-118225 | |
| C1-141954 | |
| C1-48091 | |
| C1-99331 | |
| E51-095V | |
| E51-116730 | |
| E69-96824 | |
| TK22N | |
| TW800 F. ROHRO15,MM/ BUNDO17,5MM C1-47781 | |
| TW800B-SON-BB0/BG4/A D:19MM | |
| TW800B-SON-BB0/BG5/A D:20MM | |
| TW800-D19 (C1-111796) | |
| W1212 | V actuator with pin W1212<br>f. Type 17 E150 (BG1) |
| C1-16774 | QUICK CONNECTOR TW141, C1-16774<br>FOR OUTSIDE PIPE. 12.0MM<br>DEVICE NO. C1-16774<br>ALL PARTS RUST RESISTANT<br>SIZE 2<br>LINE STRAIGHT NPT1/4 AG<br>ACTIVATION: CLAMPING LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | TEST PRESSURE: MAX. 100 BAR |
| C1-16773 | QUICK CONNECTOR TW141, C1-16773<br>FOR OUTSIDE PIPE. 10.0MM<br>DEVICE NO. C1-16773<br>ALL PARTS RUST RESISTANT<br>LINE STRAIGHT NPT1/4 AG<br>ACTIVATION: CLAMPING LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 100 BAR |
| W1209 | 300140643<br>V actuator with pin W1209<br>f. Type 17<br>Article no. W1209 |
| TW800 FOR G3/4 | 300145203<br><br>QUICK CONNECTOR TW800, C1-15562-X2<br>FOR EXTERNAL THREAD G3/4<br>(CONNECTION ACCORDING TO DIN 2999)<br>DEVICE NO. C1-15562-X2<br>- WITH THREAD COLLETS AND THREAD SLIPPER<br>FOR EASIER ADAPTION<br>ALL PARTS RUST RESISTANT<br>FRAME SIZE 6<br>LINE STRAIGHT G3/4 IT<br>ACTIVATION: HANDLE SLEEVE MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR / WATER / OIL / NATURAL GAS<br>TEST PRESSURE: MAX. 50 BAR |
| C1-85042-X01 | TK16-H35HF fueling nozzle for<br>Hydrogen refueling TK16 High Flow Gas a<br>adapter<br>9072065<br>WEH®<br>INOX / INOX<br>Total weight: 2.10 kg<br>TK16-H35 FILLING COUPLING; C1-85042-X01<br>FOR REFUELING HYDROGEN 5000PSI<br>- VERSION: STRAIGHT<br>- WEIGHT: 2.1KG<br>- GAS RECIRCULATION: YES<br>- MEDIUM NOTE: NOT FOR PRE-COOLED<br>HYDROGEN SUITABLE<br>- CONNECTION SIZE B1: UNF 9-16"-18 AG, SAE J514 37° CONE<br>- CONNECTION SIZE C2: UNF 7/16"-20 AG,ISO 17268.2017-03<br>SAE J2600:2015-10<br>ALL PARTS RUST RESISTANT |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | ACTUATION: HAND LEVER<br>MEDIUM: HYDROGEN<br>TEMPERATURE: MAX. 85°C<br>PRESSURE: PS 450 BAR; PT 644 BAR |
| C1-14764 | Art. Nr. 300140535<br><br>QUICK CONNECTOR TW17H, C1-14764<br>FOR INTERNAL THREAD M12X1.5<br>DEVICE NO. C1-14764<br>TW17H-W9034-045/LP<br>ALL PARTS RUST RESISTANT<br>SIZE 2<br>INLET SIDE. G1/4 IT<br>ACTIVATION: HAND LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14769 | Art. Nr. 300140694<br><br>TW17H M16x1,5 W9036-065<br><br>QUICK CONNECTOR TW17H, C1-14769<br>FOR INTERNAL THREAD M16X1.5<br>DEVICE NO. C1-14769<br>TW17H-W9036-065/HP<br>ALL PARTS RUST RESISTANT<br>FRAME SIZE 3<br>INLET SIDE. G3/8 female<br>ACTIVATION: HAND LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 350 BAR |
| TYP: 17 | |
| C1-141183 | This product contains several materials<br>REACH: CAS-No 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW01, C1-141183<br>FOR INTERIOR. 16.0-18.0MM<br>DEVICE NO. C1-141183<br>ALL PARTS RUST RESISTANT<br>SIZE 2<br>LINE STRAIGHT G1/8 IG<br>ACTUATION: PNEUMATIC EXTERNAL<br>CONTROL PRESSURE: 4 - 12 BAR<br>SEALS: NEOPRENE<br>TEST MEDIUM: AIR<br>TEST PRESSURE: MAX. 9 BAR |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| coupling | Leak test will be done on the hoses in two different sizes in the couplings. I am sharing the relevant parts of the T. pictures showing the hose inner diameter and wall thickness below. |
| C1-14769 | TW17H for internal thread M16x1.5<br>(TW17-W9036-065/HD), quick adapter<br>WEH®<br>INOX / INOX<br>This product contains other materials<br>REACH: CAS-No 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW17H, C1-14769<br>FOR INTERNAL THREAD M16X1.5<br>DEVICE NO. C1-14769<br>TW17H-W9036-065/HP<br>ALL PARTS RUST RESISTANT<br>SIZE 3<br>LEAD SIDE. G3/8 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 350 BAR |
| C1-14772 | TW17H for internal thread M22X1.5<br>(TW17H-W9039-085/ND), quick adapter<br>WEH®<br>INOX / INOX<br>This product has several materials<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW17H, C1-14772<br>FOR INTERNAL THREAD M22X1.5<br>DEVICE NO. C1-14772<br>TW17H-W9039-085/LP<br>ALL PARTS RUST RESISTANT<br>SIZE 4<br>LEAD SIDE. G1/2 female<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14768 | TW17H for internal thread M16x1.5<br>(TW17H-W9036-065/LP ) Quick adapter<br>WEH®<br>INOX / INOX<br>Customs tariff number: 73269098900<br>Total weight: 12.00 kg<br>This product has several materials<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW17H, C1-14768<br>FOR INTERNAL THREAD M16X1.5<br>DEVICE NO. C1-14768 |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | TW17H-W9036-065/LP<br>ALL PARTS RUST RESISTANT<br>SIZE 3<br>LEAD SIDE. G3/8 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14768 (M16X1,5) 50 bar TW17H | |
| Adapter 18'' | |
| C1-14772 | TW17H for internal thread M22X1.5<br>(TW17H-W9039-085/ND), quick adapter<br>WEH®)<br>INOX / INOX<br>This product has several materials<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW17H, C1-14772<br>FOR INTERNAL THREAD M22X1.5<br>DEVICE NO. C1-14772<br>TW17H-W9039-085/LP<br>ALL PARTS RUST-RESISTANT<br>SIZE 4<br>SIDE SUPPLY LINE G1/2 IG<br>ACTUATION: HAND LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14768 | TW17H for internal thread M16x1.5<br>(TW17H-W9036-065/LP ) Quick adapter<br>WEH®<br>INOX / INOX<br>This product has several materials<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW17H, C1-14768<br>FOR INTERNAL THREAD M16X1.5<br>DEVICE NO. C1-14768<br>TW17H-W9036-065/LP<br>ALL PARTS RUST-RESISTANT<br>SIZE 3<br>SIDE SUPPLY LINE G3/8 IG<br>ACTUATION: HAND LEVER MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| TW800 for AG G1/2" | C1-15561 INOX<br>(W8375-065), quick adapter |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | QUICK CONNECTION TW800, C1-15561<br>FOR EXTERNAL THREAD G1/2"<br>(CONNECTION ACCORDING TO DIN 2999)<br>DEVICE NO. C1-15561<br>- WITH THREAD COLLETS AND THREAD SLIPPER FOR EASIER ADAPTION<br>ALL PARTS RUST-RESISTANT<br>SIZE 5<br>STRAIGHT SUPPLY LINE G1/2 IG<br>ACTIVATION: HANDLE SLEEVE MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR / WATER / OIL<br>TEST PRESSURE: MAX. 50 BAR<br>This product contains other materials |
| TW800 FOR G3/4 | QUICK CONNECTION TW800, C1-15562-X2<br>FOR EXTERNAL THREAD G3/4<br>(CONNECTION ACCORDING TO DIN 2999)<br>DEVICE NO. C1-15562-X2<br>- WITH THREAD COLLETS AND THREAD SLIPPER FOR EASIER ADAPTION<br>ALL PARTS RUST-RESISTANT<br>SIZE 6<br>STRAIGHT SUPPLY LINE G3/4 IG<br>ACTUATION: HANDLE SLEEVE MANUAL<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR / WATER / OIL / NATURAL GAS<br>TEST PRESSURE: MAX. 50 BAR |
| TW17H M10x1.5 CONNECTOR (C1-115632) | |
| TW17H M12x1.5 ISO 6149 (C1-115007) | |
| TW17H M16*1.5 ISO6149 | |
| TW19M M16x1,5 ISO6149 350 BAR CONNECTOR(C1-18555) | |
| TW17H M18*1.5 ISO6149 | |
| TW19M M18x1.5 ISO6149 (C1-18456) | |
| C1-15163 TW19M-SON-BB1-MFG-XD/ BG4 M22x1.5 | |
| TW17H UN1 1/16"-12 350 BAR CONNECTOR (C1-14789) | |
| TW17H 350 BAR UN3/4"-16 (C1-90015) | |

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| C1-86246 TW19M-W9053-085-BB1-XE/ BG4/UNF 7/8”-14/MFG/gelb | |
| TW17H UNF7/8"-14 (C1-14787) | |
| TW17H 350 BAR UNF9/16"-18(C1-79580) | |
| C1-141959 | This product contains other materials<br>REACH: CAS-No 7439-92-1, Pb >0.1%<br>QUICK CONNECTOR TW02 C1-141959<br>FOR PIPE OUTSIDE 17.0-19.0MM<br>DEVICE NO. C1-141959<br>ALL PARTS RUST RESISTANT<br>SIZE 1<br>SUPPLY LINE STRAIGHT G1/4 IG<br>ACTUATION: PNEUMATIC EXTERNAL<br>CONTROL PRESSURE: 4 - 12 BAR<br>SEALS: NEOPRENE<br>TEST MEDIUM: AIR<br>TEST PRESSURE: MAX. 35 BAR |
| TW02-1-18 17-19MM FELT | |
| TYP 17 | The following product has a hose inlet of Ø8 and a 3/4, 1/2, 1 and 1 1/4 inch WEH adapter type 17 |
| B200B-142369 | REPLACEMENT SEALS F-FEB 1-18<br>FOR ADAPTER F-FE 1-18<br>(1 SET CONSISTS OF 5 SEALS)<br>ITEM NAME: F-FEB 1-18<br>SEALING RANGE: 17.0-19.0MM<br>(1 SEAL / ADAPTER)<br>B200B-142369 |
| C1-12641-X2-X01 | TK21 with opening spindle for natural gas |
| C1-170066 | TVR200-S1-A02-VV-1-GI18-GI18-ES1-PC1<br>Check valve type TVR200<br>Opening pressure: 0.10 bar<br>Technical classification according to PED 2014/68/EU Technical specification according to TVR200-1<br>Medium Water (Fluid Group 2) Intended use Backflow prevention<br>Pressure PS 250 bar Product family TVR200<br>Pressure PT 358 bar Product series TVR200-S1<br>Max. media temperature 200 °C Connection combination A02 - IG/IG<br>Min. media temperature -40 °C Flow direction B1 --> B2<br>PED nominal diameter (DN) 6 Valve seat Ball seal<br>State Gaseous Installation position any<br>Pressure equipment type Pipeline Spring material 1.4571<br>Product type Check valve Sealing material FKM |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Weight 0.15 kg<br>Length L1 56 mm<br>Length L2 56 mm<br>Length L3 10 mm<br>Length L4 10 mm<br>Wrench size SW(1) 19 mm<br>Wrench size SW(2) 19 mm<br>Diameter D1 22 mm<br>Connection standard B1 DIN EN ISO 228-1 |
| TW02-01-03/A=Ø6,6 - 8,6mm | C1-141953<br>Quick connection for outer diameter, smooth tube<br>Type TW02 must always be secured by a holding device<br>Only in vacuum applications can<br>a holding device can be dispensed with.<br>- P299 |
| TW17H G1 1/4" | TW17H G1 1/4" 50 BAR CONNECTOR |
| C1-14736 | TW17H for internal thread G1/2"<br>(TW17H-W9003-085/ND), Quick adapter<br>WEH®<br>C1-14736 TW17H-W9003-085-BB0-X, C1-14736,<br>INOX / INOX<br>QUICK CONNECTION TW17H, C1-14736<br>FOR G1/2 INTERNAL THREAD<br>DEVICE NO. C1-14736<br>TW17H-W9003-085/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 4<br>SIDE CONNECTION G1/2 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR<br>Note: Maximum product lifespan is 15 years<br>This product contains additional materials.<br>REACH: CAS No. 7439-92-1, Pb >0.1% |
| C1-14738 | TW17H for internal thread G3/4"<br>(TW17H-W9005-125/ND), Quick adapter<br>WEH®<br>INOX / INOX<br>This product has several materials.<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>QUICK CONNECTION TW17H, C1-14738<br>FOR G3/4 INTERNAL THREAD<br>DEVICE NO. C1-14738<br>TW17H-W9005-125/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 5 |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | SIDE CONNECTION G3/4 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| TW17H G1 1/4" | This product contains additional materials.<br>REACH: CAS No. 7439-92-1, Pb >0.1%<br>SCHNELLANSCHLUSS TW17H, C1-10393-X1<br>FÜR INNENGEWINDE G1 1/4<br>GERÄTE NR. C1-10393-X1<br>TW17H-W9058-165<br>ALLE TEILE ROSTBESTÄNDIG<br>BAUGRÖSSE 7<br>ZULEITUNG SEITL. G1 IG<br>BETÄTIGUNG: HANDHEBEL MANUELL<br>DICHTUNGEN: NBR (BUNAN)<br>PRÜFMEDIUM: LUFT, WASSER, ÖL<br>PRÜFDURCK: MAX. 50 BAR |
| TW03 G1/8 ANSCHLUSS | CELL CONNECTION TW03 C1-11821<br>FOR G1/8 INTERNAL THREAD<br>DEVICE NO. C1-11821<br>ALL PARTS RUST-RESISTANT<br>CONNECTION VERSION WITHOUT ROTATING FEATURE<br>STRAIGHT SUPPLY CONNECTION G1/8 IG<br>OPERATION: MANUAL BY TURNING<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 345 BAR |
| W9329 | CAP SCREW G1/8 (STEEL) W9329 |
| C1-14738- | TW17H for internal thread G3/4"<br>(TW17H-W9005-125/ND), Quick adapter<br>WEH®<br>INOX / INOX<br>QUICK CONNECTION TW17H, C1-14738<br>FOR G3/4 INTERNAL THREAD<br>DEVICE NO. C1-14738<br>TW17H-W9005-125/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 5<br>SIDE CONNECTION G3/4 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14730 | TW17H for G1/8" INTERNAL THREAD<br>(TW17H-W9000-025/ND), Quick adapter |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

| Ürün | Açıklama |
|---|---|
| | WEH®<br>INOX / INOX<br>QUICK CONNECTION TW17H, C1-14730<br>FOR G1/8 INTERNAL THREAD<br>DEVICE NO. C1-14730<br>TW17H-W9000-025/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 1<br>SIDE CONNECTION G1/8 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14732 | TW17H for IG G1/4"<br>(TW17H-W9001-045/LP) Quick adapter<br>WEH®<br>INOX / INOX<br>QUICK CONNECTION TW17H, C1-14732<br>FOR G1/4 INTERNAL THREAD<br>DEVICE NO. C1-14732<br>TW17H-W9001-045/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 2<br>SIDE CONNECTION G1/4 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL, noble gases<br>TEST PRESSURE: MAX. 50 BAR |
| C1-14734 | QUICK CONNECTION TW17H, C1-14734<br>FOR G3/8 INTERNAL THREAD<br>DEVICE NO. C1-14734<br>TW17H-W9002-065/LP<br>ALL PARTS RUST-RESISTANT<br>BUILDING SIZE 3<br>SIDE CONNECTION G3/8 IG<br>OPERATION: MANUAL HAND LEVER<br>SEALS: NBR (BUNAN)<br>TEST MEDIUM: AIR, WATER, OIL<br>TEST PRESSURE: MAX. 50 BAR |
| TW17...-W9000-025 | G1/8" |
| TW17...-W9005-125 | G3/4" |
| Tw17h G1/2" 50 Bar | |
| C1-137183 | TW800B-SON-BB0/BG1/A=Ø8mm |
| 300204511 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Tw 800 G1/2 | |
| B800bg4-18 | |
| C1-124707 | |
| C1-122696 | |
| Tw17h G1/2" | |
| C1-14762 | |
| 03 91 289116 | |
| 300159017 Tw17h-W9052-065/Lp C1-14784 | |
| E51 - 111n | |
| E09 - 043p | |
| 300140509 | |
| 300207131 | |
| 300145203 | |
| C1-31219-X2 | |
| 300204512 | |
| 300145389 | |
| W9325 | |
| E51-87824 | |
| C1-1455 | |
| E60-6031-004 | |
| C1-138190 | |
| E64 - X321 | |
| E51-277n | |
| C1-141190 | |
| 300155891 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| F-Jnl1-0938(Ex. F-Jnl1-0937) | |
| 3866069 | |
| C1-14763 | |
| C1-W6891 | |
| C1-16112-X1 | TW800B SPECIAL CONNECTOR |
| Tw800g | |
| F-Fi6-62 | |
| F-Fe01-01 / Tw02 C1-141950 | |
| B800bg4-16 | |
| B800bg1-5 | |
| C1-84248 | |
| 14 X 1,5 Cr | |
| F-Fi5-51 | |
| 3866071 | |
| B800bg3-14 | |
| E13-104841 | |
| E02-503g-W59 | |
| T17v | |
| Quick Connector - Internal Threads Tw17 | |
| C1-16349 Tw 800b | |
| C1-99840 | |
| 300142043 | |
| B800b-W8380-25 | |
| (C1-76774) | |
| Tk23 | |
| 17hm22x1,5 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| C1-16113-X1 | TW800B SPECIAL CONNECTOR |
| C1-104664 | |
| T18v16unf | |
| C1-57214 | |
| T17-Bg3 | |
| E51-102n | |
| Tw17h | |
| Tw141 22mm | |
| Tw17h G3/4" | |
| Tn1c1-118225 Ngv Nozzle (Weh Tn1c1-118225 Erdgasgostd-18mm,Dn=5mm) | |
| C1-114925 | |
| E55-121e056n | |
| 300141810 (Fe F-Fe01-02) | |
| C1-92534 | |
| Tw 800 G 3/4 | |
| C1-16349 | TW800B SPECIAL CONNECTOR PLUG VERSION |
| 17hm24x1,5 | |
| B800b-W8394-125 | |
| C1-14774 | |
| C1-15561 K 73995 | |
| 300160577 | |
| Tw17hm12x1,5 | |
| B800b-W8387-085 | |
| T18v14unf | |
| Jnlm130 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| E50-138s519 | |
| 300141734 ( Fe F-Fe01-03) | |
| C1-31849 | |
| (C1-60440) | |
| 16-18-Fi-B2-21 | |
| Fi26-28-F-Fib3-33 | |
| C1-16348 | TW800B SPECIAL CONNECTOR |
| 17hm30x1,5 | |
| C1-19059 | |
| F-Fi6-61 | |
| 300140508 | |
| 14 X 2 | |
| C1-17059 | |
| F-Fi6-63 | |
| E50-105 S | |
| 51-251n | |
| C1-15562-3/4 86879 | |
| C1-15561-1/2 87392 | |
| C1-14785 Tw17h-W9052-065/Hp Artikel: 300140525 | |
| M24-M16 | |
| Ngv2 (C1-35401-X1) *** 220 Pieces | |
| C1-16199 / 300140588 | |
| C1-59243-X01 | |
| B81223240008801-B812230332193 | |
| C1-15562-X2 K 75319 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| B800b-W8386-065 | |
| 300146227 | |
| Fi12-14-F-Fib1-12 | |
| C1-84141 | |
| T18v18unf | |
| C1-141629 | |
| T18v20unf | |
| E64 - X241 | |
| E50 - 248n | |
| 300145204 | |
| F-Fi1-13 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*