


Weigel



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Weigel** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Weigel Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
PI 291	644.0291 Mechanical DC switch position indicator Black bar icon Light background Around 29mm Uh: 24 ... 230V DC Net weight: 0.12kg Country of origin: GB Customs tariff: 90303370
A1U2.2	Sinus AC Current Transducer
80AA14170417	EQ48K MB:0-250V SK:0-250V FZ: Weigel with back cover Version EQK Dimension 48 Measuring range 0-250V Scale 0-250V Company logo WEIGEL Accessories REAR PANEL COVER
80AA14260426	EQ48K, MB:0-300V, SK:0-300V with back cover FZ: Weigel Version EQK Dimension 48 Measuring range 0-300V Scale 0-300V Company logo WEIGEL Accessories M.BACK COVER
80AA14190419	EQ48K, MB:0-500V, SK:0-500V FZ: Weigel with back cover Version EQK Dimension 48 Measuring range 0-500V Scale 0-500V Caption V Company logo WEIGEL Ship version WITHOUT lighting WITHOUT Front glass NORMAL GLASS Accuracy class 1.5 Accessories REAR PANEL COVER
80AA11560174	EQ48K, rec. 50/5A, Sk:0-50/100A FZ: WEIGEL Version EQK Dimension 48 Measuring range 50/5A Scale 0-50/100A Company logo WEIGEL Front glass NORMAL GLASS Accuracy class 1.5 Accessories REAR PANEL COVER
SQ0204	643.130.0204.110.10 Synchronoscope LED,100/110V Relay Continuous, DB:NO neutral Version SQ0204 Dimension 96X96 Logo NEUTRAL Supplement WITH BACK PANEL
45CA14130413	WQ96/2S, MB+Sk:2x0-100V FZ: Weigel with rear panel cover Version WQ/2S Dimension 96 Measuring range 2X0-100V Scale 2X0-100V Company logo WEIGEL Scale addition 1 HIGH SCALE Accessories REAR

	PANEL COVER
46CG16020602	FQ96/2, MB+SK:45-55Hz, 2x21Zg, 100V FZ:Weigel Rear panel cover Version FQ/2 Dimension 96 Measuring range 45-55 HZ, 100V Scale 45-55 HZ Label HZ Company logo WEIGEL Ship version WITHOUT Lighting WITHOUT Front glass NORMAL GLASS Pointer version 2X 21 TONGS Accessories REAR PANEL COVER
81CA10591245	PQ96K MB:4-20mA SK: 5761045-3 Utf2 1-17 steps with rear panel cover Version PQK Dimension 96 Measuring range 4-20MA Scale UTF2 1-17STEPS Company logo WEIGEL Accessories REAR PANEL COVER
644.0291	PI 29-1 Switch position indicator mechanical DC, bar symbol black. Light background, 24-230V Type PI 29-1 Dimensions 29 mm Round shape Voltage 24...230 V DC Symbol: Bar symbol Background: Light Background
PQ96K, MB: 4-20mA, Sk: 1-25	81CA50591651-02909 black/white fields, all references FZ:WEIGEL, complete RW-Abd. PQ96KType 4..20mA measuring range DC frequency 1.5% accuracy class BLACK pen color 1-17 scale WITHOUT CONVERTER WITHOUT overload OHNES scale black negative BLACK/WHITE FIELDS scale supplement 1 ALL NUMBERED scale supplement 2 WITHOUT scale addition 3 VERTICAL installation position WEIGEL company logo WITHOUT ship version Glare-reducing front glass BLACK front frame IP52 FRONT SIDE Protection class WITHOUT lighting erh.mech. Bean. WITHOUT red marker pointer WITHOUT BV / SF / Drawing WITHOUT Company logo label WEIGEL Test certificate WITHOUT Long text WITHOUT Rubber seal accessories WITHOUT Accessories SCREW SPINDLE Accessories: Touch protection, terminal cover
432.130.10 Zq96k Drehspulinstrument Hz Mb: 45...50...55hz	
685.130.9291 Scale: -7 ... 0 ... 7 Mvar	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: -7 ... 0 ... 7 MVar Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
080.130.0629 Sy96s	Sy96S synchronoscope Rated voltage: 100V 50 Hz Net weight: 1.00 kg Country of origin: DE Customs tariff: 90303380
031.130.0163.00 Fq96 / 2	FQ96 / 2 double tongue frequency meter MB: 45 ... 55 Hz Scale: 45 ... 55 Hz 2 x 21 tongues Rated voltage: 100V Net weight: 0.65 kg Country of origin: CZ Customs tariff: 90303380
Pq96k -15...0...15mvar	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdrckt Skala: -15...0...15MVar Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
Pq96k -7...0...7mvar	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdrckt Skala: -7...0...7MVar Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
652.10.121600 / Sus-95-Q R/G 220vdc	
652.14.121600 / Sus-99-Q R/G 220dc	
023.130.0629 Wq96 / 2s	WQ96 / 2S double voltage meter AC MB: 2 x 0 ... 100V Scale: 2 x 0 ... 100/120% (100V = 100%) Net weight: 1.20 kg Country of origin: DE Customs tariff: 90303380
652.01.121600 / Sus-01 R/G 220v Dc	
Dga100-40a10qd-2	
Wq96/2s	
644.1241 Pir 24-1 Schaltstellungsanzeiger Mechanisch Ac	

674.130.8311 Eq96k Dreheiseninstrument Ac An Wandler N/1a	
652.18.121600 / Sus-99-Gs-02 R/G 220vdc	
644.1291 Pir 29-1 Schaltstellungsanzeiger Mechanisch Ac	
Sus-01-T-Q R/G 110vdc	652.04.121400 LED switch position indicator with LED test 25x25mm Red Green Voltage: 110V DC Net weight: 0.06 kg Country of origin: CZ Customs Tariff: 85414010
Wq96/2s 2 X 0...100/120%	WQ96/2S Doppelspannungsmesser AC MB: 2 x 0...100V Skala: 2 x 0...100/120% (100V = 100%) Nettogewicht: 1,20 kg Ursprungsland: DE Zolltarif: 90303380
161.993.0220	
675.130.8500 Pq96k Drehspulinstrument Dc Mb: 0...150mv An Nw	
644.0241 Pi 24-1 Schaltstellungsanzeiger Mechanisch Dc	
652.13.121600 / Sus-99 R/G 220vdc	
685.130.9291 Scale: -15 ... 0 ... 15 Mvar	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: -15 ... 0 ... 15 MVar Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
Das10-40p1r	
031.130.0163.00 Fq96/2 Doppelzungenfrequenzmesser	
684.130.1000 / Eq96k	
Pq96k 0...25mw	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdr¼ckt Skala: 0...25MW Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
685.130.9291 Scale: 0-25 Mw	PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed Scale: 0-25 MW Net weight: 0.20 kg Country of origin: IN Customs tariff: 90303380
020.120.0635	
644.0251 Pi 25-1 25x25mm Uh: 24...230v Dc	
652.16.121600 / Sus-99-L-Q R/G 220vdc	
644.0361 Pi 36-1 Schalterstellungsanzeiger Mechanisch Dc	
Dpa14-50a10r-4	
644.1361 Pir 36-1 Schalterstellungsanzeiger Mechanisch Ac	
644.0361 Pi 36-1 Schaltstellungsanzeiger Mechanisch Dc Balkensymbol Heller Hintergrund 36x36mm Uh: 2	
644.0251	
Sy96s	Sy96S Synchronoskop Nennspannung: 100V, 50Hz Nettogewicht: 1,00 kg Ursprungsland: DE Zolltarif: 90303380
Bwq 48	BWQ 48 Betriebsstundenz¼hler AC Betriebsspannung: 115V, 50 Hz ----- Please check data Net weight: 0.25 kg Country of origin: DE Customs tariff: 90291000

Fq96/2 45...55 Hz	FQ96/2 Doppelzungenfrequenzmesser MB: 45...55 Hz Skala: 45...55 Hz 2 x 21 Zungen Nennspannung: 100V Nettogewicht: 0,65 kg Ursprungsland: CZ Zolltarif: 90303380
416.134.10 Lsg96k Drehspulinstrument Ac Mb: 0...1,66a Skala: 0...500a	
V1u2.2	181.975.9222.5 sinusoidal alternating voltage Special input: 0 ... 120V AC Frequency: 48 ... 62Hz Output: 4 ... 20mA Class 0.5 Power supply: DC 24V (20 ... 72V) Net weight: 0.12 kg Country of origin: DE Customs tariff: 90303330
432.130.10 Zq96k	ZQ96K rotary coil instrument Hz MB: 45 ... 50 ... 55Hz Scale: 45 ... 50 ... 55Hz Rated voltage: 100V Net weight: 0.30 kg Country of origin: DE Customs tariff: 90303380
Sus-01-T R/G 110v Dc	652.03.121400 LED switch position indicator with LED test Around 25mm Red Green Power supply: 110V DC
652.17.121600 / Sus-99-Gs-01 R/G 220vdc	
644.0291	
663.1.120.05 Bgq 72	
416.134.10 Lsg96k Drehspulinstrument Ac Mb: 0...124,2v Skala: 0...200kv	
652.15.121600 / Sus-99-L R/G 220v Dc	
643.130.0214.100.1 Sq0214	
E113laincn	
652.12.121600 / Sus-95-Q-L R/G 220vdc	
652.03.121600 / Sus-01-T R/G 220vdc	
181.981.9820.5 Vud2.2	
031.130.0171.00 Fq96/2 Doppelzungenfrequenzmesser Mb: 45...65 Hz Skala: 45...65 Hz	
023.130.0629 Wq96/2s Doppelspannungsmesser Ac	
181.975.2202.5 V1u2.2	
684.130.3629 Eq96k Dreheiseninstrument Ac An Wandler N/100v	
Pq96k 0,5...1...0,5 Ind.	PQ96K Drehspulinstrument DC MB: 4...20mA mechan. unterdr¼ckt Skala: cap. 0,5...1...0,5 ind. Nettogewicht: 0,20 kg Ursprungsland: IN Zolltarif: 90303380
652.11.121600 / Sus-95-L R/G 220dvc	
644.1251 Pir 25-1 Schaltstellungsanzeiger Mechanisch Ac	
652.09.121600 / Sus-95 R/G 220vdc	
040.110.10 Bwq 48	BWQ 48 operating hours counter AC Operating voltage: 115V, 50 Hz Net weight: 0.25 kg Country of origin: DE Customs tariff: 90291000
Zq96k 45...50...55 Hz	ZQ96K Drehspulinstrument Hz MB: 45...50...55 Hz Skala: 45...50...55 Hz Nennspannung: 100V AC Nettogewicht: 0,00 kg Ursprungsland: IN Zolltarif: 90303380

[685.130.9291 Scale: Cap. 0.5 1 0.5 Ind.](#)

PQ96K Rotary coil instrument DC MB: 4 ... 20mA mechan. repressed
Scale: cap. 0.5 1 0.5 ind. Net weight: 0.20 kg Country of origin:
IN Customs tariff: 90303380