



Weintek

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Weintek Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Weintek T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Mt8070ie	
Wbgbc043e	4.3 "wide screen control panel 4.3 "wide screen TFT touch LCD graphic display with 480 x 272 pixels, 16 million colors. 2 serial interfaces, incl. MPI connection option. 1 Ethernet interface 10/100 Base TX, 1 USB 2.0 host, On-board 128 MB RAM, 128 MB flash memory on board, Degree of protection IP65, Fanless cooling system. Via free programming software configured. Different protocols and Connection to various controls e.g. Siemens S7-1200, Allen-Bradley etc. integrated Operating temperature: 0 to 50 ° C Supply: 24 VDC, max. 0.25 A.
Mt8103ie	- 10.1 "touch panel of the iE series - 16.7M widescreen color display - 1024 x 600 pixels - 3 serial ports, 1 x LAN port, 1 x USB 2.0; 1 x WiFi - 128 MB flash, 128MB RAM - 32 bit 600MHz RISC CPU - 24V DC power supply - Dimensions in mm: 271 x 213 x 36.4 - Weight about 1.0 kg
Mt8071ie	Weintek touch panel - 7 "touch panel of the iE series - 16.7M widescreen color display - 800 x 480 pixels - 3 serial ports, 1 x LAN port, 1 x USB 2.0 - 128 MB flash, 128MB RAM - 32 bit 600MHz RISC CPU - 24V DC power supply - Dimensions in mm: 200.3 x 146.3 x 34 - Weight about 0.6 kg
7" MT8071IE	
MT3103	
MT3152X	

MT506LV45EV	
MT506T	
MT6050I	
MT6050iV2EV	
MT6056I	
MT6056I V2W K	
MT6070IE-WT	
MT6070IH	
MT6070IH:7"	
MT6070IH-WT	
MT6071 iP	
MT6100I	
MT6100IV WBGS0100	
MT6103iP	
MT-8050I 7"	
MT8050iE	
MT8051IP	
MT8070IE	
MT8070IH	
MT8070iH 3EV	
MT8071IE	- 7" iE series touch panel - 16.7M widescreen color display - 800x480 pixels - 3 serial ports, 1x LAN port, 1x USB 2.0 - 128MB Flash, 128MB RAM - 32bit 600MHz RISC CPU - Power supply 24V DC - Dimensions in mm: 200.3x146.3x34 - Weight about 0.6 kg
MT8071IE-EX	
MT8071IP	
MT8100IE	
MT8100I-WT	
MT8101IE	
MT8102iE	
MT8103IE	

MTV-100WK	
MT6071 iE	
V2EVVM, MT8150X	
WBGAC043E	
WBGAC070 EMT3070A	
WBGAC070EA	
WBGAC097X	
WBGAC101E	
WBGAC101EA	
WBGAC150X	
WBGAE121	
WBGBC070E	
WBGCE100P	
WBGCE121A	
WBGCE150	
WBGCMTG01	
WBGCMTIM21	
WBGSE043	
WBGSE070	
cMT-SVR-100	
MT8102IE	- 10.1" iE series touch panel - 16.7M widescreen color display - 1024x600 pixels - 3 serial ports, 1 x LAN port, 1 x USB 2.0 - 128MB Flash, 128MB RAM - 32bit 600MHz RISC CPU - Power supply 24V DC - Dimensions in mm: 271 x 213 x 36.4 - Weight about 1.0 kg
MT8090XE	Touch Operator Panel 9.7"
MT8073IE	- 7" iE series touch panel - 16.7M widescreen color display - 800x480 pixels - 3 serial ports, 2 x LAN port, 1 x USB2.0 - 128MB Flash, 128MB RAM - 32bit 600MHz RISC CPU - Power supply 24V DC - Dimensions in mm: 200.3x146.3x34 - Weight about 0.6 kg - including EasyAccess 2.0
MT8121XE3	- 12.1" XE Series Weintek HMI - 16.7M color display - 1024x768 pixels - 2 serial ports, 1 x LAN port, 2*USB2.0 - 256MB Flash, 256MB RAM - 32-bit 1GHz RISC Cortex-A8 CPU - Power supply 24V DC - Dimensions in mm: 322x243x51 - Weight about 2.0 kg

MT8150XE	15 INCH TFT 16.2 M COLOR 1024*768 1GHZ ALUM.
CMT-FHDX-820	HDMI communication gateway - Quad-core Cortex-A17 CPU, 1.6GHz with high performance 3D processor - 1 x serial port - 2 x LAN ports; 1 x USB 2.0 - HDMI port Full HD - 4GB Flash, 1GB RAM - Integrated CODESYS PLC (optional) - EasyAccess2 (optional) - Programmable with Easy Builder Pro - Power supply 24V DC - Dimensions in mm: 130 x 115 x 29.8 mm - Weight: 0.24kg
CMT2108X2	Weintek 10.1" Smart HMI cMT2108X2(V2) with 1024 x 600 TFT display - 16.7 million colors - Quad-core 32Bit RISC CPU, 1.6GHz - 4 GB Flash; 1 GB RAM - 2 x Ethernet . (1 x 10/100/1000 Base-T, . 1 x 10/100 Base-T) - 1 x USB 2.0 - 2 x COM Port - Integrated Codesys PLC (optional) - WLAN module M02 can be used optionally - EasyAccess2 (optional) - Programmable with EasyBuilder Pro - 24V DC power supply - Dimensions in mm: 271 x 213 x 43 - Weight: approx. 1.2 kg
cMT2108X2	
Mt6070ie-Wt	
Emt3150a	
Mt8100ih	OPERATOR INTERFACE 10.4INCH TOUCH SCREEN 128MB LCD
Mt 8101 Ie Platte	
Mt810ie - Successor Is Mt8102ie	
Mt8104xh	TOUCH SCREEN
Mt8071ie Operator Panel Touch	
Mt8051ip Touch-Operator-Panel 4,3" Tft 4,3" (480x272) / 16,7 Millionen Farben / 30000 Stunden	
Mt 8050 Ie	S/N 1502000732 Please see attached Photo
Mt6100iv Wbgs0100	
Wbgac100e	
Mt8100ie1wg	
Mt 6050 Ie	S/N 1501002049 Please see attached Photo
Wbgac070e	
Mt6070ih-Wt	
Mt-8050i 7quot;	
Connection Cable For Mt6070ih 2wk	
Mt8121xe	12.1" TFT COLOUR GRAPHIC TOUCHSCREEN HMI, ALUMINUM ENCLOSURE. BRIGHT LED 500 CD/M2 TFT LCD 16.2M COLOURS, 1024X768 PIXEL DISPLAY. HIGH RESOLUTION

	RESISTIVE TOUCH SCREEN, 50 000 HOUR BACKLIGHT HALF-LIF
Mt8051ip Panel Touch-Mt8051ip 4 "	
Mt-8050i 8quot;	
M?6071 I? Operator Panel	
Mt8101	
Mt8121x	
Mt 8070 Ie	
Mt 6050 Ip	
Emt3120a	
Mt8070ih	
Mt8070ie Operator Panel	
Wbgac070s	
Mt6070i H2bl	
Mt8056t-Wt	
Mt8150xe	
Mmi700	OPERATOR INTERFACE
Mt8100i	OPERATOR INTERFACE 10INCH TOUCH SCREEN 128MB LCD
Mt 6070 Ie	S/N 1509006420 Please see attached Photo
Ep2- Et	
Mt6070ih:7quot;	
Wmtv0100	
?Mt3103	
Mt6070ie	
??T-Svr-100	
Mt6070ih	
Mt8071ie-Ex	
Emt3070a	
Emt3105p-Wt	
Mt6100i - Obsolete, Replacement Mt8100ie	
Mt6100i-Wt	

Mt 8150xe - Operator Panel	
Mt8070ih:7quot; - Obsolete, Replaced By Mt8070ie 1wg	
Mt8050i:4.3quot; Lcd Tft	
Tk8070ih	OPERATOR INTERFACE 7IN SCREEN LCD DISPLAY
Mt6070ie:7quot;	
Mt8071ip	
Cmt-Ipc15	15TFT COLOUR GRAPHIC TOUCHSCREEN PANEL PC, ALUMINIUM CASE. BRIGHT 400 CD/M2 TFT LCD COLOUR, 1024X768 PIXEL DISPLAY. HIGH RESOLUTION RESISTIVE TOUCH SCREEN, 16.2M COLOURS. LED 50 000HRS LONG-LIFE BACKL
Emt3105p	
Mt6056i V2wk	
Mt8150x	
Cmt3151	15 TFT COLOUR GRAPHIC TOUCHSCREEN HMI, ALUMINIUM CASE. BRIGHT 400 CD/M2 TFT LCD COLOUR, 1024X768 PIXEL DISPLAY. HIGH RESOLUTION RESISTIVE TOUCH SCREEN, 16.2M COLOURS. LED 50 000HRS LONG-LIFE BACKLIGHT
Mt6056i Easyview - Obsolete, Replacement - Mt6070ie:7quot;	
Mt8104ih-Wt	
Mt8090xe	
Mt6100i V2ev -Obsolete, Alternative - Mt8102ie	
Mt8100i-Wt	
Emt3120a-Wt	
Tk6070ik	OPERATOR INTERFACE
Mt-8150xe	15" TFT COLOUR GRAPHIC TOUCHSCREEN HMI, ALUMINUM ENCLOSURE. BRIGHT LED 400 CD/M2 TFT LCD 16.2M COLOURS, 1024X768 PIXEL DISPLAY. HIGH RESOLUTION RESISTIVE TOUCH SCREEN, 50 000 HOUR BACKLIGHT HALF-LIFE.
M?6071 I? Bedienungsfeld	
Mmi6070h	
Mt6050i	
Mt8100ie1wg - Not Available,	

[Alternative - Mt8102ie](#)

[Mt8090xe Weintek Mt8090xe, 9.7" -
Operator-Panel](#)