

W.E.St.

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

W.E.St. Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız W.E.St. Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Pam-199-P Version 2230	GL TYPE APPROVAL, Certificate No. 11251 - 14 HH - ersetzt die PAM-195, 196 und 197 / replaces PAM-195, 196 and 197 - universeller Leistungsverstärker / universal power amplifier - USB Schnittstelle / USB interface - für Wege-, Druck- und Drosselventile / for directional, pressure and throttle valves - 0,5... 2,6 A Nennstrom (stufenlos einstellbar) / 0,5... 2,6 A rated current (infinitely adjustable) Zolltarif Nr. / HS-Code: 85437090
W.E.St.	
W.E.St.	
W.E.St.	
W.E.St.	
PAM-199-P	GL TYPE APPROVAL, Certificate No. TAA00002Yes - replaces the PAM-195, 196 and 197 / replaces PAM-195, 196 and 197 - universal power amplifier - USB interface / USB interface - for directional, pressure and throttle valves / for directional, pressure and throttle valves - 0... 2.6 A rated current (continuously adjustable) / 0... 2.6 A rated current (infinitely adjustable)
PAM-195-P-S3	Revision 2230 - digital power amplifier / digital power amplifier - 0... 10 V, +/- 10 V or 4... 20 mA input signal ranges / input signal ranges - USB interface / USB interface - with direction switch - integrated power limitation function / integrated power limitation - 0.5... 2.6 A nominal current (continuously adjustable) / 0.5... 2.6 A

Ürün	Açıklama
	rated current (infinitely adjustable)
PAM-193-P	Revision 4121 Power amplifier for proportional valves / Power amplifier for proportional valves Parameterization via potentiometer / parametering with potentiometer Current ranges 1.3 A and 2.6 A Reference voltage 8 V
SCU-138-P	Revision 2230 Speed control unit 6 kHz input frequency Rated current adjustable up to 2.6 A/ rated current adjustable up to 2.6A 1 x programmable setpoint / 1 x programmable command value 1 analogue setpoint input / 1 x analogue input signal Switchable to PWM setpoint input / switchable to PWM setpoint input Customs Tariff No. / HS Code: 85371098
PAM-190-P-I	Version: 1322 Plug amplifier / power plug 4... 20 mA input signal 2.5 A maximum output current Adjustable: PWM frequency, MIN, MAX and ramps / adjustable: PWM frequency, MIN, MAX and ramps
PAM-199-P	GL TYPE APPROVAL, Certificate No. TAA00002Yes - replaces PAM-195, 196 and 197 / replaces PAM-195, 196 and 197 - universal power amplifier / universal power amplifier - USB interface / USB interface - for directional, pressure and throttle valves / for directional, pressure and throttle valves - up to 2.6 A rated current (infinitely adjustable) / up to 2.6 A rated current (infinitely adjustable)
Dsg-164-30	
Pam-191 Power Amplifier	
Pam-199-P	Version 2130 (new design) GL TYPE APPROVAL, Certificate No. 11251 - 14 HH replaces PAM-195, 196 and 197 / replaces PAM-195, 196 and 197 - universal power amplifier / universal power amplifier - USB interface / USB interface - for directional, pressure and throttle valves / for directional, pressure and throttle valves - 0.5 ... 2.6 A rated current (infinitely adjustable) / 0.5 ... 2.6 A rated

Ürün	Açıklama
	current (infinitely adjustable) Tariff no. / Customs tariff no .: 85437090
Pam-196-S8	
Dsg-111-U Version 2030 Wandler	
Sv-200	
Dsg-111-U-2030	