


## Wieland Electric



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Wieland Electric** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Wieland Electric T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">Snv4063kl-A 3s Dc 24v (A)</a>	R1.188.0620.0 Basic device, one or two-channel control by contacts or semiconductors, automatic / manual reset with reset button monitoring, 2 immediate releases, 1 release delayed release, 0.15s - 3s, 24 V DC, screw terminal pluggable
<a href="#">Snv4063kl-A 30s Dc 24v (A)</a>	R1.188.0640.0 Base unit, one or two-channel control by contacts or semiconductors, automatic / manual reset with reset button monitoring, 2 immediate releases, 1 release delayed release, 1.5 - 30s, 24 V DC, screw terminal pluggable
<a href="#">SNV4063KL</a>	EMERGENCY STOP, BASIC-MODULE 1,5 FUNCTION 1,5-30SEC 24VDC
<a href="#">WIENET UMS 8</a>	Switch, 8-port, Fast Ethernet, DIN rail
<a href="#">25.340.3653.0</a>	
<a href="#">70.350.1035.1</a>	
<a href="#">81.000.6200.0 / Wipos R20</a>	
<a href="#">Copper Tape</a>	
<a href="#">70.320.0628.0</a>	
<a href="#">70.310.0640.0 (Pack X10)</a>	
<a href="#">70.350.0635.1</a>	
<a href="#">Sno4003k-A Ac/Dc 24v (B)</a>	
<a href="#">72.210.0653.0</a>	
<a href="#">73.353.4035.1</a>	
<a href="#">70.310.2440.0 (Pack X10)</a>	

<a href="#">93.931.4953.0</a>
<a href="#">210642 Podis Mot</a>
<a href="#">070604</a>
<a href="#">70.510.1053.0</a>
<a href="#">70.500.1053.0</a>
<a href="#">72.300.1653.0</a>
<a href="#">73.354.4035.1</a>
<a href="#">72.208.0453.0</a>
<a href="#">72 205 1053 0</a>
<a href="#">70.300.1640.0</a>
<a href="#">72.205.1053.0</a>
<a href="#">93.931.5153.0</a>
<a href="#">166gest/3</a>
<a href="#">70.330.2435.1</a>
<a href="#">Snv4063kl-A 30s</a>
<a href="#">Snl 4022k</a>
<a href="#">R1.188.0720.2 / Sno4062km-A Ac/Dc 24v (C)</a>
<a href="#">70.330.1035.1</a>
<a href="#">05.564.4453.1</a>
<a href="#">70.310.1640.0</a>
<a href="#">Wlr1.188.0630.0</a>
<a href="#">Wlr1.188.0690.2</a>
<a href="#">93.932.4853.0</a>
<a href="#">Wlr3.185.0150.0</a>
<a href="#">81 030 0110 0</a>
<a href="#">Snl 4001s</a>
<a href="#">05 564 4453 1</a>
<a href="#">Wlr1.188.0610.0</a>
<a href="#">172 706 002 99 716 1104 4</a>
<a href="#">59.197.0255.0, Rfk 1 / 150 Fk Pa/VO</a>

<a href="#">70.500.2453.0</a>
<a href="#">81.020.0011.0 / Flare Time Twin-1</a>
<a href="#">72.310.1653.0</a>
<a href="#">172 707 001 99.715.1104.4</a>
<a href="#">172 706 002 99.716.1104.4</a>
<a href="#">R1.188.0710.2 / Sno4062km Ac/Dc 24v (C)</a>
<a href="#">R2.054.0310.1</a>
<a href="#">72 300 1653 0</a>
<a href="#">166gest 3</a>
<a href="#">72.350.1635.0</a>
<a href="#">72.218.0453.0</a>
<a href="#">70.320.1628.0</a>
<a href="#">Snv 2020 24 V Rs Best. Nr. 512-7532 Herst. Teile Nr. R1.188.0050.0 , No</a>
<a href="#">80.010.4000.0 / Flare-24dc-1w-250v6a</a>
<a href="#">93.932.5053.0</a>
<a href="#">70.510.0653.0</a>
<a href="#">70.330.0635.0</a>
<a href="#">70.350.0635.0</a>
<a href="#">Sno4062k-A Ac/Dc 24v (C)</a>
<a href="#">72.215.1053.0 Steckereinsatz</a>
<a href="#">77 320 1628 0</a>
<a href="#">72.205.1053.0 Buchseneinsatz</a>
<a href="#">Snm 4001s , No</a>
<a href="#">70.300.0640.0</a>
<a href="#">70.330.0635.1</a>
<a href="#">72 208 0453 0</a>
<a href="#">05 544 1029 0</a>
<a href="#">70.510.2453.0</a>
<a href="#">412 13141 893-99.600.7100.2 01k</a>

<a href="#">72.200.0653.0</a>
<a href="#">05.544.1029.0</a>
<a href="#">70.500.0653.0</a>
<a href="#">57.802.1053.0</a>
<a href="#">Z5.564.4553.1</a>
<a href="#">57.110.1555.0 / 9760 U/8 Tke 220 V/V0</a>
<a href="#">70.320.2428.0</a>
<a href="#">70.350.1635.0</a>
<a href="#">Wlr1.188.0520.0</a>