



## Wilden

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Wilden** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Wilden Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Muffler Plate, Pro-Flo®</a>	08-1010-55 PUMPENZEICHEN FR WILDEN P800 DIAPHRAGM PUMPEN
<a href="#">Gasket, Muffler Plate</a>	08-1010-55 PUMPENZEICHEN FR WILDEN P800 DIAPHRAGM PUMPEN
<a href="#">Gasket, Air Valve</a>	08-1010-55 PUMPENZEICHEN FR WILDEN P800 DIAPHRAGM PUMPEN
<a href="#">Center Block</a>	08-1010-55 PUMPENZEICHEN FR WILDEN P800 DIAPHRAGM PUMPEN
<a href="#">P2/AAPPP/WFS/WF/AWF/2014</a>	COMPRESSED AIR DIAPHRAGM PUMP WILDEN 1Z PRO-FLO Pump chambers: Alu Suction / pressure socket: aluminum Membranes: Wil-Flex Valve balls: Wil-Flex Valve seats: aluminum Valve seat O-rings: Wil-Flex Middle block: PP Control valve: Alu Weight: 9 kg Application and operating data: Funding product: --- Delivery rate: according to the characteristic m <sup>3</sup> / h Delivery head: max. 8.0 bar Operating temperature B.T .: --- ° C Grain size: max.3.2 mm Compressed air data: Quantity: according to the characteristic Pressure: according to the characteristic
<a href="#">01-1010-53</a>	MEMBRANE Viton, A/P/T1 Country of origin: US Net weight: 1.190 KG Stat. Wr.Nr .: 84139100
<a href="#">15-1010-52</a>	DIAPHRAGM Buna N, A/P/T/W15
<a href="#">08-1010-52</a>	DIAPHRAGM Buna N, A/P/T/W8
<a href="#">15-2600-52</a>	GASKET Control valve, Buna N, T15
<a href="#">15-2000-07</a>	CONTROL VALVE Bronze, T15
<a href="#">teflon 04-5160-20 manifold tee section</a>	Belongs to M4 plastic air pump
<a href="#">04-5005-20 chamber liquid part</a>	P400 belongs to plastic air pump
	AIR DIAPHRAGM PUMP WILDEN 1Z PRO-FLO Type P2/PKPPP/TWS/TF/PTV/0404 Design/Materials: Pump

<a href="#">02-12496</a>	chambers: PP Suction/discharge connection: PP Diaphragms: PTFE full stroke Support Diaphragms: Wil-Flex Full Stroke Valve balls: PTFE Valve seats: PP Valve seat O-rings: PTFE with Viton core Center block: PP Control valve: PP Connections: DN 25 DIN flange Weight : 8 kg Application and operating data: Promotional product:..... Flow rate: according to the characteristic m <sup>3</sup> /h Drive pressure: max. 8.6 bar suction height: wet 8.8; dry 3.3 mWS Grain size: max. 3.2 mm Compressed air data: Quantity : according to the characteristic curve Pressure : according to the characteristic
<a href="#">AIR PUMP 01 - 3181 - 20</a>	
<a href="#">(PN: 08-1010)</a>	
<a href="#">(PN: 15-1010)</a>	
<a href="#">591603</a>	Wilden TZ8 - Pneumatic Diaphragm Pump, Standart Casing Aluminium, Inlet & Outlet 2", Size HxWxD : 26.3"x15.9"x13.5"
<a href="#">PUMP,DIAPH,P200,4 M3/H,210 kPa</a>	
<a href="#">WIL; Pump; compressed air membrane; IT 1/4"; 2kg;</a>	PVDF; PTFE/NEOPRENE; P25/KZPPP/TNL/TF/KTV
<a href="#">WIL; Pumpe; Druckluftmem.; IG 1/4"; 2kg;</a>	POLYPROP; PTFE/NEOPRENE; P25/PZPPP/TNL/TF/PTV
<a href="#">04-3180-20-700</a>	WIL; Silencer plate, P4/P8
<a href="#">01-10315</a>	COMPRESSED AIR DIAPHRAGM PUMP WILDEN 1/2Z PRO-FL Type P100/PPPPP/TNU/TF/PTV/0014 WILDEN compressed air diaphragm pump, screwed version Materials: Wetted parts: Polypropylene Middle block: polypropylene Air control valve: PRO-FLO / Polypropylene Membranes: PTFE with neoprene support membrane Valve balls: PTFE Valve seats: Polypropylene O-rings: PTFE with FKM core including silencer Technical data: Suction and pressure connection: 1/2" BSP - internal thread Air connection: 1/4" NPT - female thread Max. flow rate: 57 l/min Max. pressure: 8.6 bar Max solid size: 1.6 mm Weight: 4kg
<a href="#">01-11220</a>	Type XPS1/AAAAA/BNS/BN/ABN/0014 COMPRESSED AIR DIAPHRAGM PUMP WILDEN 1/2Z PER FL
<a href="#">00-9612</a>	COMPRESSED AIR DIAPHRAGM PUMP WILDEN 1/4Z PRO-FL Type P.025/PPPPP/WFS/TF/PWF WILDEN compressed air diaphragm pump, Version with tension straps Materials: Wetted parts: Polypropylene Middle block: polypropylene Air control valve: PRO-FLO / Polypropylene Membranes: Wil-Flex (Santoprene) Valve balls: PTFE Valve seats: Polypropylene O-rings: Wil-Flex (Santoprene) including silencer Technical data: Suction and pressure connection: 1/4" NPT - female thread Air connection: 1/8" NPT - female thread Max. flow rate: 18.1 l/min Max. pressure: 8.6 bar Max solid size: 0.4 mm Weight: 1.4kg
<a href="#">02-10577</a>	WIL; Pump; compressed air mem.; IG 1"; 10kg; POLYPROP; Wilflex; P200/PKPPP/WFS/WF/PWF/050

<a href="#">P200/PKPPP/WFS/WF/PWF/0504</a>	02-10577 WIL; Pump; compressed air mem.; IG 1"; 10kg; POLYPROP; Wilflex;
<a href="#">04-6972</a>	WIL; pump; compressed air diaphragm; IG 1 1/2"; 17kg; POLYPROP; Neoprene; P4/PPAPP/NES/NE/PBN/0504
<a href="#">1" Wilden Pump Xps220</a>	
<a href="#">2" Wilden Pump XPS820</a>	
<a href="#">3" Wilden Pump Xps15</a>	
<a href="#">3 " Wilden Pump Xps15 repair kit- Wet</a>	
<a href="#">2" Wilden Pump XPS820 Repair Kit, Wet</a>	
<a href="#">1 " Wilden Pump Xps220 repair kit - Wet</a>	
<a href="#">01-3181-20</a>	(shaft & diaphragm) supply
<a href="#">02-12989</a>	WIL; Pump; Pneumatic membrane; 1" internal thread; 24 kg; GGG40; FKM; XPS220/W WAAA/VTS/VT/MVT/0677
<a href="#">02-12899</a>	WIL; Pump; Pneumatic membrane; IG 1"; 13kg; ALU; BUNA-N; XPS220/AAAAA/BNS/BN/ABN/0677
<a href="#">08-0183</a>	WIL; Pump; Pneumatic membrane; IG 2"; 32kg; ALU; BUNA-N/Ultra; P8/AAAPP/BNU/BN/BN/0014
<a href="#">08-0115</a>	WIL; Pump; Pneumatic membrane; IG 2"; 32kg; Aluminum; Neoprene; P8/AAAPP/NES/NE/NE/0014
<a href="#">P8/AAA/NES/NE/NE/0014</a>	clamped alluminium
<a href="#">04-9985-20</a>	WIL; KIT, AIR, P/1.5"-2"/C/C/P
<a href="#">08-9804-52-212</a>	WIL; KIT, WET, 2"/C/M/BNU
<a href="#">08-9804-51</a>	WIL; KIT, WET, 2"/C/M/NES
<a href="#">02-11298</a>	WIL; Pump; Pneumatic membrane; IG 1"; 11kg; ALU; BUNA-N; P220/AAPPP/BNS/BN/ABN/0678
<a href="#">Mv32-024-68000199</a>	MAGNETVENTIL 3/4 ZOLL 24V
<a href="#">04-2600-52-700</a>	
<a href="#">Tz2/Aaaab/Bns/Bn</a>	
<a href="#">Px15/Aaaaa/Bns/Bn/Bn</a>	AOD PUMP 3INCH ALUMINIUM
<a href="#">Xps1500/Ssaaa/Tws/Tf/Stf</a>	PUMP DIAPHRAGM 3INCH ANSI FLANGE 245GPM 125PSI
<a href="#">08-3210-55-225</a>	
<a href="#">04-3529-52</a>	
<a href="#">04-3500-52-700</a>	

<a href="#">P2kkppptnutfktv0</a>	DIAPHRAGM PUMP AIR-OPERATED
<a href="#">T8/Aaapb/Tnu/Tf/Atf</a>	
<a href="#">P1/AaIII/Tnu/Tf/Atf/0014</a>	
<a href="#">01-1060-51</a>	
<a href="#">08-3200-52</a>	
<a href="#">04-2030-01</a>	
<a href="#">P100/Kkppp/Tnu/Tf/Ktv/0014</a>	
<a href="#">15-12513</a>	XPS1520/SSAAA/BNS/BN/BN/0014 Original country: QU Net Weight: 1,056,000 KG Stat. Wrist number: 84135069 XPS1520 / SSAAA / BNS / BN / BN / 0014 *** to ATEX certification II 2GD X *** Construction / Materials: Pump chambers: 316 stainless steel Suction / discharge nozzle: 316 stainless steel Membranes: Buna Valve balls: Buna Valve seats: Buna Center block: Aluminum Proflo Shift Air chambers: aluminum Control valve: aluminum Connections: 3Z BSPT IG Weight: 120 kg Application and operating data: Product: --- Flow rate: according to characteristic curve m <sup>3</sup> / h Drive pressure: max. 8.6 bar Suction height: wet 8.6; dry 5.9 mWS Grain size: max. 12.7 mm Air pressure data: Quantity: according to characteristic Pressure: according to characteristic
<a href="#">02-10569</a>	
<a href="#">0210185</a>	PUMP
<a href="#">02-1010-56</a>	
<a href="#">Z-08-010-99-01</a>	
<a href="#">04-1120-51</a>	
<a href="#">0210274</a>	DIAPHRAGM
<a href="#">02-3880-99</a>	
<a href="#">01-2654</a>	PUMP 1/2IN POLYPROPYLENE
<a href="#">02-2000-07</a>	
<a href="#">15-5020-01</a>	
<a href="#">0020596436</a>	
<a href="#">02-6245</a>	P2 PLASTIC PUMP
<a href="#">04-1080-55</a>	
<a href="#">Wp08-0111</a>	
<a href="#">04-6070-03</a>	
<a href="#">Xpv8-Sznnn/Lel/Tf/Tf-0770</a>	PUMP 2INCH SS SANIFLO HYGIENIC ATEX CERTIFIED

<a href="#">01-2615-52</a>	
<a href="#">02-1010-55</a>	
<a href="#">W15/Aaab/Ne/Ne/Ne/040</a>	
<a href="#">04-1010-52</a>	
<a href="#">Aaaa/Bns/Bn/Abn</a>	
<a href="#">08-1120-58</a>	
<a href="#">02-1080-56</a>	
<a href="#">P2/Pkppp/Eps/Ep/Ke</a>	
<a href="#">Hw800/Wwwwaa/Ts/Tf/Mtf</a>	HIGH PRESSURE PUMP 2INCH FLANGE SUCTION
<a href="#">Px15/Aaaaa/Nes/Ne/</a>	
<a href="#">Wr15101052</a>	
<a href="#">P8pkapptnutfptv</a>	PUMP
<a href="#">02-1010-51</a>	
<a href="#">08-1060-51</a>	
<a href="#">04-0123</a>	PUMP 1.5INCH POLYPROPYLENE
<a href="#">02-1120-20-400</a>	
<a href="#">04-2620-52</a>	
<a href="#">01-2010-20</a>	
<a href="#">15-1085-52</a>	Valve ball Buna 1500 / VA Original country: QU Preference code: P = N Net weight: 6.960 KG Stat. Wr.Nr .: 84139100
<a href="#">04-1010-55</a>	
<a href="#">02-3880-99</a>	
<a href="#">T2/Appb/Te/Tf/Atf/014rr2559</a>	
<a href="#">08-1010-56</a>	
<a href="#">04-1060-51</a>	
<a href="#">Pits -6 And -8</a>	
<a href="#">04-5000-02</a>	
<a href="#">08-1200-59-500</a>	
<a href="#">04-1200-55</a>	
<a href="#">01-9805-58 + 01-9985-20</a>	

<a href="#">15-2000-07</a> <a href="#">01-1200-55</a>	AIR VALVE
<a href="#">0814086</a>	PUMP
<a href="#">P1/Ppppp/Tnu/Tf/Ktv</a>	1/2" DIAPHRAGM PUMP
<a href="#">04-0138</a>	PUMP DIAPHRAGM 1-1/2INCH 80GPM 125PSI
<a href="#">01-10764</a>	
<a href="#">04-2000-07</a>	
<a href="#">51108151k</a>	CONTROL
<a href="#">02-1220-58</a>	
<a href="#">02-2600-52</a>	
<a href="#">04-3880-99</a>	
<a href="#">H800</a>	PUMP
<a href="#">Z-08-020-99</a>	
<a href="#">04-3882-99</a>	
<a href="#">04-1010-54</a>	
<a href="#">02-3810-03</a>	
<a href="#">04-3502-52</a>	
<a href="#">01-1300-55</a>	
<a href="#">04-2039-01</a>	CONTROL VALVE, PS4 - PS15 Original country: QU Preference code: P = N Net weight: 1.937 KG Stat. Wr.Nr .: 84139100
<a href="#">P200kkppptnutfkt</a>	PUMP
<a href="#">15-1128-52</a>	Valve seat 3 "DROPIN Buna Original country: QU Net weight: 1.040 KG Stat. Wr.Nr .: 84139100
<a href="#">T4sppbtftfstf041</a>	PUMP
<a href="#">0412177</a>	PUMP
<a href="#">04-1080-56</a>	
<a href="#">P100/Kkppp/Tnu/Tf/Ktv</a>	
<a href="#">15-1010-52</a>	MEMBRANE BUNA N, A / P / T / W15 Original country: QU Preference code: P = N Net weight: 1.724 KG Stat. Wr.Nr .: 84139100
<a href="#">04-1060-54</a>	
<a href="#">08-1010-58</a>	
<a href="#">Wp04-12898</a>	

<a href="#">Aodxpx200epdm</a>	
<a href="#">Wr02955258</a>	
<a href="#">08500520</a>	CHAMBER
<a href="#">02-6288</a>	
<a href="#">P100/Ppppp/Wfs/Wf</a>	
<a href="#">P2/Pkppp/Wfs/Wf/Pwf/0400</a>	DIAPHRAGM PUMP 1IN 37GPM 125PSI
<a href="#">01-1010-55</a>	
<a href="#">P100kkppptnutfkt</a>	PUMP
<a href="#">04-2000-20-700</a>	
<a href="#">08-5000-20</a>	
<a href="#">P4/Ssapp/Fss/Fs/Fs/0070</a>	PUMP DIAPHRAGM 1-1/2INCH 80GPM 125PSI
<a href="#">Frx68000199</a>	FILTER-REGLER 3/4Z 5 Moe ATEX
<a href="#">Px15/Kit</a>	
<a href="#">01-2659</a>	HYDRAULIC PUMP
<a href="#">53221624</a>	
<a href="#">02-3210-55-225</a>	
<a href="#">Wp02-11147</a>	
<a href="#">08-1010-51</a>	
<a href="#">04-3526-52</a>	
<a href="#">15-9551-52</a>	
<a href="#">04-1121-08</a>	
<a href="#">08-1080-55</a>	
<a href="#">08-13338</a>	
<a href="#">P4/Ppcpp/Tnu/Tf/Ptv</a>	PUMP DIAPHRAGM 1-1/2INCH
<a href="#">01-1010-58</a>	
<a href="#">Wr04101052</a>	
<a href="#">Xpx800sssststutf</a>	PUMP // 08-13811
<a href="#">T2sppbftfstf</a>	PUMP
<a href="#">P100/Ppppp/Tnu/Tf/Ptv/0014</a>	
<a href="#">Wp01-2652</a>	

15-9470-01

PUMP POWER KIT