Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Wilo

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Wilo Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Wilo Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Yonos Maxo Plus 40/0,5-12 Pn6/10 (2120608)	Name: Wet runner standard High efficiency pump *** Pump type TOP-STG 40/10 is no longer in the Wilo delivery and production program! **********
NL80/200-08 180M3 50m	
Helix V 1007-1/16/E/KS/400-50	Designation: high pressure centrifugal pump Item number: 4150548
4016170	Accessories: stainless steel counter flanges (oval, 2 pieces), PN16 / DN40 Item number: 4016170
NP 65/250 - 37/2	RADPUMPE 316 EDELSTAHL
NP 65/250 - 37/2	WELLENPUMPE 316 EDELSTAHL
Stratos MAXO 50/0,5-16 PN6/10-R7	Designation: wet-running premium smart pump 2218005
121084396	
127 4291/10	
1274291/09W41	
1274291/10W22	
1274291/9909	
2004429	
2004431	
2006581	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2021067	
2026901	
2026902	
2029980	
2044184	
2044937	
2046611	
207208	
2080053	
2080055	
2083661	
2095504 / Stratos 50/1-12 PN 6/10	
2104409	
2111845	
2113792 / Stratos-Z 40/1-8 PN 6/10	
2121052	
2150571 / Stratos 65/1-12 PN 6/10	
2786094	
2786174	
2796329	
2799716	
2799726	
2799752	
2984656	
4007224	
4024713 / MVI 406-1/25/E/3-400-50-2	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4024729 / MVI 805-1/16/E/3-400-50-2	
4027301	
4056567	
4060456	
4060469	
4065553	
4071198 / MVI 7006-3/25/E/3-400-50-2	
4084613	
4094075	
4095203	
4097361	
4106350	
4118674	
4160559	
4185162	
4521257	
605-1/16/E/S/400-50,	
6070670	
6070671	
6079210	
6086377	
AISI420	
HELIX V 1011-1/16/E/400-50	
HELIX V 1603- 1/16/E/S/400-50	
HELIX V 220-1/25/E/K/400-50 ART. NR. 4161728	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Helix V 1607-1/16/E/KS/400-50	
IL-E 50/220-15/2-R1-L1 ART. [1] 2124685/1202	
IPL 40/110-0,12/4 PN 6/10 -S2	
IPn 40/160-0,55/4, art.120 909 499/0310	
MG12/22-Z	
MHI 206-1/E/3-400-50-2	
MHI 803-1/E/3-400-50-2	
MHI 804-1/E/3-400-50-2	
MHIL504-E-3-400-50-2/IE3 (4210656)	
MVI5204-11/2-T-3-E	
MVIS 410-1/16/K/3-400-50-2	
PSN-X	
RSD 30/6, 230V	
S 40/60 DM 200/440V Oil - H	
S 40/60 PN6 OIL	
S40/60	
S40/60DM	
Top STE 40-15	
TOP-S 40/7 (400/230V, ÇÒ 6/10)	
TOP-S 50/15, 220/380V	
TOP-S25/7	
TOP-S30/10	
TOP-S40/4	
TOP-S40/4 DM 200/440V50/60HZ OIL3H TRANS	
TOP-S40/4 DM 200/440V50/60HZ OIL3H	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
TRANS (P/n.2111845)	
TOP-S50/10 DM/PN6/10	
TOP-SD 50/15 (3-400/230 V, PN 6/10)	
TOP-STG 40/15	
TWI 6.1817-B 9,3 KW + SMR6-930T (DOL) 9,3 KW	
V 1603- 1/16/E/S/400-50, 4201316	
VeroTwin-DPL 50/130-2.2/2	
Z 25/6 M	
Helix V 2212-1/25/E/KS/400-50	High pressure centrifugal pump Highly efficient high-pressure centrifugal pump in vertical design with inline connections. The normal-suction high-pressure centrifugal pump has an overall compact design and is easy to maintain. The pump shaft and the motor shaft of the IEC standard motor are connected using a shell coupling and a separate lantern ball bearing ensures optimal absorption of axial forces. Intermediate bearings in the hydraulics and corrosion-resistant shaft with stainless steel sleeve ensure a long service life. Special, permanently attached lifting eyes enable the pump to be easily installed. The pump is suitable for use in water supply and pressure boosting, in industrial circulation systems as well as in process water circuits and closed cooling circuits. It can also be used in fire extinguishing systems, washing systems and for irrigation. Special features/product advantages - Efficiency-optimized, laser-welded 2D/3D hydraulics with flow and degassing optimization - Corrosion-resistant impellers, guide vanes and stage housing - Volume flow and NPSH-optimized pump housing - Maintenance-friendly design with particularly robust coupling protection - Drinking water approval for pumps with medium-contacting parts made of stainless steel (EPDM version) Scope of delivery - Wilo-Helix V high-pressure centrifugal pump - Installation and operating instructions Notes on the design - The motor protection for the three-phase motor is available on request or must be provided on site - Single-phase AC motor with built-in thermal motor protection and capacitor

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	- The standard position of the terminal box is aligned with the suction flange, but this can be changed if required - The Wilo-Helix V is equipped with a user-friendly mechanical seal in cartridge design and with a standard Seal for easy maintenance - The removal coupling (at ≥ 7.5 kW) enables the mechanical seal to be replaced without removing the motor - The flexible lantern design, available in two orientations, enables direct access to the mechanical seal - For the pump versions PN 16, PN 25 and Pmax = 30 bar, round counter flanges made of gray cast iron or stainless steel, screws, nuts and seals are available as accessories - Bypass sets are available as accessories - Wilo-Helix V(F) in VdS-certified version available on request. Operating data Flow medium: water 100% Flow temperature: 20.00 °C Concentration of the conveyed medium: 100.00% Requested volume flow: Requested delivery head: Product data Min. media temperature: -20 °C Max. media temperature: 120 °C Max. ambient temperature: 50 °C Maximum operating pressure: 25 bar Maximum inlet pressure: 10 bar Minimum efficiency index (MEI): ≥ 0.7 Motor data Mains connection: 3~400V/50 Hz Voltage tolerance: +-10% Rated motor power: 15 kW Motor efficiency class: IE3 Rated current: 26.7 A Rated speed: 2,900 rpm Power factor: 0.88 Motor efficiency 50%: 90.2% Motor efficiency 75%: 91.8% Motor efficiency 100%: 91.9 % Insulation class: F Protection class: IP55 Materials Pump housing: 1.4301 Impeller: 1.4307 Shaft: 1.4057 Shaft seal: BQ7EGG Seal material: EPDM Installation dimensions Suction-side pipe connection: DN 50, PN 25 Pressure-side pipe connection: DN 50, PN 25
Scott pump X25975	Serial number A068J300B03AF:

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	1)3 sets of service kits (seals, bearings)”
see list	
Yonos MAXO plus 50/0,5-16 PN6/10	2120613 high-efficiency pump Wilo-Yonos MAXO plus electronically controlled, wet-running circulation pump, synchronous motor according to ECM technology and integrated power control for stepless Differential pressure control. Can be used for all heating, ventilation and air conditioning applications. Standard with: - Preselectable control modes for optimal load adaptation:Δp-c (differential pressure constant), Δp-v (differential pressure variable) - 3 speed levels (n = constant) - LED display for setting the setpoint and display error messages - Electrical connection with the Wilo plug - Fault light and contact for collective fault message - thermal insulation shell For flange pumps - flange versions: - Standard version for pumps DN 32 to DN 65: combination flange PN 6/10 (flange PN 16 according to EN 1092-2) for counter flanges PN 6 and PN 16 - Standard version for pumps DN 80 / DN 100: flange PN 6 (designed PN 16 according to EN 1092-2) for counter flange PN 6 operating data Pumped medium: Water 100% Media temperature: 20.00 °C Requested volume flow: Requested funding amount: Min. media temperature: -20 °C Max. media temperature: 110 °C Min. ambient temperature: -20 °C Max. ambient temperature: 40 °C Maximum operating pressure: 10 bar Minimum inlet height at 50°C: 7 m Minimum inlet height at 95°C: 15 m Minimum inlet height at 110°C: 23 m engine data
TMW32/11	
Stratos MAXO 50/0,5-16 PN6/10	1,43 kW 230V 50Hz VSD DN50 DN50

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
PUMP	MVI 808-1/16/E/3-400-50-2 H(m): 80M Q(m3/h):6 ,20 m3/h pmax(bar)16 bar Tmax(c):120 c n(n/m):2900 rpm KW:3 Hz : 3~ 400 V / 50 Hz A: 5,50 A CosQ:0,89 IP:IP 55
DIAPHRAGM	IAPHRAGM EXPENSION VESSELS-LRS SERIES type:VERTICAL TYPE LRS 1500/10 volume:1500 lt kg:263 pmax(bar)10 bar ptest(bar)15 bar Po (bar): 4 bar type of membrane:EPDM/BUTYL Tmin/ Tmax:-10 c/+90 c
TYP IPL L65/115-1,5/2-IE2	
2158821	
Trm4-55m	
Mv1803-1/16/E	
Top-S30/10 , By Stratos 30/1-12 Pn 10	
Dl 80/220-30/2	
111274291/07w03	
Mh62133-336	
Ipl 30/85- 0,18/2 Pn 10	
Ipl 65/130- 4/2 Pn 10	
Ipl 50/130-0.37/4	
4024285	
Ksl 15-5	
2004593	
2042732	COUPLING / SAFT CONNECTION KIT
Helix V 613-1/16/E/400-50	
Cronotwin-Dl 80/120-4/2	
Star-Stg 15/6	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Ipl 65/140-4/2obsolete,Replacementipl 65/130- 4/2 Pn 10	
Ipl 65/145- 5.5/2 Pn 10	
NI50/315-45-2-12(Ex.Npg65/315-37/2-12)	
458	
Psn-X Schwimmerschalter Mit Dem Kabel Lang20m	
2040968	
Mhi 206-1/E/3-400-50-2	
495	
Aq1vgg	
348	
2006581 By Ipl 40/110-0,12/4 Pn 16 - S2-440v-60hz	
Rs25/7-3	
S40/60 Oil Pn6,1274291/9909 , Ipl 40/110-0,12/4 Pn 16 -S2-440v-60hz	
Typ : Ipl 40/110-0,12/4 Pn 16 S2-440v-60hz	
4048414 Tmw 32/11	
Ipl 80/115- 2.2/2 Pn 10	
Mhi 804-1/E/3-400-50-2	
2799726 Siboost Smart 3 Helix Ve 611	
O-Ri?Ng	
6019739	
Mhi 406n 3~400/1.4404/Viton Pn10	
Mecani?Cal Seal	
Coe-3helix V 1608	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4063802/0604	
Decanter Fattening Water Pump	Decanter Fattening Water Pump Dekanter-Mastwasserpumpe
110681292	
NI50/315-45-2-12	
Type:Smr455m, Nr:22/0213/09 - Old Code, Trm4-55m - New Code	
4186440	
Yonos Stg 30/1-7,5	
341	
Il 65/150- 0.75/4	
6042686 / 2012w19	
111321399	
Pumpe Wilo-Multivert Mvi 16/6-1/16/E/ 3-400-50-2	
Top-S-25/7	
Sentrat Pump	SENTRAT PUMP SENTRAT-PUMPE
4024289	
Pumpe, Grauguss, Dn 25, Pn10 Pb 400	
69mb7gx546u	
Mhi830-1	
6064734	
NI80/250-37-2-12(Ex.N65/250v-37/2-12)	
Yonos Pico 15/1-6 /130mm/	
NI65/250-37-2-12(Ex.Np65/250v-37/2-12)	
495.1	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Pumpe, Grauguss, Dn 20, Pn6 Mvi 104	
Yonos Maxo 40/05/-4	
Type: Rs15/6-3p No: 4521257	
Mvi2/4/8/16-6quot;Ep120;Set	
Hwj-202-Em	
120910792/9603	
4149741	
Lrs 500/10	
Ipn40/160	
Mvi 805/ Pn16 3~	
Ip E 50 130	
S40/10	
Verotwin-Dpl 40/220-1,5/4-L1-S1, 230/400v	
Helix V 1011-1/16/E/400-50	
Ipl 40/90- 0.37/2 Pn 10	
2158887	
Helix V 220-1/25/E/K/400-50 Art. Nr. 4161728	
Ipn50/160	
4106358	
4149100	
2029313	COUPLING / SAFT CONNECTION KIT
Wilo-Wao65 Schwimmerschalter Mit Dem Kabel Lang20m	
4195486	
Fa08.23w+t13-2/16k-C0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
656747050	
S30/10	
461	
Il-E 50/220-15/2-R1-L1 Art. ? 2124685/1202	
Mvi5204-11/2-T-3-E	
Kf72w182s3/G	
NI50/315-45-2-12(Ex.Np65/315a-37/2-05)	
Ipe 65 115 1.5	
2027227	COUPLING / SAFT CONNECTION KIT
2065874 Sts 40/10 A	
Pico 25 / 1-6	
Wilo-Ms1 Schwimmerschalter Mit Dem Kabel Lang20m	
NI125/200-75-2-12	
NI65/250-30-2-12(Ex.Np50/250v-30/2-1 2)	
Cronotwin-DI-E 125/220-7,5/4	
2158826	
Pumpe Wilo-Multivert Mvi 5202-3/16/E/ 3-400-50-2	
4067795	
Impeller Bronz 1 (338 Mm)	
Mvi802 - 1/16/E	
Ks9	
2799752 Siboost Smart 2 Helix Ve 1605	
I?Mpeller Nut	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
P80	
2109772/13w22	
Pump Shaft Aisi420	
S40/60 Oil Pn6/10 Nicht Mehr Im Lieferprogramm, Alternative Typ : Ipl 40/110-0,12/4 Pn 16 S2-440v-60hz	
2120660	
Il 50/170-5,5/2	Pumpe
6064709	
489	
Wilo-Wa65 Schwimmerschalter Mit Dem Kabel Lang20m	
Decentral Line Pump	DECENTRAL LINE PUMP DEZENTRALE LINE PUMPE
Ipn 40/160-0,55/4, Art.120 909 499/0310	
BI100/270 11/4-E1 -	
Coupli?Ng Key	
Impeller Key	
NI50/250-15-2-12(Ex.Np40/250v-15/2-12)	
2096384	60X90X10
Il 50/110- 1.5/2	
Yonos Maxo-D 65/0,5-12	
Yonos Maxo 40/05-8	
Prov0269	
Ipl80/140-1,1/4	
Ipn50/140-2.2/2	
Stratos 30/1-12 Pn 10	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Twi 6 1827 B Wilo	P:15KW Q:17 M3/H QMAX:23 M3/H H:211 M HMAX:290 M
NI50/250-15-2-12(Ex.Np40/250v-15/2-05)	
2097522	
Mvie 806-1/16/E/3-2	
2799716 Siboost Smart 2 Helix Ve 611	
TOP-Z 25/10 (2061964)	
Yonos PICO1.0 25/1-6 (4248084)	
Yonos MAXO 32/0,5-10 PN6/10 (2210113)	
TOP-Z 40/7 (2046637)	
Yonos MAXO 50/0,5-12 PN6/10 (2120651)	
Yonos MAXO 65/0,5-16 PN6/10 (2120655)	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.