

Wylers

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Wylers Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Wylers Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Wylers	
Wylers	
Wylers	
Wylers	
Wylers	
03000400 Inclinometer CLINOTRONIC PLUS	Measuring range $\pm 45^\circ$, digit increment 1 arcmin, Error limit 1 arcmin (for measurements up to 10°), Aluminum housing, dimensions 100 x 75 x 30 mm, Measuring bases flat, without magnets and M 3 thread ... Wylers #015-PLUS-XG45 ... see catalog pages 32 - 33 in the appendix
03005400 Inclinometer CLINOTRONIC S with Bluetooth	Measuring range $\pm 45^\circ$, digit increment 5 arcsec, Error limit 15 arcsec + 0.055% Mw, with g-comp., Aluminum housing, dimensions 100 x 75 x 30 mm, Measuring bases flat, without magnets and M 3 thread ... ALTERNATIVE to item 10 ...Wylers #015-S-XG45 ... see catalog pages 34 - 35 in the appendix
	Screw-on spirit level type 66 scale division value 0.3 mm/m,

03874418	dimension 150 x 18 x 22 mm, hole distance 135 mm, for screw M 4
03874427	Screw-on spirit level type 66 scale division value 1.0 mm/m, dimension 150 x 18 x 22 mm, hole distance 135 mm, for screw M 4
03060443	Inclinometer wylerCLINO 60 Frame m. Bluetooth Measuring range $\pm 60^\circ$, digit step value 5 arcsec, Error limit 15 arcsec + 0.027% Mw, with g-comp., Housing aluminum four-sided, 160 x 160 x 40 mm, left (prism), top and right (flat) with magnet ... successor to Wyler no. 002-150-4401-5360 ... see catalog pages 36 - 37 in the appendix
03845403	Adjustable leveling level type 52 Scale division value 0.02 mm/m, Base length 200 mm, base width 40 mm, Prism for shaft $\varnothing 19 - 108$ mm, Measuring base prismatic throughout, scraped ... Wyler No. 152-200-113-020 ... see catalog page 108 in the appendix
83798715	DAkKS calibration mechanical level
CLINOTRONIC PLUS inclinometer	Measuring range $\pm 45^\circ$, digit step value 1 arcmin, Error limit 1 arcmin (for measurements up to 10°), Housing aluminum, dimensions 100 x 75 x 30 mm, Measuring bases flat, without magnets and M 3 thread
DAkKS calibration Clinometer digital	
55 SPIRIT	
TUBULAR SPIRIT LEVEL 59	
03200411	BlueLEVEL-2D mit Bluetooth Digit step 0.001 mm/m, measuring range ± 20 mm/m, error limit max. 1% Mw, min. 0.001 mm/m, dimensions 127 x 110 x 56 mm, supported by 3 hard metal inserts $\varnothing 20$ mm, ... see catalog pages 52 - 55 in the appendix
83798713	DAkKS calibration electronic spirit level 2D
03110440	Inclinometer wylerCLINO 10 Frame with Bluetooth Measuring range $\pm 10^\circ$, digit step 2 arcsec, Error limit 4 arcsec + 0.06% Mw, with g-comp., Cast housing four-sided, 160 x 160 x 40 mm, left and bottom prism, right and top flat ... see catalog pages 38 - 39 in the appendix
03110443	Inclinometer wylerCLINO 10 Frame with Bluetooth Measuring range $\pm 10^\circ$, digit step 2 arcsec, Error limit 4 arcsec + 0.06% Mw, with g-comp., Cast housing four-sided, 160 x 160 x 40 mm, left (prismatic), top + right (flat) with magnet ... ALTERNATIVE to item 10 ... see catalog pages 38 - 39 in the appendix
03000440	CLINOTRONIC PLUS inclination measuring device Measuring range $\pm 45^\circ$, digit step 1 arcmin, Error limit 1 arcmin (for measurements up to 10°), Aluminum housing, dimensions 100 x 75 x 30 mm, Flat measuring bases, magnets on all 4 sides ... Wyler No. 015-PLUS-HG45

DAkKS calibration Clinometer digital	
015-PLUS-XG45	
Clinotronic PLUS	Inclination meter
Clinotronic S	
Levelmeter 2000 Obsolete, Replaced With Bluemeter Sigma	
163-100-113-100	
03857406 Kurbelzapfenrichtwaage	
03857406	
156-060-113-100 Wellenrichtwaage	
03000400 (Ex.015-Plus-Hg45)	
03000400 Certificate	
03000402 (Ex.03000302)	
163-100-113-050	
03857411	
Gw51wy	
50w	
156-060-113-100	
03857405	
Neigungsmessgerð;T Clinotronic Plus (03000400)	
Blueclino	
148s150-247-050	
159150121050 03870425	
Fg45	
Blueclino High Precision	
Bluelevel 2d	
163-100-113-100 Wellenrichtwaage	
Bluemeter Sigma	
163-100-113-050 Wellenrichtwaage	
03000400	



Yursat DıŐ Tic. M¼nendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

[83797700](tel:83797700)

[050-150-123-010](tel:050-150-123-010)