

Z-Laser

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Z-Laser Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Z-Laser Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
100368400	
100488900	
100499400	
100969200	
101003100	
H2-11	
HX-11-K	
WPSB-3,5	
Z30m18s3-f-640-Ig90	
Z50M18S3-F-640-Ig90	
ZD0000005	
ZD0000074	
ZF0000109	
ZM12RF003	
ZM18R0016	
ZM18RF065	
ZM18RF079	
ZM18RF544	
Z-LASER Modell Z1D-635-pe-24	F=320mm ZD0000074

Ürün	Açıklama
Z-LASER Modell Z1D-635-pe-24	F=200mm ZD0000185
Z-LASER Modell Z1D-635-pe-24	F=1.000mm ZD0000217
Z3-24-xc (S.Nr 0805 199966 0107)	
ZD0000002	Z-LASER Modell Z5D-635-lg90
ZM18RF027	Z5M18B-F-635-lg90*
Z5M18B-635-LG90	
Z3-Laser S.Nr.: M601000982	
S3-Series 635nm 1mw 5; Gaussian Line	
Z15m18b-F-640-Lg90	
Z5m18b-F-532-Lg90	
Mxyz-20	
Z5m12b-F-635-Lg90	
S3-Series 635nm 1mw 30; Uniform Line	
Z3d-635-Lg90 Zd0000001	
S3-Series 635nm Laser 1mw	
Zd0000022	
Zm18-20-640	
S3-Series 635nm Laser 5mw	
H8-M18	
ZM18R0010	Z-LASER model Z5M18B-635-lg90 SYSTEM SPECIFICATIONS: Wavelength (typ.) 635nm Output power (typ.) 5mW APC operating mode Laser class (EN 60825-1) 1M ELECTRICAL SPECIFICATIONS: supply voltage 5-30VDC Connection M12x1 circular connector, 4-pin OPTICAL SPECIFICATIONS:

Ürün	Açıklama
	Projection standard line, 90° opening angle optics lg90 focus 1,200mm DIGITAL MODULATION: - ANALOG MODULATION: - ENVIRONMENTAL CONDITIONS: Operating temperature -10°C to +50°C Storage temperature -40°C to +85°C MECHANICAL SPECIFICATIONS: Housing M18 industrial housing, chrome-plated brass diameter 20mm length 93mm protection class IP67
Z1d-635-Pe-24	
H6-M18	
Z5m18b-F-635-Lg90	
Z20m18b-638-Lg90	
Z15m18b-F-638-Lg90	
Zm18-20-641	
Zm18-Green	
S3-Series 640nm Laser 10mw	
Zm12b	
S3-Series 635nm 5mw 90; Gaussian Line	
Mxyz-20b	
Zm18h3	
Z5ft-F-635-Lg90	
Z5r-635-Lg90 85v-265vac 5mw	
Z-Laser Modell Z5m18b-F-635-Lg90 Zm18rf027	
2m18rf020	
Zm18rf130	
Zm18rf021 Z-Laser Modell Z15m18b- F-638-Lg90	

Ürün	Açıklama
Z5m-18b-635-1g-90	
S3-Series 635nm 1mw 90; Gaussian Line	
Zm18s	
Zlc5m18b-F-532-X30	
Zlc20mb-F-532-1p90	
Z3m18b-F-635-Lg90	
Z5l G35hh	
Z-Laser Modell Z1d-635-Pe-24	
Zm18gf008	
Yyb-Shry-2014-0812-01-R0	
Zm18b	
Zd0000041	
S3-Series 635nm 5mw 5; Gaussian Line	
Z15-24f-635-Lg90	
Zm12tb	
Zm18rf026	
Z3d 30758	
Zm18-20-642	
Art.No. Zm18rf002 Model Z5m18s-F-635-Lg90	
Z5m18bf635 lg90	
Z20m18b-F-638-Lg90	
Zm18b-F	