

## Zenitel

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Zenitel** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Zenitel T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Model: VSS-222</a>	TYPE: STB-2 PUSH BUTTON (TALK-BACK SYSTEMS) (P/N: STB-2)
<a href="#">TYPE: VSS-222</a>	MICROFONE (P/N: VSS-222)
<a href="#">0000000432</a>	
<a href="#">1008111020 TCIS-2</a>	
<a href="#">1020600992</a>	
<a href="#">2111110110</a>	
<a href="#">2111710036</a>	
<a href="#">2112210011</a>	
<a href="#">2112210012</a>	
<a href="#">2112210014</a>	
<a href="#">2112210024</a>	

<a href="#">2210110001</a>	
<a href="#">2210210001</a>	
<a href="#">2210210002</a>	
<a href="#">2215110001</a>	
<a href="#">3005010239</a>	
<a href="#">3005020050</a>	
<a href="#">3006202025</a>	
<a href="#">4000011249</a>	
<a href="#">AA 703</a>	
<a href="#">AIP18101-012</a>	
<a href="#">AIP23001</a>	
<a href="#">AIP23003</a>	
<a href="#">AIP86003</a>	
<a href="#">CU10V4</a>	
<a href="#">CU-1120V3</a>	
<a href="#">ELSII-10H</a>	
<a href="#">GCS487TD</a>	
<a href="#">HP-10</a>	
<a href="#">VMP-211 (3006202024)</a>	
<a href="#">Cu-20</a>	
<a href="#">Mb-30g</a>	
<a href="#">1009627001</a>	AlphaCom XE26 High security SIKS 2600 for 19 "- Rackmount High security security communication server with switching basic package for 12 participants 19 "- Rack mounting Complete system consisting off: 2x processor card WMC-V11 1x WPCH Program / clock card 2x connection cable 1.5 m 2x Connection distributor 2x WPWR power supply SIKS documentation and SIKSpro demo software on CD Maximum number of participants: - 552 VoIP terminals - 138 digital / analog call stations - 276 Analog phones In combination up to maximum number of 552 Terminal dimensions (WxHxD): 482 x 841 x 365 mm weight: 45 kg
<a href="#">Cu-100</a>	
<a href="#">Cu-10</a>	
<a href="#">Type Vss-222 Article No.3006216003</a>	

<a href="#">Lhb_7089/18</a>	
<a href="#">Etb_100a</a>	
<a href="#">3006216003</a>	
<a href="#">Vpa-240</a>	
<a href="#">Cu-200</a>	
<a href="#">Bc-12-212</a>	
<a href="#">Vpa-240</a>	Power Amplifier Rated output power : 240W Supply voltage : 115/230V - 60Hz/50Hz Power Consumption : AC 700VA 24V-350W Seria nr. 020791
<a href="#">1007007000</a>	Dual display main call station <input type="checkbox"/> Digital main call station for all SIKS Security communication server <input type="checkbox"/> Up to 90 DAK buttons in switchable levels with LCD lettering <input type="checkbox"/> 4 programmable navigation buttons <input type="checkbox"/> Graphics-capable LCD main display with 4x20 characters and Backlight <input type="checkbox"/> Key labeling on the LCD display <input type="checkbox"/> Highest audio quality <input type="checkbox"/> Volume control <input type="checkbox"/> Complete function monitoring <input type="checkbox"/> Optional gooseneck microphone <input type="checkbox"/> Dimensions (WxHxD): 72 x 140 x 270 mm
<a href="#">Cu10v4 Not Available, Alternatives Cu-10, Cu-100, Cu-20, Cu-200</a>	