

## Zöllner Signal

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

**Zöllner Signal** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Zöllner Signal Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün       | Açıklama                                                                                                                                                                                                                                         |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01031441   | Spare part set Makrofon M75F/260 membrane<br>Drawing 01031441                                                                                                                                                                                    |
| 00171643   | Servo solenoid valve ZVE<br>Voltage 230VAC<br>Drawing 017164                                                                                                                                                                                     |
| 00171644   | Servo solenoid valve ZVE<br>Voltage 24VDC<br>Drawing 017164                                                                                                                                                                                      |
| 017142     | Gasket set ZVE valve<br>Drawing 017142                                                                                                                                                                                                           |
| 017251171  | Oval flange gasket M75F                                                                                                                                                                                                                          |
| 017142     | Gasket set ZVE valve<br>Drawing 017142                                                                                                                                                                                                           |
| 0101672    | Filter insert F3                                                                                                                                                                                                                                 |
| 0104298067 | Microphone system M75F/370 ZVEH<br>Class III + IV - type tested<br>Drawing 06100087<br>for compressed air<br>Main current for tripping<br>230V AC 24 watts<br>Heating device<br>230V AC 30 watts<br>Protection class IP56<br>Weight approx. 8 kg |
| 01049321   | Filter F3.1 stainless steel with drain tap<br>Drawing 01415303                                                                                                                                                                                   |
| 014151181  | Signal machine 6+S<br>Type "B" - type-tested<br>Data sheet 06100090                                                                                                                                                                              |

| Ürün                               | Açıklama                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    | <p>Connection plan 01506297223<br/>for voltage 230 V max. 90 watts<br/>(standby 4.95 watts)<br/>with black front panel 144 x 96 mm<br/>five signals according to rule 35 (a,b,c,e,g) of the<br/>KVR 1972 (Colreg 72) + SOS<br/>Protection class IP23<br/>Weight approx. 0.9 kg</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Signal direction detector SRD414/4 | <p>- Elephant Ears - publication SW 116.1<br/>Voltage 24 V DC (4 W)<br/>according to 96/98/EC Annex A.1, item No. A.1/4.58<br/>and Annex B, Module B, SOLAS 74 as amended,<br/>Reg. V/18,V/19 &amp; X/3, IMO Res. A.694(17),<br/>2000 HSC Code, IMO Res. MSC86(70) &amp; 191(79)<br/>Connection cable CAT5/7 (not included)<br/>consisting of:<br/>1 microphone unit SRD414/4<br/>Drawing 01415556<br/>made of stainless steel, 5 microphones<br/>1x connector RJ45c-P4SAS<br/>Protection class IP 56<br/>Weight: 6.7 kg<br/>1 control unit SRD 414/4<br/>Drawing 01415651<br/>Connection plan 01506741<br/>Dimensions 144 x 144 mm<br/>with 8 LEDs for direction indication<br/>Speaker for acoustic Playback<br/>with dimmer and volume control<br/>Protection class IP22<br/>Weight: 1.6 kg</p> |
| 0141525230                         | <p>signal machine 10+SGA<br/>Type "A", "B" or "C" - type-tested<br/>for pipes, lamp, bell and gong<br/>and general alarm<br/>data sheet 06100091<br/>circuit diagram 01506540<br/>Voltage AC 1-phase or 24VDC Max. 110VA<br/>black front panel 144x144 mm<br/>10 signals according to Rule 34 a, b, d,<br/>Rule 35 a, b, c, e, g and Rule 37 Annex IV-SOS<br/>(optional general alarm and abandon ship)<br/>protection class IP22</p>                                                                                                                                                                                                                                                                                                                                                              |
| 126-0-00-4                         | <p>D9923<br/>MEMBRAN, SIGNALHORN</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 01031441                           | <p>First division kit Makrofon M75F / 260 diaphragm<br/>Weight: 0.05 kg</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

| Ürün         | Açıklama                     |
|--------------|------------------------------|
| Si710/0-03/5 | D9923<br>MEMBRAN, SIGNALHORN |
| 889007040    | D9923<br>MEMBRAN, SIGNALHORN |
| Si126-0-00-4 | D9923<br>MEMBRAN, SIGNALHORN |
| Si3689       | D9923<br>MEMBRAN, SIGNALHORN |
| Si710-0-03-5 | D9923<br>MEMBRAN, SIGNALHORN |
| 01126000     | Membrane TM125/3-fach        |
| 12600        | D9923<br>MEMBRAN, SIGNALHORN |
| Si126/0-00/4 | D9923<br>MEMBRAN, SIGNALHORN |
| 01.126000    | D9923<br>MEMBRAN, SIGNALHORN |
| 71003        | D9923<br>MEMBRAN, SIGNALHORN |